



Disclaimer: unless otherwise agreed by the Council of UPOV, only documents that have been adopted by the Council of UPOV and that have not been superseded can represent UPOV policies or guidance.

This document has been scanned from a paper copy and may have some discrepancies from the original document.

Avertissement: sauf si le Conseil de l'UPOV en décide autrement, seuls les documents adoptés par le Conseil de l'UPOV n'ayant pas été remplacés peuvent représenter les principes ou les orientations de l'UPOV.

Ce document a été numérisé à partir d'une copie papier et peut contenir des différences avec le document original.

Allgemeiner Haftungsausschluß: Sofern nicht anders vom Rat der UPOV vereinbart, geben nur Dokumente, die vom Rat der UPOV angenommen und nicht ersetzt wurden, Grundsätze oder eine Anleitung der UPOV wieder.

Dieses Dokument wurde von einer Papierkopie gescannt und könnte Abweichungen vom Originaldokument aufweisen.

Descargo de responsabilidad: salvo que el Consejo de la UPOV decida de otro modo, solo se considerarán documentos de políticas u orientaciones de la UPOV los que hayan sido aprobados por el Consejo de la UPOV y no hayan sido reemplazados.

Este documento ha sido escaneado a partir de una copia en papel y puede que existan divergencias en relación con el documento original.

UPOV

C/XVII/6

ORIGINAL: French

DATE: September 29, 1983

INTERNATIONAL UNION FOR THE PROTECTION OF NEW VARIETIES OF PLANTS

GENEVA

COUNCIL

**Seventeenth Ordinary Session
Geneva, October 12 to 14, 1983**

LIST OF THE TAXA PROTECTED IN THE MEMBER STATES OF UPOV
AND IN THE SIGNATORY STATES OF THE 1978 ACT OF THE CONVENTION

Document prepared by the Office of the Union

TABLE OF CONTENTS

	Page
Introduction.....	2
Explanation of the Symbols Used in the Main Table.....	5
Main Table.....	6
 Notes Classified by States	
- BE/Belgium.....	43
- CH/Switzerland.....	43
- DE/Germany (Federal Republic of).....	43
- DK/Denmark.....	44
- GB/United Kingdom.....	44
- HU/Hungary.....	46
- JP/Japan.....	46
- NL/Netherlands.....	47
- NZ/New Zealand.....	47
- SE/Sweden.....	47
- US/United States of America.....	48
Notes Classified by Taxa.....	49
Index of English Common Names.....	73
Index of French Common Names.....	81
Index of German Common Names.....	85

INTRODUCTION

1. The International Convention for the Protection of New Varieties of Plants is applicable, according to its Article 4(1), to all botanical genera and species. Its Article 4(2) provides that "the member States of the Union undertake to adopt all measures necessary for the progressive application of the provisions of this Convention to the largest possible number of botanical genera and species." This document surveys the measures for the protection of the various taxa* that have been instituted by the member States of the Union and the States not yet members but signatories of the 1978 Revised Act of the Convention. It also contains additional information which may be useful in the context of this document.

2. This document contains the following parts:

- (i) a main table;
- (ii) notes classified by States;
- (iii) notes classified by taxa;
- (iv) three indexes of common names.

3. The main table contains the list of the taxa protected in at least one of the States defined above with, for each of them, indications with respect to its protection in each of the States. Explanations of the symbols used for this purpose appear on page 5.

4. The taxa are listed in the alphabetical order of their Latin names, except in the case of complex genera which contain many species and subspecies. These are isolated from the rest of the table by dotted lines and are treated differently, for instance with the use of titles, in order to facilitate consultation of the table.

5. The Latin names of the taxa are taken over from the rules and regulations of the member States protecting them, except in the following circumstances:

(i) The legislation of a member State may not contain Latin names and may therefore specify the protected taxa by means of their common names (in the case of France, Italy--with respect to certain taxa--Japan and Spain). Where relevant, the Office of the Union has added the Latin name corresponding to the common name.

(ii) The legislation of a member State may contain a Latin name the scope of which is much greater than that of the corresponding common name which defines the protected taxon. Where relevant, the Office of the Union has completed the Latin name.

(iii) Two or more States protecting the same taxon may use different Latin names. Two cases may exist:

(a) The differences are small (presence and absence of authors' names, different spellings, etc.): in this case, the Office of the Union has retained only one Latin name.

(b) The differences are substantial: where the difference relates to the use of synonyms (for example, *Prunus amygdalus* and *Amygdalus communis*), each designation is the subject of an entry in which the synonym is given in square brackets. Where the difference relates to the rank of the designations used and where, in practice, they cover about the same set of varieties (for example, *Hordeum L.* and *H. vulgare* to designate barley), these designations are the subject of one entry only in which one of them is given in square brackets.

6. For its decisions on the Latin names, the Office of the Union mainly had recourse to the following works:

(i) "Diccionario de Plantas Agricolas" by E. Sanchez Monje y Parellada - Ministerio de Agricultura, Servicio de Publicaciones Agrarias, Madrid;

(ii) "Dictionary of Gardening" (second edition (1977)) by P.M. Synge - Oxford University Press;

* The expression "protected taxon" and the similar expressions mean that titles of protection may be issued for varieties of the taxon concerned.

iii) "Elsevier's Dictionary of Botany - I. Plant Names" by P. Macura - Elsevier Scientific Publishing Company, Amsterdam - Oxford - New York, 1979;

(iv) "ISTA List of Stabilized Plant Names" (first edition (1966)) and complementary list established by the Secretariat of ISTA and containing all names stabilized between 1966 and 1980;

(v) "Zander - Handwörterbuch der Pflanzennamen" (tenth edition reviewed and completed by F. Encke and G. Buchheim), Eugen Ulmer Publications, Stuttgart, Federal Republic of Germany.

The species names stabilized by ISTA are preceded by an asterisk.

7. The common names originate from the national laws and regulations or have been indicated by the competent authorities of the member States, or again have been added by the Office of the Union. In this respect, three types of common names may be distinguished:

(i) true common names (examples: wheat, onion, apple, carnation, poplar);

(ii) common names deriving from the corresponding Latin name or from which the Latin name is derived (examples: abutilon, acacia, chrysanthemum, dahlia);

(iii) Latin names which, in the absence of true common names, are used in the common language (examples: Cymbidium, Dieffenbachia, Romneya). Such names may also co-exist with a true common name (example: Anthurium and Tail Flower). As time passes, they may pass into the common language as names of the second type (example: Gerbera). These names may be the subject of some changes, of which the most important are phonetic or spelling adaptations (addition of accents in French, change of the last syllable, -ia becoming for example -ie in German, etc.) and total or partial translations (for example Abies sachalinensis becomes "Sachalin Fir" and Pelargonium peltatum becomes "Ivy-leaved Pelargonium"). The result is that several variants may be used in one and the same language. Variants may also exist for other reasons. It should be noted in particular that the spelling of compound names is not always consistent in English (example: meadowgrass, meadow-grass and meadow grass).

8. Where relevant, the Office of the Union has added common names of the third type, thereby choosing those which seemed or were likely to prevail in usage. Concerning ornamental species, it is frequent usage to designate them, in the absence of names of the first or second type, by the name of the genus. Thus the species Allamanda cathartica is designated by "Allamanda." This usage also prevails in the case of certain genera containing several ornamental species. In that case, in order to reduce the list, the Office of the Union has regrouped in one entry all species concerned where this was possible. Thus, Abutilon megapotamicum, A. X milleri, A. ochsenii and A. vitifolium are the subject of one entry only.

9. Attention is drawn to the fact that the relationships between common names and Latin names may be different from one taxon to another: in the case of the genera for instance, the common name may apply either to the whole of the species of the genus, or to certain species only. In the case of Viola, for instance, violet applies to the whole of the genus, on the one hand, and more particularly to the small flowered species on the other hand, the large flowered garden plants being called pansies. The main table and the indexes should therefore not be used without care as glossaries.

10. As the above indications show, the drawing up of the synoptical list of protected taxa has led to some departures from the relevant national laws and regulations, in particular because nomenclatures used are not uniform. In this respect, useful information is given in the "notes." In any case, it is recommended to consult these laws and regulations when precise information is needed.

11. The notes classified by States follow the alphabetical order of the codes applicable to countries. The following will be found therein, wherever it has appeared necessary:

(i) general notes relating in particular to the way in which the national list of protected taxa has been established;

(ii) special notes relating to a peculiarity of the national list which concerns a given taxon.

12. The notes classified by taxa contain more detailed information on systematics, notably on the synonyms.

13. The indexes of common names contain alphabetical lists of the common names mentioned in the main table with, opposite each of them, the Latin name of the corresponding genus. The compound common names are the subject of a double entry, as far as this is necessary, for example "Maidenhair Fern" and "Fern (Maidenhair)." In general, common names identical or very similar to Latin names do not appear in the indexes, neither do species names where they contain the name of the corresponding genus.

14. Unless otherwise indicated, the protection of a fruit crop taxon means that both fruiting varieties and rootstocks may be protected.

EXPLANATION OF THE SYMBOLS USED IN THE MAIN TABLE

Letters in the column headings (country codes)

BE	Belgium	IL	Israel
CA	Canada	IT	Italy
CH	Switzerland	JP	Japan
DE	Germany (Federal Republic of)	MX	Mexico
DK	Denmark	NL	Netherlands
ES	Spain	NZ	New Zealand
FR	France	SE	Sweden
GB	United Kingdom	US	United States of America
HU	Hungary	ZA	South Africa
IE	Ireland		

Signs in the columns

X Protected taxon

+ Taxon protected as a result of:

- (i) the protection of a taxon of higher rank to which it belongs (for example in the case of a species: the genus to which it belongs is protected);
- (ii) the protection of all taxa of lower rank which belong to it (for example, in the case of a genus, all its species are protected).

This sign is not used where the protected taxa are mentioned in national legislation not by name, but by means of a collective word or expression. This is the case of Hungary, New Zealand and the United States of America.

(X) Protection of the taxon envisaged in the near future.

- * Before a taxon name: species name stabilized by ISTA;
- After a taxon name: refers to the Notes Classified by Taxa;
- After X or +: refers to a special note to be found under the name of the State concerned in the Notes Classified by States.

Numerals Refer to the general notes to be found under the name of the State concerned in the Notes Classified by States.

0154

MAIN TABLE - TABLEAU PRINCIPAL - HAUPTTABELLE

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
001 <i>Abelia R. Br.*</i>	Abelia	Abelia	Abelia	001	X2	X	.	.	.	X6	.	X	.	X	.	001		
002 <i>Abelmoschus esculentus (L.) Moench*</i>	Okra, Gombo	Ambrette	Okra	002	X	X2	.	X	.	X	.	002		
003 <i>Abies Mill.*</i>	Fir	Sapin	Tanne	003	.	.	.	X	.	.	+	X	X	.	X	.	003		
004 * <i>Abies sachalinensis (Fr. Schmidt) Mast.*</i>	Sachalin Fir	Sapin de Sakhaline	Tanne der Insel Sachalin	004	.	.	.	+	.	.	+	X	.	.	.	X6	.	X	.	X	.	004		
005 <i>Abutilon megapotamicum St.-Hil. et Naud.*</i> A. <i>X milleri</i> hort.*, A. <i>ochsenii</i> (Phil.) Phil., A. <i>vitifolium</i> Presl	Abutilon	Abutilon	Abutilon	005	+	.	.	X2	X	X	.	X	.	005		
006 <i>Acacia Mill.*</i>	Acacia	Acacia	Akazie	006	X	X6	.	X	.	X	.	006		
007 <i>Acer L.*</i>	Maple	Erable, Sycomore	Ahorn	007	X2	X	.	.	.	X6	.	X	.	X	.	007		
008 <i>Achillea L.*</i>	Milfoil, Yarrow	Achillée	Schafgarbe	008	X1	X	.	.	.	X5	.	X	.	X	.	008		
009 <i>Achimenes-Hybridi*</i>	Achimenes	Achimenes	Achimenes, Schiefteller	009	.	.	.	X	.	.	.	X	X	.	X	.	009		
010 <i>Aconitum L.</i>	Monkshood	Aconit	Eisenhut	010	X1	X	X	.	X	.	010		
011 <i>Actinidia Lindl.</i>	Actinidia	Actinidia	Strahlengriffel	011	X2	X	.	.	.	X3	.	X	.	X	.	011		
012 <i>Actinidia chinensis Planch.</i>	Kiwifruit	Actinidia, Groseille de Chine	Kiwifrucht	012	+	X	.	.	.	+	.	X	.	X	X	012		
013 <i>Adiantum L.*</i>	Maidenhair Fern	Capillaire	Frauenhaarfarn	013	X	X5	.	X	.	X	.	013		
014 <i>Aechmea Ruiz et Pav.*</i>	Aechmea	Aechmea	Aechmea	014	+	*	.	X	.	.	X	X5	.	+	*	X	.	X	.	014
015 <i>Aërides Lour.*</i>	Aërides	Aërides	Aërides	015	+	+	X	.	+	.	X5	.	+	X	.	X	.	015		
016 <i>Aeschynanthus Jack*</i>	Aeschynanthus	Aeschynanthus	Aeschynanthus	016	.	.	.	X	.	.	X	X	.	X	.	X	.	016	
017 <i>Aesculus L.*</i>	Horse Chestnut	Marronnier	Roskastanie	017	X2	X	X	.	X	.	017		
018 <i>Agapanthus L'Hér.</i>	Agapanthus, African Lily	Agapanthe, Fleur d'amour	Agapanthus, Schmucklilie	018	X	X5	.	X	.	X	.	018		
019 <i>Agaricus L.*</i>	Mushroom	Champignon de couche	Champignon	019	X	X	.	X	.	X	.	019		
020 <i>Agaricus bisporus (Lange.) Sing.</i>	Mushroom	Champignon de couche	Champignon	020	X	X8	.	+	.	X	.	020		
021 <i>Ageratum L.*</i>	Ageratum, Flossflower	Ageratum	Leberbalsam	021	X	X5	.	X	.	X	.	021		
022 <i>Agrostis L.*</i>	Bentgrass	Agrostis, Agrostide	Straussgras	022	.	.	.	X	X1	.	.	X	.	X	X4	.	X	X1	X	.	022			
023 * <i>Agrostis canina L. [A. canina L. ssp. canina Hwd]</i>	Velvet Bent	Agrostis des chiens	Hundsstraussgras	023	X	.	.	+	+	.	X	X	.	+	+	.	X	X	+	X	.	023		
024 * <i>Agrostis gigantea Roth*</i>	Red Top (Black Bent)	Agrostide blanche, Weisses Agrostide géante	Straussgras	024	X	.	.	+	+	.	X	X	.	+	+	.	X	X	+	X	.	024		
				BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA
025 * <i>Agrostis stolonifera</i> L.*	Creeping Bent	Agrostide blanche, Flechtstraussgras	025	X	.	.	+	+	.	X	X	.	+	+	.	X	X	+	X	.	025	
026 * <i>Agrostis tenuis</i> Sibth.*	Brown Top, Common Bent	Agrostide commune	Rotes Straussgras	026	X	.	.	+	+	.	X	X	.	+	+	.	X	X	+	X	.	026
027 * <i>Albizia julibrissin</i> Durazz.*	Silk-tree	Acacia de Constantinople, Arbre de soie	Schirmakazie	027	X	.	.	X6	.	X	.	X	.	027		
028 <i>Allamanda cathartica</i> L.*	Allamanda	Allamanda	Allamanda	028	X	.	.	X	X	.	X	.	028	
ALLIUM																						
<u>Ornamental Plants/Plantes ornementales/Zierpflanzen</u>																						
029 <i>Allium</i> L.*	Allium	Allium	Zierlauch	029	X	X	X	.	X	.	029	
030 <i>Allium giganteum</i> Regel	Giant Allium	Oignon géant	-	030	X	.	.	X5	.	+	X	.	X	.	030	
<u>Vegetables/Plantes potagères/Gemüsepflanzen</u>																						
031 <i>Allium</i> L.	-	-	Lauch	031	X	X	X2	X	.	031		
032 <i>Allium ascalonicum</i> L.*	Shallot	Echalote	Schalotte	032	X	.	.	X	.	.	.	X	X	+	X	.	032	
033 <i>Allium bakeri</i> Regel*	Rakyo	-	-	033	X	.	.	X2	.	X	+	X	.	033		
034 * <i>Allium cepa</i> L.*	Onion	Oignon	Zwiebel	034	X	.	X*	X	X	.	X	.	X	X	X2	.	X	X	+	X	X	034
035 * <i>Allium fistulosum</i> L.*	Welsh Onion	Ciboule	Winterzwiebel	035	X	.	.	X2	.	X	+	X	.	035		
036 * <i>Allium porrum</i> L.*	Leek	Poireau	Porrée	036	.	.	.	X	X	.	X	.	.	X	X	+	X	.	036			
037 * <i>Allium sativum</i> L.*	Garlic	Ail	Knoblauch	037	X	.	X	.	X2	.	X	+	X	.	037	
038 * <i>Allium schoenoprasum</i> L.*	Chives, Asatsuki	Ciboulette, Civette	Schnittlauch	038	.	.	.	X	X	.	X	.	.	X2	.	X	+	X	.	038		
039 <i>Allium tuberosum</i> Rottler ex Spreng.*	Chinese Chives	-	-	039	X	.	.	X2	.	X	+	X	.	039		
040 <i>Alnus</i> Mill.*	Alder	Aulne	Erlé	040	X2	X	.	.	.	X	.	X	.	040		
041 <i>Alocasia</i> (Schott) G. Don*	Alocasia	Alocasia	Alocasia; Pfeilwurz, Tropenwurz	041	X	.	.	X5	.	X	.	X	.	041		
042 Aloë spec.*	Aloe	Aloës	Aloe, Bitterschopf	042	X	X	.	X	X	042		
043 * <i>Alopecurus pratensis</i> L.	Meadow Foxtail	Vulpin des prés	Wiesenfuchsschwanz	043	.	.	.	X	.	.	X	X	X1	X	.	043		
044 <i>Alstroemeria</i> L. [A.-Hybrid]†	Alstroemeria, Herb Lily	Alstroemerie, Lis des Incas	Inkalilie	044	X	.	.	X	X	.	X	X1	X	.	X	X5	.	X	X	X4	X	044
045 <i>Althaea rosea</i> (L.) Cav.*	Hollyhock	Rose trémière	Stockmalve, Stockrose	045	X	.	.	X5	.	X	.	X	.	X	.	045
046 * <i>Amaranthus tricolor</i> L.*	Gangea Amaranth	Amarante trico- lore, Amarante du Gange	Dreifarbiger Fuchsschwanz	046	X	.	.	X5	.	X	.	X	.	046		
047 <i>Amelanchier</i> Medik.*	Serviceberry, Snowy Mespilus	Amélanquier	Felsenbirne	047	X2	X	X	.	X	.	047	

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

Latine	English	Francais	Deutsch	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
048 <i>Ammobium alatum</i> R. Br.	Winged Everlasting	<i>Ammobium</i> élevé	Papierknöpfchen, Sandimmortelle	048	X	.	.	X5	.	.	X	.	X	.	048		
049 <i>Amorphophallus konjac</i> C. Koch [<i>A. rivieri</i> Durieu*]	Konnyaku, Devil's tongue	-	-	049	X	.	.	X1	.	.	X	.	X	.	049		
050 <i>Ampelopsis hort.</i> *	Ampelopsis	Vigne-vierge	Doldenrebe	050	X2	X	X	.	X	.	050		
051 <i>Amygdalus</i> spec. [<i>A. communis</i> L.; <i>Prunus amygdalus</i> Bartock*; <i>P. dulcis</i> (Mill.) D.A. Webb]	Almond	Amandier	Mandel	051	X	+2	X	.	X	X	+	.	X	.	X	X	051		
052 <i>Ananas comosus</i> (L.) Merr.*	Pineapple	Ananas	Ananas	052	X	.	.	X3	.	.	X	.	X	X	052		
053 <i>Anchusa angustissima</i> K. Koch*	-	Langue-de-boeuf	Ochsenzunge	053	X1	X	X	.	X	.	053		
054 <i>Anchusa italicica</i> Retz.*	Italian Bugloss	Buglosse d'Italie, Italianische Langue-de-boeuf	Ochsenzunge	054	X1	X	X	.	X	.	054		
055 <i>Andromeda</i> L.*	Bog Rosemary	Andromède	Gränke, Rosmarinheide	055	X2	X	X	.	X	.	055		
056 <i>Anemone</i> L.*	Anemone	Anémone	Anemone, Windröschen	056	X	.	X	.	X5	.	.	X	.	X	.	056	
057 <i>Anemone hupehensis</i> Lemoine*	Japanese Anemone	Anémone du Japon	Herbstanemone	057	X1	X	.	+	+	.	X	.	X	.	057		
058 * <i>Anethum graveolens</i> L.*	Dill	Aneth	Dill	058	X	.	.	X	X	X	X2	X	.	058		
059 <i>Angelica acutiloba</i> Kitagawa	Angelica	Angélique	Engelwurz	059	X	.	.	X1	.	.	X	.	X	.	059		
060 <i>Angraecum</i> Bory*	Bourbon Tea Orchid	Angraecum, Angrec	Angraecum, Tropensporn	060	+	+	.	X	.	+	.	X5	.	+	X	.	X	.	060	
061 * <i>Annona cherimola</i> P. Mill.	Annona, Cherimoya	Chérimolier	"Cherimoya"	061	X	.	X	.	.	.	X	.	X	.	061		
062 * <i>Annona squamosa</i> L.*	Annona, Sugar Apple, Sweet Sop	Pommier-cannelle	Rahmapfel, Süss- sack, Zuckerapfel	062	X	.	X	.	.	.	X	.	X	.	062		
063 <i>Anthemis</i> L.*	Chamomile	Anthémis	Hundskamille	063	X1	X	X	.	X	.	063		
064 * <i>Anthriscus cerefolium</i> (L.) Hoffm.*	Chervil	Cerfeuil	Kerbel	064	X	.	.	X	X	X	.	X	.	064		
065 <i>Anthurium</i> Schott*	Anthurium, Tail Flower	Anthurium	Flamingoblume	065	.	.	.	X	.	.	.	X	.	X	.	X5	.	X	X	.	X	.	065	
066 * <i>Antirrhinum majus</i> L.	Common Snapdragon	Muflier, Gueule de Gartenlöwenmaul loup, Gueule de lion	066	X	.	.	.	X5	.	.	X	.	X	.	066		
067 * <i>Apium graveolens</i> L.	Celery, Celeryiac	Céleri, Céleri-rave	Sellerie	067	X	.	.	X	X	.	.	X	X	.	.	X	X2	.	X	X	X2	X	.	067
068 <i>Aquilegia</i> L.*	Columbine	Ancolie, Colombine	Akelei	068	X	.	.	X5	.	.	X	.	X	.	068		
069 * <i>Arachis hypogaea</i> L.* [<i>Arachis spec.</i>]	Groundnut, Peanut	Arachide	Erdnuss	069	X	.	X	.	X1	.	.	X	.	X	X	069	
070 <i>Aralia chinensis</i> L.	Chinese Angelica Tree	Angélique en arbre	Angelikabaum de Chine	070	X2	X	X	.	X	.	070		
071 <i>Aralia elata</i> (Miq.) Seem.*	Japanese Angelica Tree	Angélique en arbre - du Japon	-	071	X2	X	X	.	X	.	071		
072 <i>Aralia spinosa</i> L.	Hercules Club, Devil's Walking Stick	Angélique épineuse, Bâton du diable	-	072	X2	X	X	.	X	.	072		

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA	
073 <i>Arbutus L.*</i>	Strawberry Tree	Arbousier	Erdbeerbaum	073	X2	X	X	.	X	.	073	
074 * <i>Arctium lappa L.*</i>	Edible Burdock	Grande bardane comestible	Grosse essbare Klette	074	X	.	.	.	X2	.	.	X	.	X	.	074	
075 <i>Arctostaphylos Adans.*</i>	Bearberry	Raisin d'ours	Bärentraube	075	X2	X	X	.	X	.	075	
076 <i>Ardisia crispa A. DC.*</i>	<i>Ardisia</i>	Baie corail	Spitzenblume	076	X	.	.	.	X6	.	.	X	.	X	.	076	
077 <i>Armeria (DC.) Willd.*</i>	Thrift, Sea Pink	Arméria	Grasnelke	077	X1	X	.	.	.	X5	.	.	X	.	X	.	077
078 <i>Armoracia rusticana Gaertn., Mey. et Scherb.*</i>	Horse Radish	Raifort sauvage	Meerrettich	078	X	.	.	X	X	.	X	.	078	
079 <i>Aronia Medik.*</i>	Chokeberry	Aronia	Apfelbeere	079	X2	X	X	.	X	.	079	
080 * <i>Arrhenatherum elatius (L.) P. Beauv. ex J. et C. Presl*</i>	Tall Oatgrass, False Oatgrass	Fromental, Avoine élevée	Glatthafer	080	.	.	.	X	.	.	X	X	X	.	X	.	080	
081 <i>Artemisia L.*</i>	Mugwort	Armoise	Beifuss	081	X1	X	.	.	.	X1	.	.	X	.	X	.	081
082 <i>Asclepias L.*</i>	Milkweed, Silk-weed, Bloodflower	Asclépiade	Seidenpflanze	082	X	.	.	.	X5	.	.	X	.	X	.	082	
083 <i>Ascocentrum Schlechter*</i>	Ascocentrum	Ascocentrum	Ascocentrum	083	+	+	X	.	+	.	X5	.	+	X	.	X	.	083	
084 * <i>Asparagus officinalis L. [Asparagus L.]</i>	Asparagus	Asperge	Spargel	084	.	.	.	X	X	.	.	X	.	X	X2	.	X	X	X2	.	084		
085 <i>Asparagus plumosus Bak.*</i>	"Asparagus Fern"	Asparagus	Asparagus, Federspargel	085	.	.	.	X	.	.	X	.	.	+	.	.	X	.	X	.	085		
086 <i>Aspidistra elatior Bl.*</i>	Aspidistra, Cast-iron Plant	Aspidistra	Schusterpalme	086	X	.	.	.	X5	.	.	X	.	X	.	086	
087 <i>Aster L.*</i>	Aster, Michaelmas Daisy	Aster	Aster	087	X1	X	.	X	.	X5	.	.	X	.	X	.	087
088 <i>Astilbe Buch.-Ham. ex D. Don*</i>	Astilbe	Astilbe, Hoteia	Astilbe, Prachtspiere	088	X1	X	.	.	X5	.	.	X	.	X	.	088	
089 <i>Aucuba Thunb.</i>	Aucuba	Aucuba	Aukube	089	X2	X	X	.	X	.	089	
090 * <i>Aucuba japonica Thunb.</i>	Aucuba	Aucuba	Aukube	090	+	X	.	.	.	X6	.	.	X	.	X	.	090
091 <i>Aulax spec.*</i>	Aulax, Protea	Aulax, Protea	Aulax, Protea	091	X	X	.	X	X	091	
092 <i>Auricularia auricula-judae (Fr.) Quel. Jew's Ear</i>	Oreille de Judas	Judasohr	092	X	.	.	.	X8	.	.	.	X	.	X	.	092	
093 <i>Auricularia polytricha (Mont.) Sacc. Jew's Ear</i>	Oreille de Judas	Judasohr	093	X	.	.	.	X8	.	.	.	X	.	X	.	093	
094 <i>Avena L.*</i>	Oats	Avoine	Hafer	094	X	X	X	X	.	X	X	094	
095 * <i>Avena byzantina K. Koch</i>	Algerian Oats	Avoine (d'Algérie)	Mittelmeerhafer	095	X	.	.	.	X	X	+	+	X	X	X1	X	+	095	
096 <i>Avena nuda L.*</i>	Naked Oats	Avoine nue	Nackthafer	096	X	.	.	X	.	+	+	X	X	.	X	+	096		
097 * <i>Avena sativa L.</i>	Oats	Avoine	Hafer	097	X	.	X	X	X	X	+	+	X	X	X	X1	.	X	X	X1	X	+	097
098 <i>Babiana stricta (Ait.) Ker-Gawl.*</i>	Babiana	Babiana	Babiana	098	X	.	.	.	X5	.	.	X	.	X	.	098	
099 <i>Begonia L.</i>	Begonia	Bégonia	Begonie	099	.	.	.	X	.	.	X	.	X	.	X5	.	.	X	.	X	.	099	
100 <i>Begonia-Elatior-Hybridri [B. elatior (B. X hiemalis); B. X hiemalis Fotsch; Begonia L.]</i>	Elatior Begonia	Bégonia elatior	Elatior-Begonie	100	X	.	X	X	+	.	X	X	X	.	+	.	X	X	X4	X	.	100	

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
101 <i>Begonia X tuberhybrida</i> Voss [B.-Knollenbegonien-Hybriden]	Tuberous Begonia	Bégonia tubéreux	Knollenbegonie	101	X	.	.	X	+	.	.	X	+	.	+	.	.	X	.	X	.	101		
102 <i>Belamcanda chinensis</i> (L.) DC.*	Blackberry Lily	Iris tigre	Leopardenblume	102	X	.	.	.	X5	.	.	X	.	X	.	102	
103 * <i>Bellis perennis</i> L.	True Daisy, English Daisy	Pâquerette	Gänseblümchen, Tausendschön	103	X	.	.	.	X5	.	.	X	.	X	.	103	
104 <i>Benincasa hispida</i> (Thunb.) Cogn.*	Wax Gourd	Courge à cire	Wachskürbis	104	X	.	.	.	X2	.	.	X	.	X	.	104	
105 <i>Berberis</i> L.*	Berberis, Barberry	Berberis, Epine-vinette	Berberitze	105	X	.	X	X2	X	.	.	X6	.	.	X	.	X	.	105	
106 <i>Bergenia</i> Moench*	Megasea	Bergenia	Wickelwurz	106	X1	X	X	.	X	.	106	
107 * <i>Beta vulgaris</i> L. ssp. <i>vulgaris</i> var. <i>alba</i> DC. [var. <i>crassa</i> Alef.]	Fodder Beet	Betterave fourragère	Runkelrübe	107	.	.	.	X	X	.	.	X	.	.	X	.	.	X1	X	X1	X	.	107	
108 * <i>Beta vulgaris</i> L. ssp. <i>vulgaris</i> var. <i>altissima</i> Doeell [var. <i>saccharifera</i> Alef.]	Sugar Beet	Betterave sucrière	Zuckerrübe	108	.	.	.	X	.	.	.	X	.	.	X	X1	.	X1	X	X1	X	.	108	
109 * <i>Beta vulgaris</i> L. ssp. <i>vulgaris</i> var. <i>conditiva</i> Alef. [var. <i>esculenta</i> L.; var. <i>hortensis</i>]	Garden Beet, Beetroot	Betterave rouge, Betterave potagère	Rote Rübe	109	.	.	.	X	X	.	.	X	X	X	X	X2	X	X	109	
110 * <i>Beta vulgaris</i> L. ssp. <i>vulgaris</i> var. <i>vulgaris</i> * [var. <i>cicla</i> (L.) Ulrich]	Mangel, Leaf Beet, Swiss Chard	Bette commune, Poirée	Mangold	110	.	.	.	X	X	.	.	X	.	.	.	X2	.	X	X	.	X	.	110	
111 <i>Betula</i> L.*	Birch	Bouleau	Birke	111	X2	X	X	.	X	.	111	
112 <i>Bletilla</i> Rchb. f.*	Bletilla	Bletilla	Bletilla	112	+	+	.	X	.	+	.	X5	.	+	X	.	X	.	112
113 <i>Boltonia asteroides</i> (L.) L'Hér.*	False Chamomile	Boltonie blanche	Boltonie	113	X	.	.	.	X5	.	.	X	.	X	.	113	
114 <i>Bougainvillea</i> Comm.	Bougainvillea	Bougainvillier	Bougainvillea	114	X	.	.	X	X	X	.	X	.	X	.	114
115 <i>Bougainvillea spectabilis</i> Willd.*	Great Bougainvillea	-	-	115	X	.	.	.	X6	.	+	X	.	X	.	115	
116 <i>Brassavola</i> R. Br.*	Brassavola	Brassavola, Orchidée dame de la nuit	Brassavola	116	+	+	.	X	.	+	.	X5	.	+	X	.	X	.	116

BRASSICA

117 * <i>Brassica juncea</i> (L.) Czern. et Coss. Brown Mustard in Czern.		Moutarde brune	Sareptasenf	117	.	.	.	X	.	.	X	X	.	.	X2	.	.	X	.	X	.	117		
*Brassica napus. L.																								
118 - var. <i>napostrassica</i> (L.) Rchb.*	Swede	Chou-navet, Rutabaga	Kohlrübe	118	.	.	.	X	X	.	.	X	X	.	.	+	.	X	X	X*	X	.	118	
119 - ssp. <i>oleifera</i> (Metzg.) Sinsk; [var. <i>oleifera</i> Metzg.]*	Swede Rape, incl. Colza Oilseed Rape	Raps	Raps	119	.	.	.	X	X	.	X	X	X	.	.	X	.	X	X	X1	X	.	119	
120 - [partim]	Rape	Colza	Raps	120	.	.	.	+	+	.	+	+	X	.	.	+	X1*	.	.	X	+	X	.	120
121 * <i>Brassica nigra</i> (L.) W. Koch*	Black Mustard	Moutarde noire	Schwarzer Senf	121	.	.	.	X	.	.	X	X	X	X1	X	.	X	.	121	
*Brassica oleracea L.																								
122 - (Vegetables/Plantes potagères/ Gemüsepflanzen)	Brassica vegetables	Choux maraîchers	Gemüsekohl	122	X	X	X2	X	.	122		

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
- convar. <u>acephala</u> (DC.) Alef.																								
123 - ssp. <u>acephala</u> DC.	Fodder Kale	Chou fourrager	Futterkohl	123	X	X	X	X1	X	.	123			
124 - (Ornamental plants/Plantes ornementales/Zierpflanzen)	Ornamental Cabbage	Chou ornemental	Zierkohl	124	X	.	.	X5	.	X	.	X	.	124				
125 + var. <u>gongylodes</u> L.	Kohlrabi	Chou-rave	Kohlrabi	125	X	.	X	X	X	.	.	X	.	.	.	X	X	+	X	.	125			
126 + var. <u>sabellica</u> L. [var. <u>acephala</u> (DC.) Alef. subvar. <u>sabellica</u> (<u>laciniata</u>) L.; var. <u>laciniata</u> (L.) Schulz]	Curly Kale	Chou frisé	Grünkohl	126	X	.	X	X	.	.	X	X	X	+	X	.	126			
127 + var. <u>medullosa</u> Thell.	Marrow-stem Kale	Chou moellier	Markkohl	127	X	.	.	+	X	.	.	+	X	.	.	.	X1	X	+	X	.	127		
128 + var. <u>viridis</u> L. + var. <u>medullosa</u> Thell.	Fodder Kale	Chou fourrager	Futterkohl	128	X	.	.	X	.	.	+	X	X	+	X	.	128			
- convar. <u>botrytis</u> (L.) Alef.																								
129 - var. <u>botrytis</u>	Cauliflower	Chou-fleur	Blumenkohl	129	X	.	.	X	X	.	.	X	X	.	X	X	X2	.	X	X	+	X	X	129
130 - var. <u>cymosa</u> Duch. [var. <u>italica</u> Plenck]	Sprouting Broccoli, Calabrese	Brocoli	Brokkoli, Spargelkohl, Sprossenbrokkoli	130	X	.	.	X	X2	.	X	X	+	X	.	130	
- convar. <u>capitata</u> (L.) Alef.																								
131 - var. <u>capitata</u> (L.) Alef.	Cabbage	Chou pomme	Kopfkohl	131	+	.	.	X	+	.	.	+	X	.	.	X2	.	X	+	X	X	131		
132 + var. <u>capitata</u> L. f. <u>alba</u> DC.	White Cabbage	Chou cabus	Weisskohl	132	X	.	.	+	X	.	.	X	X	.	.	+	.	X	X	+	X	+	132	
133 + var. <u>capitata</u> L. f. <u>rubra</u> (L.) Thell.	Red Cabbage	Chou rouge	Rotkohl	133	X	.	.	+	X	.	.	X	X	.	.	+	.	X	X	+	X	+	133	
134 - var. <u>sabauda</u> L. [var. <u>bullata</u> DC. + var. <u>sabauda</u> L.]	Savoy Cabbage	Chou de Milan	Wirsing	134	X	.	.	X	X	.	.	X	X	.	.	.	X	X	+	X	+	134		
135 - convar. <u>oleracea</u> var. <u>gemmifera</u> DC. [var. <u>bullata</u> DC. subvar. <u>gemmifera</u> DC.]	Brussels Sprouts	Chou de Bruxelles	Rosenkohl	135	X	.	.	X	X	.	.	X	X	.	.	X2	.	X	X	+	X	.	135	
136 * <u>Brassica pekinensis</u> (Lour.) Rupr.*	Chinese Cabbage	Chou de Chine, Pé-tsai	Chinakohl, Schantungkohl	136	X	.	.	.	X2	.	X	.	X	.	136			
137 * <u>Brassica rapa</u> L.*	Turnip, Turnip Rape	Navet, Navette	Herbstrübe, Mairübe, Rübsen	137	.	.	.	X	+	.	.	X	.	.	+	.	.	X	+	X	.	137		
138 - var. <u>rapa</u> (L.) Thell.	Turnip	Navet	Herbstrübe, Mairübe	138	X	.	.	+	X*	.	.	X*	X	.	.	X2	.	X	X	X*	X	X	138	
139 - [partim]	[Leaf vegetable]	[Légume-feuille]	[Blattgemüse]	139	X	.	.	.	X1*	.	X	.	X	.	139			
140 - var. <u>silvestris</u> (Lam.) Briggs [var. <u>oleifera</u> Metzg.]	Turnip Rape	Navette	Rübsen	140	.	.	.	X	X	.	.	X	.	.	+	.	X	X1	X	.	140			
.....			
141 Bromeliaceae Juss. partim	Bromeliaceae	Broméliacées	Bromeliaceen	141	X*	X	X*	X	.	X	.	141			
142 *Bromus arvensis L.*	Field Brome	Brome des champs	Ackertrespe	142	X	X	X1	X	.	142				
143 *Bromus inermis Leyss.	Smooth Brome (Awnless Brome)	Brome inerne	Wehrlose Trespe	143	.	.	.	X	.	.	X	.	.	.	X4	.	X	X1	X	.	143			

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
144 <i>Buddleja</i> L.*	<i>Buddleia</i> , Butterfly-bush	<i>Buddleia</i>	<i>Buddleie,</i> <i>Schmetterlings-</i> <i>strauch</i>	144	X	.	X	.	.	X6	.	.	X	.	X	.	144		
145 <i>Buddleja</i> L. (excl. <i>B. asiatica</i> Lour., <i>B. auriculata</i> Benth., <i>B. madagascariensis</i> Lam.*, <i>B. officinalis</i> Maxim.)	<i>Buddleia</i> , Butterfly-bush	<i>Buddleia</i>	<i>Buddleie,</i> <i>Schmetterlings-</i> <i>strauch</i>	145	+	X2	X	.	.	+	.	.	X	.	X	.	145	
146 <i>Bupleurum falcatum</i> L.	<i>Bupleurum</i>	<i>Buplevre</i>	<i>Hasenohr</i>	146	X	.	.	X1	.	.	X	.	X	.	146		
147 <i>Buxus</i> L.	<i>Box</i>	<i>Buis</i>	<i>Buchsbaum</i>	147	X2	X	.	.	X6	.	.	X	.	X	.	147		
148 <i>Caladium bicolor</i> (Ait.) Vent.*	<i>Caladium</i>	<i>Coeur saignant,</i> <i>Caladium bicolor,</i> <i>Caladiion bicolor</i>	<i>Kaladie, Buntwurz</i>	148	X	.	.	X5	.	.	X	.	X	.	148			
149 <i>Calanthe</i> R. Br.*	<i>Calanthe</i>	<i>Calanthe</i>	<i>Calanthe</i>	149	+	+	.	X	.	+	.	X5	.	+	X	.	X	.	149
150 <i>Calathea</i> G.F.W. Mey.*	<i>Calathea</i>	<i>Calathea</i>	<i>Calathea,</i> <i>Korbmarante</i>	150	X	.	.	X5	.	.	X	.	X	.	X	.	150	
151 <i>Calceolaria</i> L.*	<i>Slipperwort,</i> <i>Slipper Flower</i>	<i>Calcéolaire</i>	<i>Pantoffelblume</i>	151	X	.	.	X5	.	.	X	.	X	.	X	.	151	
152 * <i>Calendula officinalis</i> L.	<i>Pot Marigold</i>	<i>Souci des jardins</i>	<i>Gartenringelblume</i>	152	X	.	.	X5	.	.	X	.	X	.	X	.	152	
153 <i>Callicarpa</i> L. (excl. <i>C. purpurea</i> Juss.*, <i>C. rubella</i> Lindl.)	<i>Callicarpa</i> , French Mulberry, Beauty-berry	<i>Callicarpa</i>	<i>Schönfrucht</i>	153	X2	X	X	.	X	.	X	.	153	
154 <i>Callistemon</i> R. Br.*	<i>Bottle-brush</i>	<i>Callistemon</i>	<i>Zylinderputzer</i>	154	X	.	.	X6	.	.	X	.	X	.	X	.	154	
155 * <i>Callistephus chinensis</i> (L.) Nees* [<i>Callistephus</i> Cass.]	<i>China Aster</i>	<i>Aster,</i> <i>Aster de Chine,</i> <i>Reine-marguerite</i>	<i>Sommeraster</i>	155	X	.	+	.	X5	.	.	X	.	X	.	X	.	155
156 <i>Calluna Salisb.</i> [<i>C. vulgaris</i> (L.) Hull*]	<i>Heather, Ling</i>	<i>Callune</i>	<i>Besenheide</i>	156	.	.	.	X	.	.	X2	X	X	.	X	.	X	.	156	
157 <i>Caltha</i> L.	<i>Marsh Marigold,</i> <i>King Cup</i>	<i>Populage</i>	<i>Dotterblume</i>	157	X1	X	X	.	X	.	X	.	157	
158 * <i>Camellina sativa</i> (L.) Crantz*	<i>Large-seeded</i> <i>False Flax</i>	<i>Caméline cultivée</i>	<i>Angebauter</i> <i>Leindotter</i>	158	X	X	X1	X	.	X	.	158	
159 <i>Camellia</i> L.*	<i>Camellia</i>	<i>Camélia</i>	<i>Kamelie</i>	159	X	.	.	X6	.	.	X	.	X	.	X	.	159	
160 * <i>Camellia japonica</i> L.*	<i>Camellia</i>	<i>Camélia du Japon</i>	<i>Kamelie</i>	160	X2	X	.	.	+	.	.	X	.	X	.	X	.	160
161 <i>Camellia reticulata</i> Lindl., <i>C. saluenensis</i> Staph ex Bean, <i>C. saluenensis</i> Staph ex Bean X <i>C. reticulata</i> Lindl., <i>C. sasanqua</i> Thunb.*, <i>C. X williamsii</i> W.W. Sm.	<i>Camellia</i>	<i>Camélia</i>	<i>Kamelie</i>	161	X2	X	.	.	+	.	.	X	.	X	.	X	.	161
162 <i>Campanula</i> L.*	<i>Campanula,</i> <i>Bell Flower</i>	<i>Campanule</i>	<i>Glockenblume</i>	162	X1	X	.	.	.	X5	.	.	X	.	X	.	162	
163 <i>Campsis</i> Lour.* (<i>Tecoma</i>)	<i>Trumpet Flower</i>	<i>Bignonia,</i> <i>Jasmin de Virginie</i>	<i>Trompetenblume,</i> <i>Trompetenwinde</i>	163	X2	X	X	.	X	.	X	.	163
164 <i>Canna</i> L.	<i>Canna</i>	<i>Canna, Balisier</i>	<i>Blumenrohr</i>	164	X	.	.	X5	.	.	X	.	X	.	X	.	164	
165 * <i>Cannabis sativa</i> L.*	<i>Hemp</i>	<i>Chanvre</i>	<i>Hanf</i>	165	.	.	X	.	.	.	X	.	.	X1	.	.	X	X1	X	.	X	.	165	
				BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA
166 <i>Capsicum</i> spec.	Sweet Pepper	Poivron, Piment	Paprika	166	X	X	.	X	X	166	
167 * <i>Capsicum annuum</i> L.	Sweet Pepper, <i>Capsicum</i> , Chili	Poivron, Piment	Paprika	167	.	.	.	X	.	.	X	.	X	.	X	X	X	X	X	+	167	
168 <i>Caragana</i> Fabr.	Pea Shrub, Pea Tree	Caragana	Erbsenstrauch	168	X2	X	X	.	X	.	168	
169 * <i>Carica papaya</i> L.*	Pawpaw	Papayer, Arbre à melon	Melonenbaum, Papaya	169	X	X	.	X	X	169	
170 <i>Carpinus</i> L.*	Hornbeam	Charme	Hainbuche	170	X2	X	X	.	X	.	170	
171 * <i>Carthamus tinctorius</i> L.	Safflower	Carthame, Safran bâtarde	Saflor, Färberdistel	171	X	.	X	.	.	.	X	.	X	.	171	
172 * <i>Carum carvi</i> L.	Caraway	Carvi, Cumin des prés	Kümmel	172	X	.	.	X	.	X	.	.	X1	X	.	X	.	172
173 <i>Carya illinoensis</i> (Wangenh.) C. Koch*	Pecan Nut	Pacanier	Pekan, Pekannuss	173	X	.	X	.	.	.	X	.	X	X	173	
174 <i>Caryopteris</i> Bunge	Caryopteris	Caryopteris	Bartblume	174	X2	X	X	.	X	.	174	
175 <i>Caryopteris incana</i> (Thunb. ex Houtt.) Miq.*	Blue Spirea, Blue Beard	Caryopteris, Barbe bleue	Bläubart	175	+	X	.	.	.	X5	.	X	.	X	.	175
176 <i>Cassiope</i> D. Don*	Cassiope	Cassiope	Schuppenheide	176	X2	X	X	.	X	.	176	
177 <i>Castanea</i> Mill.*	Chestnut	Châtaignier	Kastanie	177	X	X2	X	.	.	X3	.	X	.	X	.	177
178 <i>Catalpa</i> v. <i>Wolf</i>	Indian Bean	Catalpa, Bois trompette	Trompetenbaum	178	X2	X	X	.	X	.	178	
179 <i>Catananche</i> L.	Cupid's Dart	Catananche	RasseLBLUME	179	X1	X	X	.	X	.	179	
180 <i>Catharanthus roseus</i> (L.) G. Don*	Vinca	Catharanthus	Catharanthus	180	X	.	X	.	.	.	X	.	X	.	180	
181 <i>Cattleya</i> Lindl.*	Cattleya	Cattleya	Cattleya	181	+	.	.	X	.	.	+	X	.	+	.	X5	+	X	.	X	.	181
182 <i>Ceanothus</i> L.*	Ceanothus	Ceanothe	Säckelblume	182	X2	X	X	.	X	.	182	
183 <i>Celosia</i> L.	Cockscomb	Célosie, Crête de coq	Hahnenkamm, Federbusch-Celosie	183	X	.	.	.	X5	.	X	.	X	.	183	
184 * <i>Cenchrus ciliaris</i> L.*	Blue Buffalo Grass	Cenchrus cilié	Büffelgras	184	X	X	.	X	X	184	
185 <i>Centaurea</i> L.*	Cornflower, Blue Bottle	Centauree	Flockenblume	185	X1	X	.	.	.	X5	.	X	.	X	.	185
186 <i>Ceratostigma</i> Bunge (exc. <i>C. plumbaginoides</i> Bunge)	Hardy Plumbago	Dentelaire	Bleiwurz	186	X2	X	X	.	X	.	186	
187 <i>Ceratostigma plumbaginoides</i> Bunge*	Hardy Plumbago	Dentelaire	Bleiwurz	187	X1	X	X	.	X	.	187	
188 <i>Cercidiphyllum</i> Sieb. et Zucc.	Katsura Tree	Katsura	Katsurabaum	188	X2	X	X	.	X	.	188	
189 <i>Cercis</i> L.	Judas Tree	Gainier, Arbre de Judée	Judasbaum	189	X2	X	X	.	X	.	189	
190 <i>Chaenomeles</i> Lindl.* (<i>Cydonia</i>)	Flowering Quince	Cognassier du Japon	Japanische Quitte	190	X2	X	.	.	.	X6	.	X	.	X	.	190
191 <i>Chamaecyparis</i> Spach*	Chamaecyparis	Chamaecyparis	Scheinzypresse	191	.	.	.	X	X	.	+	X	X	.	X	.	191	
192 * <i>Chamaecyparis obtusa</i> (Sieb. et Zucc.) Hinoki Cypress Sieb. et Zucc. ex Endl.*	Hinoki Cypress	Cypres japonais	-	192	.	.	.	+	+	.	+	X	.	.	.	X6	.	X	.	X	.	192

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
193 * <i>Cheiranthus cheiri</i> L.*	Wallflower	Giroflée des murailles	Goldlack	193	X	.	.	.	X5	.	.	X	.	X	.	193	
194 <i>Chimonanthus Lindl.</i> * [<i>Meratia</i>]	Winter Sweet, Japanese Allspice	Chimonanthe	Winterblüte	194	X2	X	.	.	X6	.	.	X	.	X	.	194	
195 <i>Chloranthus glaber</i> Mak.	Chloranthus	Chloranthus	Chloranthus, Pflaumenpfeffer	195	X	.	.	.	X6	.	.	X	.	X	.	195	
196 * <i>Chloris gayana</i> Kunth	Rhodesgrass	Herbe de Rhodes	Rhodes-gras	196	X	.	.	.	X4	.	.	X	.	X	.	196	
197 <i>Chrysanthemum L.</i> *	Chrysanthemums, Daisies	Chrysanthèmes, Marguerites	Chrysanthemen, Margueriten	197	X	.	.	X	.	.	(X)	X	X4	X	.	197	
198 <i>Chrysanthemum L. partim</i> [C.- <i>Indicum</i> - <i>Hybridum</i> ; <i>C. morifolium</i> Ramat.*]	Chrysanthemum	Chrysanthème	Chrysantheme	198	X	.	X	X	X	.	X	X*	X	.	X	+	X5	.	X	X	+	X	X	198
199 <i>Chrysanthemum cinerariaefolium</i> Bocq.*	Dalmatian Pyrethrum	Pyrèdre de Dalmatie	Dalmatinische Insektenblume	199	X	.	.	+	X1	.	(+)	X	+	X	.	199	
200 * <i>Chrysanthemum coccineum</i> Willd.*	Pyrethrum	Pyrèdre	Kaukasische Insektenblume	200	X1	X	.	+	.	.	(+)	X	+	X	.	200	
201 * <i>Chrysanthemum coronarium</i> L.*	Garland Chrysanthemum	Chrysanthème des jardins, Chrysanthème couronné	-	201	X	.	.	+	X2	.	(+)	X	+	X	.	201	
202 <i>Chrysanthemum frutescens</i> L.	Marguerite, Paris Daisy	Marguerite	Strauchmarguerite	202	.	.	.	X	.	.	.	X	.	.	+	X5	.	(+)	X	+	X	.	202	
203 <i>Chrysanthemum maximum</i> Ram.*	Shasta Daisy	Grande marguerite	-	203	X1	X	.	+	.	.	(+)	X	+	X	.	203	
204 * <i>Cicer arietinum</i> L.	Chick-pea	Pois chiche	Kichererbse	204	X	.	X	.	.	.	X	.	X	.	X	.	204
205 * <i>Cichorium endivia</i> L.	Endive	Chicorée frisée, Scarole	Winterendivie	205	X	.	X	X	.	X	.	X	.	X	.	X	.	X	X	.	X	.	205	
206 * <i>Cichorium intybus</i> L.	Chicory	Chicorée, Endive	Wurzelzichorie, Salatzichorie	206	.	.	X	X	.	.	X	.	X	.	X	.	X	X	.	X	.	X	.	206
207 * <i>Cichorium intybus</i> L. var. <i>foliosum</i> Hegi	[Salad] Chicory	Chicorée amère	Salatzichorie	207	.	.	(X)	+	+	.	.	X	.	.	+	.	.	+	X	.	X	.	207	
208 <i>Cimicifuga Wernischek</i> *	Bugwort, Bugbane	Cimicaire, Cimifuge	Silberkerze, Wanzenkraut	208	X1	X	X	.	X	.	X	.	208
209 <i>Cinnamomum camphora</i> (L.) Sieb. var. <i>glaucescens</i> Kamikoti*	Camphor Tree, Camphor Laurel	Camphrier, Laurier du Japon	Kampferbaum	209	X	.	.	.	X1	.	.	X	.	X	.	209	
210 <i>Cirsium Mill. emend. Scop.</i> *	Cirsium, Plumed Thistle	Cirse, Chardon plumeux	Kratzdistel	210	X	.	.	.	X5	.	.	X	.	X	.	210	
211 <i>Cistus L.</i> *	Rock Rose	Ciste	Zistrose	211	X2	X	X	.	X	.	X	.	211
212 * <i>Citrullus lanatus</i> (Thunb.) Matsum. et Nakai*	Watermelon	Pastèque	Wassermelone	212	X	.	X	.	X2	.	.	X	.	X	X	212	
213 <i>Citrus L.</i> *	Citrus	Agrumes	Zitrus	213	X	.	X	.	X3	.	.	X	.	X	X	213	
214 * <i>Citrus limon</i> (L.) Burm. f.*	Lemon	Citronnier	Zitrone, Limone, Sauerzitrone	214	X	.	.	X	.	+	X	+	.	X	.	X	.	X	+	214
215 * <i>Citrus paradisi</i> Macf.*	Grapefruit	Pomélo	Grapefruit	215	X	.	.	X	.	+	X	+	.	X	.	X	.	X	+	215
216 * <i>Citrus reticulata</i> Blanco*	Mandarine	Mandarinier	Mandarine	216	X	.	.	X	.	+	X	+	.	X	.	X	.	X	+	216
217 <i>Citrus reticulata</i> Blanco X <i>C. paradisi</i> Macf.	Tangelo	Tangélo	Tangelo	217	X	.	+	X	+	.	X	.	X	.	X	+	217

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA
218 <i>Citrus reticulata</i> Blanco X <i>C. sinensis</i> (L.) Osbeck	Tangor	Tangor	Tangor	218	X	.	+	X	+	.	.	X	.	X	+	218
219 * <i>Citrus sinensis</i> (L.) Osbeck*	Orange	Oranger	Apfelsine, Orange	219	X	.	X	.	+	X	+	.	.	X	.	X	+	219
220 <i>Clematis</i> L.*	Clematis	Clématite	Waldrebe	220	+	X	.	.	X5	.	.	X	.	X	.	220	
221 <i>Clematis</i> L. (excl. <i>C. heracleifolia</i> DC.)	Clematis	Clématite	Waldrebe	221	X2	X	.	.	+	.	.	X	.	X	.	221
222 <i>Clematis heracleifolia</i> DC.*	-	-	-	222	X1	X	.	.	+	.	.	X	.	X	.	222
223 <i>Cleome</i> L.*	Spider Flower	Cléome, Fleur araignée	Cleome, Spinnennpflanze	223	X	.	.	X5	.	.	X	.	X	.	223	
224 <i>Clethra acuminata</i> Michx.	White Alder	-	-	224	X2	X	X	.	X	.	224	
225 <i>Clethra alnifolia</i> L.*	Sweet Pepper Bush	-	-	225	X2	X	X	.	X	.	225	
226 <i>Clethra barbinervis</i> Sieb. et Zucc.* <i>C. fargesii</i> Franch., <i>C. tomentosa</i> Lam.*	-	-	-	226	X2	X	X	.	X	.	226	
227 <i>Clivia Lindl.*</i>	Clivia, Kaffir-lily	Clivia	Klivie, Riemenblatt	227	X	.	.	X5	.	.	X	.	X	.	227	
228 <i>Codiaeum variegatum</i> (L.) A. Juss.* [<i>Codiaeum</i> A. Juss.]	Croton	Croton	Wunderstrauch, Croton	228	X	.	.	X	X6	.	.	X	.	X	.	228
229 * <i>Coffea arabica</i> L.	Coffee	Caféier	Kaffee	229	X	X	.	X	X	229	
230 <i>Coix ma-yuen</i> Roman.	Coix	Coix	Coix	230	X	.	.	X1	.	.	X	.	X	.	230	
231 <i>Colchicum</i> L.*	Autumn-crocus	Colchique	Zeitlose	231	X	.	.	X5	.	.	X	.	X	.	231	
232 <i>Coleus</i> Lour.*	Coleus, Flame Nettle	Coléus	Coleus, Buntnessel	232	X	.	.	X5	.	.	X	.	X	.	232	
233 <i>Colocasia</i> Schott*	Taro	Taro	Taro	233	X	.	.	X2	.	.	X	.	X	.	233	
234 <i>Coniferae</i> (Coniferales)	Conifers	Conifères	Nadelhölzer	234	X	X	X	.	X	.	234	
235 <i>Convallaria</i> L.* [<i>C. majalis</i> L.]	Lily of the Valley	Muguet	Maiblume, Maiglöckchen	235	X1	X	.	.	X5	.	.	X	.	X	.	235
236 <i>Coptis japonica</i> Mak.	Goldthread	Coptis	Goldfaden	236	X	.	.	X1	.	.	X	.	X	.	236	
237 <i>Cordyline</i> Comm. ex Juss.*	Cordyline	Cordyline	Cordyline, Keulenlilie, Keulenbaum	237	X	.	.	X6	.	.	X	.	X	.	237	
238 <i>Coreopsis</i> L.*	Tickseed	Coréopsis	Mädchenauge	238	X1	X	.	.	X5	.	.	X	.	X	.	238
239 <i>Cornus</i> L.*	Dogwood, Cornel	Cornouiller	Hartriegel	239	X	.	.	X6	.	.	X	.	X	.	239	
240 <i>Cornus alba</i> L.*	Dogwood, Red Barked Dogwood	Cornouiller blanc	Weisser Hartriegel	240	X2	X	.	.	+	.	.	X	.	X	.	240
241 <i>Cornus controversa</i> Hemsl.*	-	Cornouiller	-	241	X2	X	.	.	+	.	.	X	.	X	.	241
242 <i>Cornus florida</i> L.*	Flowering Dogwood	Cornouiller à fleur	Blumenhartriegel	242	X2	X	.	.	+	.	.	X	.	X	.	242
243 <i>Cornus kousa</i> (Buerger ex Miq.) Hance*	-	Cornouiller	-	243	X2	X	.	.	+	.	.	X	.	X	.	243
244 * <i>Cornus mas</i> L.*	Cornelian Cherry	Cornouiller mâle	Kornelkirsche, Dirlitze	244	X2	X	.	.	+	.	.	X	.	X	.	244

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA	
245 <i>Cornus nuttallii</i> Audub.*	-	Cornouiller	-	245	X2	X	.	.	.	+	.	X	.	X	.	245	
246 <i>Cortaderia Stapf*</i>	Pampas Grass	Gynéritum, Herbe de Pampasgras la pampa, Gynérion		246	X1	X	X	.	X	.	246		
247 <i>Corylopsis Sieb. et Zucc.</i>	Corylopsis, Winter Hazel	Corylopsis	Scheinhasel	247	X2	X	.	.	.	X6	.	X	.	X	.	247	
248 * <i>Corylus avellana</i> L.	Hazelnut, Filbert	Noisetier, Coudrier	Haselnuss	248	X	X	X	.	X	.	248		
249 <i>Cosmos Cav.*</i>	Cosmos	Cosmos	Schmuckkörbchen, Kosmee	249	X	X5	.	X	.	X	.	249	
250 <i>Cotinus Mill.</i> (<i>Rhus L.</i> in part)	Smoke Tree	Arbre à perrue	Perückenstrauch	250	X2	X	X	.	X	.	250		
251 <i>Cotoneaster (B. Ehrh.) Medik.*</i>	Cotoneaster	Cotoneaster	Cotoneaster	251	.	.	.	X	.	.	X2	X	(X)	X	.	X	.	251	
252 <i>Crataegus L.*</i>	Hawthorn	Aubépine	Weissdorn	252	X2	X	X	.	X	.	252		
253 <i>Crocus L.</i>	Crocus	Crocus	Krokus	253	X	X5	.	X	.	X	.	253	
254 <i>Cryptanthus Otto et A. Dietr.*</i>	Cryptanthus	Cryptanthus	Cryptanthus	254	**	X	**	X	.	X	.	254		
255 * <i>Cryptomeria japonica</i> (L. f.) D. Don*	Japanese Cedar	Cryptomeria, Cèdre du Japon	Sicheltanne	255	+	X	.	.	.	X6	.	X	.	X	.	255	
256 <i>Cryptotaenia japonica</i> Hassk.*	Japanese Honewort	-	Kanadische Rispendolde	256	X	X2	.	X	.	X	.	256	
257 <i>Cucumis L.*</i>	Sweet Melon, Cucumber	Melon, Concombre	Melone, Gurke	257	X	X	.	X	.	X	X	257	
258 * <i>Cucumis melo</i> L.	Melon	Melon	Melone	258	.	.	.	X	.	.	X	.	X	.	X2	.	X	X	X2	X	+	258	
259 * <i>Cucumis sativus</i> L.	Cucumber, Gherkin	Concombre, Cornichon	Gurke	259	X	.	.	X	X	.	.	X	.	X	X	X2	.	X	X	X2	X	+	259
260 <i>Cucurbita L.*</i>	Pumpkin, Squash	Potiron, Giraumon, Kürbis Courge, Pâtisson, Citrouille	Potiron, Giraumon, Kürbis Courge, Pâtisson, Citrouille	260	X	.	.	.	X2	.	X	.	X	X	260		
261 * <i>Cucurbita maxima</i> Duch.*	Pumpkin	Potiron, Giraumon	Riesenkürbis	261	.	.	.	X	X	.	.	X	.	.	+	.	.	X	.	X	+	261	
262 * <i>Cucurbita pepo</i> L.*	Pumpkin, Marrow, Courgette, Vegetable Marrow	Courge, Pâtisson, Citrouille	Gartenkürbis, Ölkürbis	262	.	.	.	X	X	.	X	X	.	X	X	+	.	X	.	X	+	262	
263 X <i>Cupressocyparis Dallim.*</i>	Leyland Cypress	Cyprès de Leyland	Leyland Zypresse	263	X	+	X	X	.	X	.	263		
264 X- <i>Cupressocyparis-Hybrid</i>	-	-	-	264	X	+	X	X	.	X	.	264		
265 * <i>Cupressus arizonica</i> E.L. Greene*	Arizona Cypress	Cyprès de l'Arizona	Arizonazypresse	265	X	+	X	X	.	X	.	265		
266 <i>Cupressus dupreziana</i>	Duprez Cypress	Cyprès de Duprez	Duprez Zypresse	266	X	+	X	:	.	.	.	X	.	X	.	266		
267 * <i>Cupressus sempervirens</i> L.*	Mediterranean Cypress	Cyprès de Provence	Echte Zypresse	267	X	+	X	X	.	X	.	267		
268 <i>Cyclamen L.</i>	Cyclamen	Cyclamen	Alpenveilchen	268	X	.	.	.	X5	.	X	X	.	X	.	268	
269 * <i>Cyclamen persicum</i> L.*	Ivy-leaved Cyclamen, Persian Cyclamen	Cyclamen de Perse	Alpenveilchen	269	X	.	.	X	+	.	+	X	.	X	.	269	
270 <i>Cydonia Mill.</i> [<i>C. oblonga</i> Mill.]	Quince	Cognassier	Quitte	270	X	.	.	X	X*	.	X	.	X	.	.	X3	.	X	.	X	X	270	

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

Latine	English	Français	Deutsch	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
271 Cydonia (Chaenomeles Lindl.)	Flowering Quince	Cognassier du Japon	Japanische Quitte	271	X2	X	.	.	X6	.	X	.	X	.	271				
272 Cymbidium Sw.*	Cymbidium	Cymbidium	Cymbidie	272	+	.	.	X	.	+	X	X	.	+	.	X5	.	+	X	.	X	.	272	
273 Cynara L.	Globe Artichoke, Cardoon	Artichaut, Cardon	Artischocke, Kardone	273	X	.	X	.	.	.	X	.	X	.	X	.	273	
274 *Cynara scolymus L.	Globe Artichoke	Artichaut	Artischocke	274	X	.	+	X	.	.	X	.	X	.	X	.	274	
275 *Cynosurus cristatus L.	Crested Dog's-tail	Crételle	Kammgras	275	.	.	.	X	X	.	.	X	X	X	X1	X	.	275		
276 Cyperus monophyllus Vahl	Cyperus	Souchet	Zypergras	276	X	.	.	.	X1	.	X	.	X	.	X	.	276	
277 Cyrtanthus L. f.*	Ifafa Lily	Cyrtanthus	Cyrtanthus	277	X	.	.	.	X5	.	X	.	X	.	X	.	277	
278 Cytisus L.*	Broom	Genêt	Geissklee	278	X	.	.	.	X6	.	X	.	X	.	X	.	278	
279 Cytisus L. (excl. C. canariensis Steud., C. fragrans Lam.*)	Broom	Genêt	Geissklee	279	X2	X	.	.	+	.	X	.	X	.	X	.	279	
280 Daboecia D. Don*	Saint Dabeoc's Heath	Daboécie	Irische Heide	280	X2	X	X	.	X	.	X	.	280	
281 *Dactylis glomerata L.	Cocksfoot, Orchard Grass	Dactyle	Knaulgras	281	X	.	X	X	X	.	X	X	.	.	X4	.	X	X	X1	X	X	.	281	
282 Dahlia Cav.*	Dahlia	Dahlia	Dahlie	282	.	.	.	X	.	.	X	X	.	.	X5	.	X	X	.	X	.	X	.	282
283 Daphne L.*	Daphne	Daphné	Seidelbast	283	X2	X	X	.	X	.	X	.	283	
284 *Daphne odora Thunb.*	Winter Daphne	Daphné odorant	Duftender Seidelbast	284	+	X	.	.	X6	.	X	.	X	.	X	.	284	
285 *Daucus carota L.	Carrot	Carotte	Möhre	285	X	.	X	X	X	.	X	.	.	X	X2	.	X	X	X2	X	X	.	285	
286 Delphinium L.*	Delphinium, Larkspur	Pied d'alouette	Rittersporn	286	X	.	.	.	X5	.	X	.	X	.	X	.	286	
287 Delphinium L. partim	Perennial Delphinium	Pied d'alouette vivace	Ausdauernder Rittersporn	287	X	X	.	.	+	.	X	.	X	.	X	.	287	
288 Dendrobium Sw.*	Dendrobium	Dendrobium	Dendrobium, Baumwucherer	288	+	+	.	X	.	+	.	X5	.	+	X	.	X	.	288
289 Deutzia Thunb.	Deutzia	Deutzia	Deutzie	289	X2	X	.	.	X6	.	X	.	X	.	X	.	289	
290 Dianthus L.*	Carnation, Pink, Sweet William	Oeillet	Nelke	290	.	.	X*	.	.	.	X	.	.	.	X5	.	(X)	X	.	X	.	290		
291 Dianthus L. (excl. *D. barbatus L.)	Carnation, Pink, Border Carnation (excl. Sweet William)	Oeillet (sauf Oeillet de poète)	Nelke (ausser Bartnelke)	291	.	.	+*	.	.	.	X	X	.	.	+	.	(+)	X	.	X	.	291		
292 *Dianthus caryophyllus L. [Dianthus L. Carnation partim; D.-Caryophyllus-Hybrid]	Oeillet	Nelke	Nelke	292	X	.	+*	X	X	X	X	+	X	.	X	X	+	.	X	X	X	X	292	
293 Dicentra Borkh. emend. Bernh.*	Bleeding Heart, Dutchman's Breeches	Dicentra, Dielytra, Coeur de Marie	Tränendes Herz, Flammendes Herz	293	X1	X	X	.	X	.	X	.	293	
294 Dieffenbachia Schott*	Dieffenbachia, Tuft Root, Dumb Bane	Dieffenbachia	Dieffenbachia	294	X	.	X	.	.	.	X	.	X	.	X	.	294	
295 Diervilla Mill.* (Weigela Thunb.)	Diervilla	Weigela	Weigelie	295	X	X2	X	.	.	X6	.	X	.	X	.	X	.	295	

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA	
296 <i>Digitalis L.*</i>	Foxglove	Digitale	Fingerhut	296	X	.	.	X5	.	X	.	X	.	296		
297 <i>Dioscorea L.*</i>	Yam	Igname	Yamswurzel	297	X	.	.	X2	.	X	.	X	.	297		
298 <i>Diospyros L. [D. kaki L. f.]</i>	Japanese Persimmon, Kaki	Plaqueminier, Kaki	Kakipflaume	298	X	.	X	.	X3	.	X	.	X	.	298	
299 X <i>Doritaenopsis hort.*</i>	<i>Doritaenopsis</i>	<i>Doritaenopsis</i>	<i>Doritaenopsis</i>	299	+	.	.	X	.	+	.	X	.	+	.	.	+	X	.	X	.	299	
300 <i>Doronicum L.*</i>	Leopard's Bane	Doronic	Gemswurz	300	X1	X	X	.	X	.	300	
301 <i>Dracaena Vand. ex L.*</i>	Dragon Tree, Dracena	Dragonnier, Dracaena	Drachenbaum	301	X	.	X	X6	.	X	.	X	.	301		
302 <i>Duboisia leichardtii F. Moell.</i>	Duboisia	Duboisia	Duboisie	302	X	.	X	.	.	.	X	.	X	.	302	
303 <i>Echinochloa utilis Ohwi et Yabuno</i>	Echinochloa	Echinochloa	Hühnerhirse	303	X	.	.	X1	.	X	.	X	.	303		
304 <i>Echinops L.</i>	Globe Thistle	Echinops	Kugeldistel	304	X1	X	X	.	X	.	304	
305 <i>Elaeagnus L.</i>	Elaeagnus	Chalef	Ölweide	305	X2	X	X	.	X	.	305	
306 <i>Embothrium J.R. et G. Forst.</i>	Chilean Fire Bush	Embothrium	Embothrium, Prachtstrauch	306	X2	X	X	.	X	.	306	
307 <i>Emilia Cass.*</i>	Emilia, Tassel Flower	Cacalie	Emilia	307	X	.	.	X5	.	X	.	X	.	307		
308 <i>Enkianthus Lour.*</i>	Enkianthus	Enkianthus	Prachtglocke	308	X2	X	.	.	X6	.	X	.	X	.	308	
309 <i>Epidendrum L. 1763, non 1753*</i>	Epidendrum, Tree Orchid	Epidendrum, Orchidée coque	Epidendrum, Baumwurzler	309	+	X	.	+	.	X5	.	+	X	.	X	.	309
310 <i>Epiphyllopsis Berger*</i>	Easter Cactus	Cactus de Pâques	Osterkaktus	310	.	.	.	+	*	X*	.	.	X	X	.	X	.	310
311 * <i>Eragrostis curvula</i> (Schrad.) Nees*	Weeping Lovegrass	Eragrostis courbée	Behaartes Liebegras	311	X	X	.	X	X	311	
312 <i>Erica L.</i>	Heath	Bruyère	Glockenheide	312	.	.	.	X	.	.	.	X	.	.	X6	.	X	.	X	.	312		
313 <i>Erica arborea L.</i>	Tree Heath	Bruyère arborescente	Baumheide	313	.	.	.	+	.	.	.	X2	X	.	.	+	.	X	.	X	.	313	
314 <i>Erica australis L.</i>	Spanish Heath	Bruyère	-	314	.	.	.	+	.	.	.	X2	X	.	.	+	.	X	.	X	.	314	
315 <i>Erica carnea L.*</i>	Spring Heath	Bruyère d'hiver, Bruyère des neiges	Schneehäide	315	.	.	.	+	.	.	.	X2	X	.	.	+	.	X	.	X	.	315	
316 <i>Erica ciliaris L.*</i>	Dorset Heath	Bruyère ciliée	-	316	.	.	.	+	.	.	.	X2	X	.	.	+	.	X	.	X	.	316	
317 <i>Erica cinerea L.</i>	Bell Heather, Scotch or Grey Heath	Bruyère cendrée	Graue Heide	317	.	.	.	+	.	.	.	X2	X	.	.	+	.	X	.	X	.	317	
318 <i>Erica X darleyensis Bean*, E. lusitanica Rud.*, E. mackaiana Bab.*, E. X praegeri Ostenf., E. terminalis Salisb.*, E. X veitchii Bean*, E. X watsonii Benth.*, E. X williamsii Druce*</i>	-	Bruyère	-	318	.	.	.	+	.	.	.	X2	X	.	.	+	.	X	.	X	.	318	
319 <i>E. mediterranea hort.*</i>	Biscay Heath	Bruyère de la Méditerranée	Mittelmeerheide	319	.	.	.	+	.	.	.	X2	X	.	.	+	.	X	.	X	.	319	
320 <i>Erica scoparia L.</i>	Besom Heath	Bruyère à balai	-	320	.	.	.	+	.	.	.	X2	X	.	.	+	.	X	.	X	.	320	

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA	
321 <i>Erica tetralix</i> L.	Cross-leaved Heath	Bruyère à quatre angles	Moorheide	321	.	.	.	+	.	.	X2	X	.	.	.	+	.	X	.	X	.	321	
322 <i>Erica vagans</i> L.	Cornish Heath	Bruyère vagabonde	-	322	.	.	.	+	.	.	X2	X	.	.	.	+	.	X	.	X	.	322	
323 <i>Erigeron</i> L.*	Flea-bane	Erigéron, Vergerette	Berufskraut, Feinstrahl	323	X1	X	X	.	X	.	323		
324 <i>Eriobotrya</i> Lindl. [<i>E. japonica</i> (Thunb.) Lindl.*]	Loquat	Néflier du Japon	Japanische Mispel, Loquate	324	X	.	X	.	X3	.	X	.	X	.	324		
325 <i>Eryngium</i> L.	Sea Holly	Panicaut	Mannstreu	325	X1	X	(X)	X	.	X	.	325	
326 <i>Escallonia</i> Mutis ex L. f.	Escallonia	Escallonia	Edeldistel	326	X2	X	X	.	X	.	326		
327 * <i>Eschscholzia californica</i> Cham.	California Poppy	Eschscholtzie de Californie, Pavot de Californie	Schlafmützchen, Kappenmohn	327	X	.	.	.	X5	.	X	.	X	.	327		
328 <i>Eucalyptus</i> L'Hér.	Eucalyptus	Eucalyptus	Eukalyptus	328	X2	X	X	.	X	.	328		
329 <i>Eucryphia cordifolia</i> Cav., <i>E. glutinosa</i> (Poepp. et Endl.) Baill.*, <i>E. X intermedia</i> Bausch*, <i>E. X nymansensis</i> Bausch*	-	-	-	329	X2	X	X	.	X	.	329		
330 <i>Euonymus</i> L.	Spindle Tree	Fusain	Pfaffenbüchchen, Spindelstrauch	330	X2	X	(X)	X	.	X	.	330	
331 <i>Euonymus japonicus</i> L. f.	Evergreen Spindle-tree	Fusain du Japon	Japanischer Spindelstrauch	331	+	X	.	.	.	X6	.	(+)	X	.	X	.	331
332 <i>Euphorbia</i> L. partim*	Spurges	Euphorbe	Wolfsmilch	332	X1	X	X	.	X	.	332		
333 <i>Euphorbia fulgens</i> Karw.*	<i>Euphorbia fulgens</i>	<i>Euphorbia fulgens</i>	Korallenranke	333	.	.	.	X	X	.	X	.	X	.	.	.	X	X	.	X	.	333	
334 <i>Euphorbia lathyris</i> L.	Caper Spurge	Euphorbe épurge	Kreuzblättrige Wolfsmilch	334	.	.	.	X	.	.	+	X	X	.	X	.	334		
335 <i>Euphorbia-Milii-Hybrid</i> *	Christ's Thorn, Crown of Thorns	Epine du Christ	Christusdorn	335	.	.	.	X	(X)	.	.	X	X	.	X	.	335		
336 <i>Euphorbia pulcherrima</i> Willd. ex Klotzsch*	Poinsettia	Poinsettia	Poinsettie, Weihnachtsstern	336	.	.	X	X	X	.	X	(X)	X	.	X	X6	.	X	X	X4	X	336	
337 <i>Eustoma russellianum</i> (Hook.) G. Don*	Prairie Gentian	-	-	337	X	.	.	.	X5	.	.	X	.	X	.	337	
338 <i>Exochorda</i> Lindl.*	Pearlbush	Exochorda	Perlbusch, Prunkspiere	338	X2	X	X	.	X	.	338		
339 * <i>Fagopyrum esculentum</i> Moench*	Buckwheat	Sarrasin, Blé noir	Buchweizen	339	.	.	.	X	.	.	.	X	.	.	.	X1	.	.	X	.	X	.	339
340 <i>Fagus</i> L.*	Beech	Hêtre	Buche	340	X2	X	X	.	X	.	X	.	340
341 <i>X Fatshedera</i> Guillaum.*	Fatshedera	Bastardaralie	-	341	X2	X	X	.	X	.	X	.	341
342 <i>Festuca</i> L.*	Fescue	Fétuque	Schwingel	342	.	.	.	X	X1	.	.	X	X	.	X1	X	.	342	
343 * <i>Festuca arundinacea</i> Schreb.*	Tall Fescue	Fétuque élevée	Rohrschwingel	343	.	.	.	+	+	.	X	X	.	.	.	X4	.	X	X	+	X	.	343
344 * <i>Festuca ovina</i> L. sensu lato*	Hard Fescue, Sheep's Fescue	Fétuque durette, Fétuque ovine, Fétuque des moutons, Poil de chien	Schafschwingel	344	.	.	.	+	+	.	X	X	.	X	+	X	.	344	

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
345 * <i>Festuca pratensis</i> Huds.*	Meadow Fescue	Fétuque des prés	Wiesenschwingel	345	X	.	X	+	+	.	X	X	.	.	X4	.	X	X	+	X	.	345		
346 * <i>Festuca rubra</i> L.*	Red Fescue, Creeping Fescue	Fétuque rouge	Rotschwingel	346	X	.	.	+	+	.	X	X	X	X	+	X	.	346		
347 <i>Ficus carica</i> L.	Fig	Figuier	Echte Feige	347	X	.	.	.	X3	.	X	.	X	.	347			
348 * <i>Ficus elastic a</i> Roxb.	Rubber Plant	Ficus, Caoutchouc	Gummibaum	348	.	.	.	+	+	.	.	X	.	.	.	X6	.	X	.	X	.	348		
349 <i>Flammulina velutipes</i> (Er.) Sing.	Enokitake, Velvet- footed Collybia	Patte-de-velours, Collybie à pied velouté	Samtfussrübling	349	.	.	.	+	+	.	.	X	.	.	.	X8	.	.	.	X	.	349		
350 * <i>Foeniculum vulgare</i> P. Mill.*	Fennel	Fenouil	Fenchel	350	.	.	X	.	.	.	(X)	.	X	.	.	.	X	X	.	X	.	350		
351 <i>Forsythia Vahl</i>	Forsythia, Golden Bell	Forsythia	Forsythie, Goldflieder, Goldglöckchen	351	X	X2	X	.	.	X6	.	X	.	X	.	351		
352 <i>Fortunella Swingle*</i>	Kumquat	Kumquat	Kumquat	352	X	.	.	.	X3	.	X	.	X	.	352		
353 <i>Fragaria L.</i> [<i>F. ananassa</i> Duch.]	Strawberry	Fraisier	Erdbeere	353	X	.	X	X	X	.	X	X	X	.	X	X	X2	.	X	X	X	X	353	
354 <i>Fraxinus L.</i>	Ash	Frêne	Esche	354	X2	X	X	.	X	.	X	.	354
355 * <i>Fraxinus excelsior</i> L.	Common Ash	Frêne élevé	Gemeine Esche	355	+	X	X	X	.	X	.	355		
356 <i>Freesia Eckl. ex Klatt</i> [<i>F.-Hybrid</i>]	Freesia	Freesia	Freesie	356	X	.	.	X	X	.	X	X	.	X	.	X5	.	X	X	.	X	X	356	
357 <i>Fuchsia L.</i>	Fuchsia	Fuchsia	Fuchsie	357	X	.	.	X	.	.	X5	.	X	.	X	.	X	.	357	
358 <i>Fuchsia magellanica</i> Lam.* var. <i>macrostemma</i> (Ruiz et Pav.), <i>F. magellanica</i> Lam. var. 'Riccartonii'	Fuchsia	Fuchsia arbustif	Fuchsie	358	+	.	.	X2	X	.	.	+	.	.	X	.	X	.	358	
359 <i>Gaillardia Foug.*</i>	Blanket-flower	Gaillarde	Kokardenblume	359	X1	X	.	.	X5	.	.	X	.	X	.	359	
360 <i>Galega L.*</i>	Goats' Rue	Galéga	Geissraute	360	X1	X	X	.	X	.	X	.	360
361 <i>Gardenia Ellis*</i>	Gardenia	Gardénia	Gardenia	361	X	.	.	.	X6	.	X	.	X	.	361		
362 <i>Garrya elliptica</i> Douglas ex Lindl., <i>G. X thuretii</i> Carr.*	Silk-tassel Tree	-	Becherkätzchen	362	X2	X	X	.	X	.	X	.	362
363 X <i>Gaulnettya W.J. Marchant*</i>	Gaulnettya	Gaulnettya	Gaulnettya	363	X2	X	X	.	X	.	X	.	363
364 <i>Gaultheria Kalm</i> ex L.*	Wintergreen	Gaultheria	Scheinbeere	364	X2	X	X	.	X	.	X	.	364
365 <i>Gaya (Hoheria; Plagianthus)</i>	Twinebark	Gaya	-	365	X2	X	X	.	X	.	X	.	365
366 <i>Genista L.*</i>	Broom	Genêt	Ginster	366	X2	X	X	.	X	.	X	.	366
367 <i>Gentiana L.*</i>	Gentian	Gentiane	Enzian	367	X	.	.	.	X5	.	X	.	X	.	367		
368 <i>Geranium L.*</i>	Crane's Bill	Géranium	Storchschnabel	368	X1	X	X	.	X	.	X	.	368
369 <i>Gerbera L.</i> [<i>Gerbera Cass.</i>]	Gerbera	Gerbera	Gerbera	369	X	.	X*	X	.	.	X	.	X	.	X	X5	.	X	X	.	X	.	369	
370 <i>Geum L.*</i>	Avens	Benoîte	Nelkenwurz	370	X1	X	.	.	X5	.	X	.	X	.	X	.	370
371 <i>Gladiolus L.*</i>	Gladiolus	Glaïeul	Gladiole	371	X	X	X	X	.	X	X5	.	X	X	.	X	X	371
372 <i>Gleditsia L.</i>	Honey Locust	Gleditsia, Gleditschia, Févier	Christusdorn	372	X2	X	X	.	X	.	X	.	372

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
373 * <i>Glycine max</i> (L.) Merrill*	Soya Bean, Soybean	Soja	Sojabohne	373	.	.	.	X	.	X	.	X	.	X	X1	.	.	X	X1	X	X	373		
374 <i>Godetia Spach*</i>	Godetia	Godétie	Godetie, Atlasblume	374	X	.	.	X5	.	.	X	.	X	.	374		
375 <i>Gomphrena globosa</i> L.	Common Globe-amaranth	Amarantoïde violette	Kugelamarant	375	X	.	.	X5	.	.	X	.	X	.	375		
376 <i>Gossypium</i> L.	Cotton	Cotonnier	Baumwolle	376	X	.	X	.	.	.	X	.	X	.	376		
377 * <i>Gossypium hirsutum</i> L.*	Cotton	Cotonnier	Baumwolle	377	X	.	+	.	.	.	X	.	X	X	377		
378 <i>Grifola frondosa</i> (Fr.) S.F. Gray*	Hen of the Woods	Poule de bois	-	378	X	.	.	X8	.	.	.	X	.	378			
379 <i>Guzmania Ruiz et Pav.*</i>	Guzmania	Guzmania	Guzmania	379	+*	X	.	.	X5	.	+*	X	.	X	.	379		
380 <i>Gypsophila</i> L.*	Gyp, <i>Gypsophila</i> , Baby's Breath	Gypsophile	Gipskraut, Schleierkraut	380	X1	X	.	X	.	X5	.	.	X	.	X	.	380
381 <i>Halesia J. Ellis ex L.*</i>	Snowdrop Tree, Silver-bell Tree	Halesia, Arbre aux cloches d'argent	Schneeglöckchen- baum	381	X2	X	X	.	X	.	381	
382 <i>Hamamelis</i> L.	Witch-hazel	Hamamélis	Zauberhassel	382	X2	X	.	.	.	X6	.	.	X	.	X	.	382
383 <i>Hebe Comm. ex Juss.*</i> (excl. <i>H. speciosa</i> (Cunn.) Cock. et Allan)	Shrubby Speedwell	Véronique	Strauchveronika	383	X2	X	X	.	X	.	383	
384 <i>Hedera</i> L.*	Ivy	Lierre	Efeu	384	X2	X	.	.	.	X6	.	.	X	.	X	.	384
385 <i>Hedychium J.G. Koenig</i>	Ginger-lily, Butterfly Lily	Hedychium	Hedychium, Kranzblume	385	X	.	.	X5	.	.	X	.	X	.	385		
386 <i>Helenium</i> L.	Sneezeweed	Hélénium	Sonnenkraut	386	X1	X	.	.	.	X5	.	.	X	.	X	.	386
387 <i>Helianthemum Mill.*</i>	Sun Rose	Hélianthème	Sonnenröschen	387	X2	X	X	.	X	.	387	
388 <i>Helianthus</i> L.*	Sunflower	Hélianthus	Sonnenblume	388	X1	X	.	.	.	X5	.	.	X	.	X	.	388
389 * <i>Helianthus annuus</i> L.*	Common Sunflower	Tournesol, Soleil	Sonnenblume	389	.	.	X*	X	.	X	X	.	X	.	X	X	+	.	.	X	X1	X	X	389
390 * <i>Helianthus tuberosus</i> L.	Jerusalem Artichoke	Topinambour	Topinambur	390	.	.	.	X	.	.	.	X	.	.	.	+	.	.	X	.	X	.	390	
391 <i>Helichrysum</i> Mill. corr. Pers.*	Everlasting	Immortelle	Strohblume	391	X	.	.	.	X5	.	.	X	.	X	.	391	
392 <i>Heliopsis</i> Pers.	Heliopsis, North American Ox-eye	Héliopsis	Sonnenauge	392	X1	X	.	.	.	X5	.	.	X	.	X	.	392
393 <i>Helleborus</i> L.	Hellebore, Christmas Rose, Lenten Rose	Héllébore	Nieswurz	393	X1	X	X	X	.	X	.	393	
394 <i>Helleborus niger</i> L.*	Christmas Rose	Hellébore, Rose de Noël	Schneerose, Christusrose	394	X	.	.	+	X	.	.	.	+	X	.	X	.	394		
395 <i>Hemerocallis</i> L.*	Day-lily	Hémérocalle	Taglilie	395	X1	X	.	.	.	X5	.	.	X	.	X	.	395
396 <i>Heuchera</i> L.*	Alum Root, Coral Flower	Heuchera	Purpurglöckchen	396	X1	X	X	.	X	.	396		
397 <i>Hibiscus</i> L.*	Rose-mallow	Hibiscus	Eibisch	397	X	.	.	.	X6	.	.	X	.	X	.	397	
398 * <i>Hibiscus cannabinus</i> L.*	Kenaf	Kénaf, Chanvre de Guinée	Ambari, Dekkan-Hanf	398	X	X	.	X	X	398		
399 <i>Hibiscus sinosyriacus</i> Bailey	-	Hibiscus	Eibisch	399	X2	X	.	.	+	.	X	.	X	.	399		

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA	
400 <i>Hibiscus syriacus</i> L.*	Tree Mallow	Hibiscus	Roseneibisch	400	X2	X	.	.	.	+	.	X	.	X	.	400	
401 <i>Hippeastrum</i> Herb.* [<i>H.-Hybridii</i>]	Amaryllis	Amaryllis	Ritterstern, Amaryllis	401	X	.	.	X	.	.	.	X5	.	X	X	.	X	.	401
402 <i>Hoheria A.</i> Cunn. (<i>Plagianthus</i> ; <i>Gaya</i>)	Twinebark	Gaya	-	402	X2	X	X	.	X	.	402	
403 <i>Holcus</i> L.*	Yorkshire Fog	Houque, Houlque	Honiggras	403	X1	X	X	.	X	.	403	
404 * <i>Holcus lanatus</i> L.	Yorkshire Fog	Houque laineuse, Foin de mouton	Wolliges Honiggras	404	+	X	X	.	X	.	404	
405 * <i>Hordeum vulgare</i> L. sensu lato* [<i>H. vulgare</i> L.; <i>Hordeum</i> L.]	Barley	Orge	Gerste	405	X	.	X	X	X	X	X	X	X	X	X	X1	.	X	X	X1	X	X	405
406 <i>Hosta</i> Tratt.*	Plantain Lily, Funkia, Hosta	Hémérocalle du Japon, Funkia	Funkie	406	X1	X	.	.	.	X5	.	X	.	X	.	406	
407 * <i>Humulus lupulus</i> L.	Hop	Houblon	Hopfen	407	X	.	.	X	.	.	X	X	.	.	.	X1	.	.	X	.	X	X	407
408 * <i>Hyacinthus orientalis</i> L.	Common Hyacinth	Jacinthe	Hyazinthe	408	X	.	.	X	.	.	.	X5	.	X	X	.	X	.	408
409 <i>Hydrangea</i> L.	Hydrangea	Hortensia	Hortensie	409	.	.	X	X	.	.	X	X2	X	.	.	.	X6	.	X	.	X	.	409
410 <i>Hypericum</i> L.*	Rose of Sharon, Saint John's Wort	Millepertuis	Johanniskraut	410	X2	X	.	.	.	X6	.	X	.	X	.	410	
411 <i>Iberis</i> L.*	Candytuft	Ibéris, Thlaspi	Schleifenblume	411	X	X5	.	X	.	X	.	411	
412 <i>Ilex</i> L.*	Holly	Houx	Ilex, Stechpalme	412	.	.	.	X	.	.	.	X	.	.	.	X6	.	X	.	X	.	412	
413 <i>Ilex X altaclarensis</i> (Loud.) Dallim.*	Holly	Houx	Ilex, Stechpalme	413	.	.	.	+	.	.	+	X2	X	.	.	.	+	.	X	.	X	.	413
414 * <i>Ilex aquifolium</i> L.	Common Holly	Houx	Ilex, Stechpalme	414	.	.	.	+	.	.	+	X2	X	.	.	.	+	.	X	.	X	.	414
415 <i>Ilex-Aquifolium-Hybridii</i>	Holly	Houx	Ilex, Stechpalme	415	.	.	.	+	.	.	X	.	X	.	.	+	.	X	.	X	.	415	
416 <i>Impatiens</i> L.*	Balsam, Busy Lizzie, Touch-me-not	Balsamine, Impatiante	Springkraut, Balsamine	416	.	.	.	X	.	.	X	X5	.	X	.	X	.	416	
417 <i>Impatiens-Neu-Guinea-Hybriden*</i>	New Guinea Impatiens	Impatiante de Nouvelle-Guinée	Neu-Guinea- Impatiens	417	.	.	.	X	+	.	.	X	.	.	.	+	.	X	.	X	.	417	
418 <i>Indigofera amblyantha</i> Craib, <i>I. gerardiana</i> (Wall.) Bak.*, <i>I. hebeptala</i> Benth. ex Bak., <i>I. incarnata</i> (Willd.) Nakai*, <i>I. kirilowii</i> Maxim. ex Palib., <i>I. potaninii</i> Craib, <i>I. pseudotinctoria</i> Matsum.	Indigo	Indigo	Indigostrauch	418	X2	X	X	.	X	.	418	
419 <i>Ipomoea batatas</i> (L.) Poir.*	Sweet Potato	Patate	Süßkartoffel, Batate	419	X	.	.	.	X1	.	.	X	.	X	.	419	
420 <i>Ipomoea tricolor</i> Cav.*	Tricolor Ipomoea	Ipomée volubilis	Prunkwinde	420	X	.	.	.	X5	.	X	.	X	.	420		
421 <i>Iris</i> L.*	Iris	Iris	Iris, Schwertlilie	421	X	X	.	X	.	X	X5	.	X	X	.	X	.	421	
422 <i>Iris</i> L. partim	Iris (excluding bulbous varieties)	Iris (sauf variétés à bulbes)	Iris (ausser zweibebildende Sorten)	422	+	+	X1	X	.	+	+	+	+	X	.	X	.	422
423 <i>Ixia</i> L. 1762, non 1753*	African Cornlily, <i>Ixia</i>	Ixia	Ixia, Klebschwertel	423	X	.	.	.	X5	.	X	.	X	.	423		
424 <i>Ixora</i> L.	Ixora	Ixora	Ixora	424	X	.	.	.	X6	.	X	.	X	.	424		

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
425 <i>Jasminum beesianum</i> Forr. et Diels, J. X <i>stephanense</i> Lemoine*	Jasmine	Jasmin	Jasmin	425	X2	X	X	.	X	.	425			
426 <i>Jasminum grandiflorum</i> L.*	Spanish Jasmine	Jasmin d'Espagne, Jasmin d'Italie	Malabarjasmin	426	X2	X	X	.	X	.	426			
427 <i>Jasminum humile</i> L.* (incl. <i>J. wallichianum</i> Lindl.)	Italian Jasmine	Jasmin	Jasmin	427	X2	X	X	.	X	.	427			
428 <i>Jasminum nudiflorum</i> Lindl.	Winter Jasmine	Jasmin d'hiver	Winterjasmin	428	X2	X	X	.	X	.	428			
429 <i>Jasminum officinale</i> L.*	Common Jasmine	Jasmin blanc, Jasmin commun	Jasmin	429	X2	X	X	.	X	.	429			
430 <i>Juglans</i> L.*	Walnut	Noyer	Walnuss	430	X	.	.	.	X3	.	X	.	X	.	430			
431 <i>Juncus decipiens</i> Nakai	Rush	Jonc	Binse	431	X	.	.	.	X1	.	X	.	X	.	431			
432 <i>Juniperus</i> L.*	Juniper	Genévrier	Wacholder	432	.	.	X	X	.	X	+ X	.	.	.	X6	.	X	.	X	.	432			
433 <i>Kalanchoë</i> Adans.*	Kalanchoë	Kalanchoë	Kalanchoë	433	.	.	X	X	X	.	X	.	X	.	X5	.	X	X	.	X	.	433		
434 <i>Kalmia</i> L.*	Calico Bush, Mountain Laurel, American Laurel	Kalmia	Kalmie, Berglorbeer, Lorbeerrose	434	X2	X	.	.	X6	.	X	.	X	.	434			
435 <i>Kerria</i> DC. [* <i>K. japonica</i> (L.) DC.]*	Jew's Mallow, <i>Kerria</i>	Corète du Japon	Kerrie, Ranunkelstrauch	435	X2	X	.	.	X6	.	X	.	X	.	435			
436 <i>Kniphofia</i> Moench*	Red Hot Poker, Torch-lily	Tritoma, Faux-aloès	Fackellilie, Tritome	436	X1	X	.	.	X5	.	X	.	X	.	436			
437 <i>Kolkwitzia</i> Graebn.	Kolkwitzia	Kolkwitzia	Kolkwitzie	437	X2	X	X	.	X	.	437			
438 <i>Laburnum</i> Fabr.*	Laburnum, Golden Chain	Cytise	Goldregen	438	X2	X	X	.	X	.	438			
439 <i>Lachenalia</i> Jacq. f. ex Murr.*	Lachenalia, Cape Cowslip	Lachenalia, Coucou du Cap	Lachenalia	439	X	.	.	.	X5	.	X	.	X	X	439			
440 * <i>Lactuca sativa</i> L.*	Lettuce	Laitue	Salat	440	X	.	X	X	X	(X)	X	X	:	X	X	X2	.	X	X	X2	X	440		
441 <i>Laelia</i> Lindl.*	Laelia	Laelia	Laelia	441	+	+	X	.	+	.	X5	.	+	X	.	X	.	441		
442 X <i>Laeliocattleya</i> Rolfe*	Laeliocattleya	Laeliocattleya	Laeliocattleya	442	+	.	X	.	.	+	X	.	+	.	+	.	+	X	.	X	.	442		
443 * <i>Lagenaria siceraria</i> (Mol.) Standl. var. <i>hispida</i> Hara*	Bottle Gourd, Calabash Cucumber	Courge calebasse, Calebasse du pèlerin	Flaschenkürbis, Kalebasse	443	X	.	.	.	X2	.	X	.	X	.	443			
444 <i>Lagerstroemia</i> L.	Crape Myrtle	Lagerstroemia	Lagerstroemia	444	X	.	X	.	.	.	X6	.	X	.	X	.	444		
445 <i>Lantana</i> L.*	Lantana	Lantana	Wandelröschen	445	X	.	.	.	X6	.	X	.	X	.	445			
446 <i>Larix</i> Mill.	Larch	Mélèze	Lärche	446	.	.	X	.	.	+	X	.	+	X	.	.	.	X	.	X	.	446		
447 * <i>Larix kaempferi</i> (Lamb.) Carr.*	Japanese Larch	Mélèze du Japon	Japanische Lärche	447	.	.	+	.	.	+	X	.	+	X	.	.	X6	.	X	.	X	.	447	
448 * <i>Lathyrus cicera</i> L.	Dwarf Chickling Vetch	Gesse chiche, Jarrosse	Rotblühende Platterbse	448	.	.	.	X	.	.	X	.	.	+	.	.	.	X	.	X	.	X	.	448
449 * <i>Lathyrus odoratus</i> L.	Sweet Pea	Pois de senteur, Gesse odorante	Wohlriechende Wicke	449	X	.	.	.	X5	.	X	.	X	.	449			
450 * <i>Lathyrus sativus</i> L.	Grass Pea Vine	Gesse cultivée	Gewöhnliche Platterbse	450	.	.	X	.	.	.	X	X	.	X	.	X	.	450	

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA	
451 * <i>Lathyrus tingitanus</i> L.	Tangier Pea	Gesse du Maroc	Purpurblühende Platterbse	451	.	.	.	X	.	.	.	X	X	.	X	.	451	
452 <i>Lavandula angustifolia</i> Mill.*	Lavender	Lavande vraie	Echter Lavendel	452	X	.	X	X	.	X	.	452	
453 <i>Lavandula X burnatii</i> Briq.*	Lavender	Lavandins	Lavendel	453	X	.	X	X	.	X	.	453	
454 <i>Lavandula latifolia</i> Medik.*	Lavender	Lavande spic, Aspic	Lavendel, Grosser Speik	454	X	.	X	X	.	X	.	454	
455 <i>Lavandula officinalis</i> Chaix ex Villars*	Lavender	Lavande vraie	Echter Lavendel	455	+	X2	X	X	.	X	.	455
456 <i>Lavandula spica</i> Cav.*	Lavender	Lavande spic, Aspic	Lavendel, Grosser Speik	456	+	X2	X	X	.	X	.	456	
457 * <i>Lens culinaris</i> Medik.*	Lentil	Lentille	Linse	457	.	.	.	X	.	.	.	X	X	.	X	.	457	
458 <i>Lentinus elodes</i> (Berk.) Sing.	Shiitake	Shiitake	Korkschwamm	458	X	.	.	.	X8	.	.	.	X	.	X	.	458
459 * <i>Lepidium sativum</i> L.*	Cress	Cresson alénois	Gartenkresse	459	X	.	.	X	X	X	.	X	.	459
460 <i>Leptospermum scoparium</i> Forst.*	Tea Tree, Manuka	-	Südseemyrte	460	X2	X	X	.	X	.	460	
461 <i>Leucadendron</i> R. Br.	Leucadendron, Protea	Leucadendron, Protea	Leucadendron, Protea	461	X	.	X	X	.	X	X	461	
462 <i>Leucospermum</i> R. Br.*	Leucospermum, Protea	Leucospermum, Protea	Leucospermum, Protea	462	X	.	X	.	.	.	X	.	X	X	462	
463 <i>Leucothoë</i> D. Don*	Leucothoë	Leucothoë	Traubenheide	463	X2	X	X	.	X	.	463	
464 <i>Liatris Gaertn. ex Schreb.</i>	Liatris, Blazing Star, Gayfeather	Liatris	Prachtscharte	464	X1	X	.	X	.	X5	.	X	X	.	464	
465 <i>Ligularia Cass.*</i>	Golden Ray	Ligulaire	Goldkolben	465	X1	X	X	.	X	.	465	
466 <i>Ligustrum</i> L.	Privet	Troène	Liguster	466	X2	X	X	.	X	.	466	
467 <i>Lilium</i> L.*	Lily	Lis	Lilie	467	X	X	X	X	.	X	X	X5	.	X	X	.	467	
468 <i>Limonium</i> Mill.* (Statice)	Sea Lavender, Statice	Limonium, Statice	Widerstoss, Meerlavendel	468	X1	X	.	X	.	X5	.	X	.	X	.	468
469 <i>Linaria</i> Mill.*	Toadflax	Linaire	Leinkraut	469	X	X5	.	X	.	X	.	469
470 * <i>Linum usitatissimum</i> L.*	Flax, Linseed	Lin	Lein	470	X	.	.	X	X	.	X	X	X	X	X1	X	.	470	
471 <i>Liquidambar</i> L.	Sweet Gum	Liquidambar, Copalme	Amberbaum	471	X2	X	X	.	X	.	471	
472 <i>Liriodendron</i> L.	Tulip Tree	Tulipier	Tulpenbaum	472	X2	X	X	.	X	.	472	
473 * <i>Litchi chinensis</i> Sonn.*	Litchi	Litchi	Litschi	473	X	.	X	.	.	.	X	.	X	X	.	473	
474 <i>Lithospermum</i> L.*	Gromwell	Grémil	Steinsame	474	X2	X	X	.	X	.	474	
475 <i>Lobelia</i> L.*	Lobelia, Cardinal Flower	Lobélie	Lobelie	475	X1	X	.	.	.	X5	.	X	.	X	.	475
476 <i>Lolium</i> L.	Ryegrass	Ray-grass	Weidelgras	476	.	.	X	X	X1	(X)	X	.	X	X	X1	X	X	.	476
477 * <i>Lolium X boucheanum</i> Kunth* [L. X hybridum Hausskn.]	Hybrid Ryegrass	Ray-grass hybride	Bastardweidelgras, Oldenburgisches Weidelgras	477	X	.	+	+	+	(+)	+	X	X	X1	X	+	X	+	477

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
478 * <i>Lolium multiflorum</i> Lam.*	Italian Ryegrass, Westerwold Ryegrass	Ray-grass d'Italie	Welsches Weidel- gras, Italienisches Rayras	478	X	.	+	+	+	(+)	+	X	X	.	X	X4	.	X	X	+	X	+	478	
479 * <i>Lolium perenne</i> L.	Perennial Ryegrass	Ray-grass anglais	Deutsches Weidel- gras	479	X	.	+	+	+	(+)	+	X	X	X	.	X4	.	X	X	+	X	+	479	
480 <i>Lonicera</i> L.	Honeysuckle, <i>Lonicera</i>	Lonicéa, Chèvrefeuille	Heckenkirsche, Geissblatt	480	X2	X	.	.	.	X6	.	X	.	X	.	480	
481 <i>Lotus</i> spp.*	Lotus	Lotier	Hornklee	481	X	X	.	X	.	481		
482 * <i>Lotus corniculatus</i> L.	Bird's Foot Trefoil	Lotier corniculé	Hornschatenklee	482	.	.	.	X	.	.	.	X	X	.	X	.	X	.	482	
483 * <i>Lotus uliginosus</i> Schkuhr*	Major Bird's Foot Trefoil	Lotier velu, Lotier des marais	Sumpfschotenklee	483	.	.	.	X	.	.	.	X	X	.	X	.	483		
484 <i>Luffa cylindrica</i> M.J. Roem.*	Sponge Gourd, Dishcloth Gourd	Courge torchon	Schwammkürke	484	X	X2	.	X	.	X	.	484	
485 <i>Lupinus</i> L.	Lupin	Lupin	Lupine	485	X*	X	.	.	.	X5	.	X	.	X	X	485	
486 * <i>Lupinus albus</i> L.*	White Lupin	Lupin blanc	Weisslupine	486	.	.	.	X	X	.	.	X	X	.	.	+	.	X	X	.	X	+	486	
487 * <i>Lupinus angustifolius</i> L.*	Blue Lupin	Lupin bleu	Bläue Lupine	487	.	.	.	X	X	.	.	X	X	.	.	+	.	X	X	X1	X	+	487	
488 * <i>Lupinus luteus</i> L.	Yellow Lupin	Lupin jaune	Gelbe Lupine	488	.	.	.	X	X	.	.	X	X	.	.	+	.	X	X	X1	X	+	488	
489 <i>Lycaste</i> Lindl.*	Lycaste	Lycaste	Lycaste	489	+	+	.	X	.	+	.	X5	.	+	X	.	X	.	489	
490 <i>Lychnis</i> L.*	Campion	Lychnis	Lichtnelke	490	X1	X	X	.	X	.	X	.	490
491 <i>Lychnis coronaria</i> (L.) Desr.*	Mullein Pink, Rose Campion	Coquelourde des jardins	Vexiernelke	491	X	.	.	.	X5	.	X	.	X	.	X	.	491
492 * <i>Lycopersicon lycopersicum</i> (L.) Karst. Tomato ex Farwell* [<i>L. esculentum</i> P. Mill.; <i>Solanum lycopersicum</i> L.]		Tomate	Tomate	492	X	.	.	X	X	.	X	.	X	.	X	X2	.	X	X	X2	X	X	492	
493 <i>Lycoris</i> Herb.*	Lycoris, Cluster-amaryllis	Lycoride	Lycoris	493	X	.	.	.	X5	.	X	.	X	.	X	.	493
494 <i>Lythrum</i> L.	Loosestrife	Lythrum	Weiderich	494	X1	X	X	.	X	.	X	.	494
495 <i>Macadamia</i> spec.	Macadamia, Queensland Nut	Macadamia	Macadamia	495	X	X	.	X	X	X	.	495	
496 <i>Magnolia</i> L.*	Magnolia	Magnolia	Magnolie	496	X2	X	.	.	.	X6	.	X	.	X	.	496	
497 X <i>Mahoberberis</i> C.K. Schneid.	Mahoberberis	Mahoberberis	Mahoberberis	497	X2	X	.	.	.	X6	.	X	.	X	.	497	
498 <i>Mahonia</i> Nutt.*	Mahonia	Mahonia	Mahonia	498	X	.	.	.	X6	.	(X)	X	.	X	.	498	
499 <i>Mahonia acanthifolia</i> G. Don, M. <i>bealei</i> (Fort.) Carr.*, M. <i>japonica</i> (Thunb.) DC.*, M. <i>lomariifolia</i> Takeda, M. <i>pumila</i> (Greene) Fedde, M. <i>repens</i> (Lindl.) G. Don*	Mahonia	Mahonia	Mahonie	499	X2	X	.	.	+	.	(+)	X	.	X	.	499	
500 <i>Mahonia aquifolium</i> (Pursh) Nutt.*	Oregon Grape	Mahonia commun, Mahonia à feuilles de houx	Mahonie	500	X2	X	.	.	+	.	(+)	X	.	X	.	500	

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
MALUS																								
<i>Fruit Crops/Plantes fruitières/Obstpflanzen</i>																								
501 Malus Mill.*	Apple	Pommier	Apfel	501	X	.	X	X	.	.	X	.	X	.	.	X3	.	X	X	X3	X	X	501	
502 Malus domestica Borkh.* [M. communis L.; M. sylvestris Mill.]	Apple	Pommier	Apfel	502	+	.	+	+	X2	(X)	+	X3	X	.	X	X	+	.	+	X	+	X	+	502
<i>Ornamental Plants/Plantes ornementales/Zierpflanzen</i>																								
503 Malus Mill.*	Crab Apple, Flowering Crab	Pommier ornemental	Zierapfel	503	.	.	.	X	.	.	X	X2	X	.	.	+	.	.	X	.	X	.	503	
504 Malva L.* [Malvaceae]	Mallow	Mauve	Malve	504	X	.	.	X1	X	X	.	X	.	504	
505 *Mangifera indica L.	Mango	Manguier	Mango	505	X	.	X	.	.	.	X	.	X	X	505		
506 Maranta L.*	Maranta	Maranta, Dormeuse	Maranta, Pfeilwurz	506	X	.	.	.	X5	.	.	X	.	X	.	506	
507 Matthiola spec.	Stock	Giroflée	Levkøje	507	X	.	.	(X)	X	X	.	X	.	507		
508 *Matthiola incana (L.) R. Br.*	Common Stock	Giroflée d'hiver	Levkøje	508	+	.	.	(+)	X	.	.	.	X5	.	X	.	X	.	508	
509 Medicago L.	Alfalfa, Lucerne	Lucerne	Schneckenklee	509	X	.	.	X	X4	.	X	X1	X	.	509		
510 *Medicago falcata L.*	Yellow Lucerne (Sickle Medick), Variegated Lucerne	Luzerne (en faucille)	Sichelluzerne	510	.	.	.	X	.	.	.	X	.	.	+	+	.	X	+	X	.	510		
511 Medicago hispida Gaertn.*	Hairy Medick	Luzerne hérissée	Steifhaariger Schneckenklee, Gezähnelter Schneckenklee	511	X	.	X	+	+	.	X	+	X	.	511		
512 *Medicago lupulina L.*	Black Medick, Yellow Trefoil	Luzerne lupuline, Minette	Geblklee (Hopfenklee)	512	.	.	.	X	X	.	.	X	.	.	+	+	.	X	+	X	.	512		
513 *Medicago sativa L.*	Lucerne, Alfalfa	Luzerne (cultivée)	Blaue Luzerne	513	X	.	.	X	X	(X)	X	X	.	X	+	+	.	X1	X	+	X	X	513	
514 *Medicago X varia Martyn*	(Hybrid) Lucerne	Luzerne hybride	Bastardluzerne	514	X	.	.	X	X	.	X	X	.	.	+	+	.	X1	X	+	X	.	514	
515 Mentha L.*	Mint	Menthe	Minze	515	X	.	.	.	X1	.	X	.	X	.	515		
516 Menziesia Sm.	Skunkbush	Menziesia	Menziesia	516	X2	X	X	.	X	.	516		
517 Meratia [Chimonanthus Lindl.*]	Winter Sweet, Japanese Allspice	Chimonanthe	Winterblüte	517	X2	X	.	.	.	X6	.	X	.	X	.	517	
518 Miltonia Lindl.*	Pansy-orchid	Miltonia	Miltonia	518	+	+	.	X	.	+	.	X5	.	+	X	.	X	.	518
519 Mimetes spec.*	Mimetes, Protea	Mimetes, Protea	Mimetes, Protea	519	X	X	.	X	.	X	X	519	
520 *Mirabilis jalapa L.	Marvel of Peru, Common Four O'clock	Belle de nuit	Wunderblume	520	X	.	.	.	X5	.	X	.	X	.	520		
521 *Momordica charantia L.*	Balsam Pear	Momordique à feuille de vigne, Margose	Balsambirne	521	X	.	.	.	X2	.	.	X	.	X	.	521	
522 Monarda L.	Bergamot, Bee Balm, Horsemint	Monarde	Monarde, Bienenbalsam, Pferdeminze	522	X2	X	X	.	X	.	522		

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

0175

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA	
523 <i>Monstera</i> Adans.*	Monstera	Monstera, Ananas du pauvre	Monstera	523	X	.	.	.	X5	.	X	.	X	.	523		
524 <i>Morus</i> L.*	Mulberry	Mûrier	Maulbeerbaum	524	X	.	.	.	X1	.	X	.	X	.	524		
525 <i>Musa cavendishii</i> Lamb.* [<i>Musa</i> L.*]	Banana	Bananier	Banane	525	X	.	X	.	.	.	X	.	X	X	525		
526 <i>Myosotis</i> L.	Forget-me-not	Myosotis	Vergissmeinnicht	526	X	.	.	.	X5	.	X	.	X	.	526		
527 * <i>Nandina domestica</i> Thunb.	Nandina, Sacred Bamboo	Nandine fruitière	Nandina	527	X	.	.	.	X6	.	X	.	X	.	527		
528 <i>Narcissus</i> L.*	Narcissus, Daffodil, Jonquil	Narcisse, Jonquille	Narzisse	528	X	.	X	X	.	X	.	X5	.	X	X	.	X	528	
529 * <i>Nelumbo nucifera</i> Gaertn.*	East Indian Lotus	Fleur de lotus	Indische Lotosblume	529	X	.	.	.	X2	.	X	.	X	.	529		
530 <i>Neoregelia</i> L.B. Sm.*	Neoregelia	Neoregelia	Neoregelia	530	+*	X	.	.	.	X5	.	+*	X	.	X	.	530	
531 <i>Nepeta</i> L.*	Cat Mint	Népeta, Herbe-aux-chats	Katzenminze	531	X1	X	X	.	X	.	X	.	531
532 <i>Nephrolepis</i> Schott*	Sword-fern, Ladder Fern	Nephrolepis	Nephrolepis	532	X	.	.	.	X5	.	X	.	X	.	X	.	532
533 <i>Nerine</i> Herb.*	Nerine	Nerine	Nerine	533	(X)	X	.	.	X5	.	X	X	.	X	.	533	
534 <i>Nerium</i> L.	Oleander, Rose Bay	Laurier rose	Oleander	534	X	.	.	.	X6	.	X	.	X	.	X	.	534
535 <i>Nerium oleander</i> L.	Oleander, Rose Bay	Laurier rose, Nerium oleander	Oleander	535	X	X	.	.	+	.	.	X	.	X	.	X	.	535
536 * <i>Nicotiana rustica</i> L.	Syrian Tobacco	Nicotiane rustique	Bauerntabak	536	.	.	.	X	.	.	X	X	.	X	.	X	.	536
537 * <i>Nicotiana tabacum</i> L.	Tobacco (common)	Tabac	Tabak	537	.	.	.	X	.	.	X	.	X	X	.	.	X	.	X	.	X	.	537
538 <i>Nigella damascena</i> L.	Love-in-a-mist, Devil-in-a-bush	Nigelle de Damas, Cheveux de Vénus	Braut in Haaren, Jungfer im Grünen	538	X	.	.	.	X5	.	X	.	X	.	X	.	538
539 <i>Nopalxochia</i> Britt. et Rose*	Nopalxochia	Nopalxochia	Nopalxochia	539	X	.	.	.	X5	.	X	.	X	.	X	.	539
540 <i>Nothofagus</i> Bl.*	Southern Beech	Hêtre antarctique	Scheinbuche	540	X2	X	X	.	X	.	X	.	540
541 <i>Nymphaea</i> L.*	Water-lily	Nénuphar	Seerose	541	X	.	.	.	X5	.	X	.	X	.	X	.	541
542 X <i>Odontioda</i> hort.*	Odontioda	Odontioda	Odontioda	542	+	.	.	X	.	+	.	X	.	+	.	+	.	+	X	.	X	.	542
543 <i>Odontoglossum</i> H. B. K.*	Odontoglossum	Odontoglossum, Orchidée muguet	Odontoglossum	543	+	.	.	X	.	+	.	X	.	+	.	X5	.	+	X	.	X	.	543
544 <i>Oenanthe javanica</i> (Bl.) DC.*	Water Dropwort	Oenanthe	Rebendolde	544	X	.	.	.	X2	.	.	X	.	X	.	544	
545 <i>Oenothera</i> L.*	Oenothera, Evening Primrose	Nachtkerze	Nachtkerze	545	X*	X	X	.	X	.	X	.	545
546 * <i>Olea europaea</i> L.*	Olive	Olivier	Ölbaum, Olive	546	X	.	X	X	X3	.	.	X	.	X	.	546	
547 <i>Olearia albida</i> (Hook. f.) Hook. f., O. <i>X haastii</i> Hook. f., O. <i>ilicifolia</i> Hook. f., O. <i>macrodonta</i> Bak., O. <i>moschata</i> Hook. f., O. <i>nummulariifolia</i> (Hook. f.) Hook. f.	Daisy Bush, Tree Daisy	Olearia	Baumaster	547	X2	X	X	.	X	.	X	.	547
548 <i>Oncidium</i> Sw.*	Oncidium	Oncidium, Orchidée Oncidium danseuse	Oncidium	548	+	+	.	X	.	+	.	X5	.	+	X	.	X	.	548

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA	
549 *Onobrychis viciifolia Scop.*	Sainfoin	Sainfoin, Esparcette	Esparsette	549	.	.	.	X	.	.	.	X	X	.	X	.	549	
550 Orchidaceae Juss.*	Orchids	Orchidées	Orchideen	550	X	X	.	X	.	X	.	.	X	X	.	X	.	550	
551 Origanum L.*	Sweet Marjoram	Origan	Dost	551	X1	X	X	.	X	.	551	
552 Ornithogalum spec.*	Chinkerinchee, Star of Bethlehem	Ornithogale, Dame d'onze heures	Milchstern, Vogelmilch, Stern von Bethlehem	552	X	.	(X)	.	.	.	(X)	X	.	X	X	552	
553 *Ornithopus sativus Brot.*	Serradella	Serradelle	Serradella	553	.	.	.	X	.	.	.	X	X1	X	X1	X	.	553	
554 Orothamnus spec.*	Orothamnus, Protea	Orothamnus, Protea	Orothamnus, Protea	554	X	X	.	X	X	X	554	
555 *Oryza sativa L.	Rice	Riz	Reis	555	X	X	.	X	.	X	X1	.	.	X	.	X	X	555	
556 Oryzopsis holciformis (N. B.) Hack.	Oryzopsis	Petit millet, Oryzopsis, Faux-millet	Grannenhirse	556	X	.	X	.	.	.	X	.	X	.	X	556	
557 Osmanthus Lour.*	Osmanthus	Osmanthus	Duftblüte	557	X	.	.	.	X6	.	.	X	.	X	.	557	
558 Osmanthus heterophyllus (G. Don) P.S. Green* (<i>O. aquifolium</i> Sieb., <i>O. ilicifolius</i> Mouillef.)	Osmanthus	Osmanthus	Duftblüte	558	X2	X	.	.	+	.	.	X	.	X	.	558	
559 Oxalis L.*	Oxalis, Wood-sorrel	Oxalis	Sauerklee	559	X	.	.	.	X5	.	.	X	.	X	.	559	
560 Paeonia L.	Paeony	Pivoine	Päonie, Pfingstrose	560	X*	X	X	.	X	.	560	
561 Paeonia albiflora Pall.*	Chinese Paeony	Pivoine de Chine	Chinesische Päonie	561	+	X	.	.	.	X5	.	X	.	X	.	561	
562 Paeonia officinalis L.*	Common Paeony	Pivoine des jardins	Korallenpäonie	562	+	X	.	.	.	X5	.	X	.	X	.	562	
563 *Paeonia suffruticosa Andr.*	Tree Paeony, Moutan Paeony	Pivoine en arbre	Strauchpäonie	563	+	X	.	.	.	X6	.	X	.	X	.	563	
564 Panax ginseng C.A. Mey.*	Ginseng	Ginseng	Ginseng	564	X	.	.	.	X1	.	.	X	.	X	.	564	
565 Panicum L.*	Panicum	Panic	Hirse	565	X	.	.	.	X1	.	.	X	.	X	.	565	
566 *Panicum miliaceum L.	Common Millet	Millet commun, Panic millet, Panic faux millet	Rispenhirse	566	.	.	.	X	.	.	X	.	.	+	.	.	X	.	X	.	X	566	
567 Papaver L.	Poppy, Oriental Poppy	Pavot	Mohn	567	X1	X	.	.	.	X5	.	X	.	X	.	567	
568 *Papaver somniferum L.	Opium Poppy	Oeillette, Pavot	Mohn	568	.	.	.	X	X	.	.	X	X	X	X1	X	.	568	
569 Paphiopedilum Pfitz.*	Lady's Slipper	Sabot de Vénus	Venuschuh	569	+	.	.	X	.	+	.	X	.	+	.	X5	.	+	X	.	X	.	569
570 Paranomus spec.*	Paranomus, Protea	Paranomus, Protea	Paranomus, Protea	570	X	X	.	X	X	X	570	
571 Parrotia C.A. Mey.*	Parrotia	Parrotia	Parrotzie, Eisenholz	571	X2	X	X	.	X	.	X	.	571
572 Parthenocissus Planch.*	Virginia Creeper	Vigne vierge	Jungfernrebe, Wilder Wein	572	X2	X	X	.	X	.	X	.	572
573 *Paspalum dilatatum Poir.	Dallisgrass	Herbe de Dallis, Paspale dilaté	"Dallis grass", Brasilianische Futterhirse	573	X	.	.	.	X4	.	X	.	X	.	X	.	573

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
574 * <i>Paspalum notatum</i> Fluegge	Bahia Grass	Herbe de Bahia	Bahiagrass	574	X	.	.	.	X4	.	X	.	X	.	574		
575 <i>Passiflora caerulea</i> L.	Passion Flower	Passiflore, Fleur de la Passion	Passionsblume	575	X2	X	X	.	X	.	575		
576 * <i>Passiflora edulis</i> Sims*	Granadilla	Barbadine	Purpurgranadilla, Passionsfrucht	576	X	X	.	X	X	576		
577 * <i>Pastinaca sativa</i> L.*	Parsnip	Panaïs	Pastinak	577	X	.	.	X	X	X2	X	.	577		
578 <i>Pelargonium</i> L'Hér. ex Ait.*	Geranium, Pelargonium, Stork's Bill	Géranium, Pelargonium	Pelargonie	578	X*	.	X	X	.	X	X	X5	.	X	.	X	X	578		
579 Pelargonium-Grandiflorum-Hybrid*	Show and Fancy Pelargoniums	Pelargonium des fleuristes	Edelpelargonie	579	.	.	.	X	+	.	+	X	.	+	+	+	.	X	.	X	+	579		
580 Pelargonium-Peltatum-Hybrid*	Ivy-leaved Pelargonium	Géranium-lierre	Efeupelargonie	580	X	.	X	X	+	.	X	+	X	.	+	+	+	.	X	X4	X	+	580	
581 Pelargonium-Peltatum X P.-Zonale-Hybrid	-	-	Halbpeltaten	581	X	.	X	X	+	.	X	+	X	.	+	+	+	.	X	X4	X	+	581	
582 Pelargonium-Zonale-Hybrid*	Zonal Pelargonium	Géranium, Pelargonium zonale	Zonalpelargonie	582	X	.	X	X	+	.	X	+	X	.	+	+	+	.	X	X4	X	+	582	
583 * <i>Pennisetum typhoides</i> (Burm.) Stapf* et C.E. Hubb.*	Pearl Millet	Pénicillaire, Mil à chandelle	Federborstengras	583	X	X	.	X	X	583		
584 <i>Penstemon</i> Schmidel*	Beard Tongue	Penstemon, Galane barbue	Bartfaden	584	X1	X	.	.	X5	.	X	.	X	.	584		
585 <i>Peperomia</i> Ruiz et Pav.	Peperomia	Peperomia	Peperomie, Zwerzpfeffer	585	X	.	.	.	X5	.	X	.	X	.	585		
586 <i>Perilla</i> L.*	Perilla, Beefsteak Plant	Périlla, Plante-beefsteak	Schwarznessel	586	X	.	.	.	X2	.	X	.	X	.	586		
587 <i>Pernettya</i> Gaudich.*	Arrayan	Pernettya	Torfmyrte	587	X2	X	X	.	X	.	587		
588 <i>Perovskia</i> Kar.	Russian Sage	Perovskia	Perovskia	588	X2	X	X	.	X	.	588		
589 * <i>Persea americana</i> P. Mill.*	Avocado	Avocatier	Avocado	589	X	.	X	.	.	.	X	.	X	X	589		
590 <i>Petasites japonicus</i> (Sieb. et Zucc.) Fr. Schmidt*	Japanese Butter Bur	Pétasite du Japon	Japanische Pestwurz	590	X	.	.	.	X2	.	X	.	X	.	590		
591 * <i>Petroselinum crispum</i> (Mill.) Nym. ex A.W. Hill*	Parsley	Persil	Petersilie	591	.	.	.	X	.	.	.	X	.	.	.	X2	.	X	X	X2	X	591		
592 * <i>Petroselinum crispum</i> (P. Mill.) Nym. ex A.W. Hill ssp. <i>crispum</i>	Parsley	Persil	Blattpetersilie	592	.	.	.	+	X	.	.	X	.	.	.	+	.	+	X	+	X	.	592	
593 * <i>Petroselinum crispum</i> (P. Mill.) Nym. ex A.W. Hill ssp. <i>tuberosum</i> (Bernh. ex Rchb.) Soo.*	Turnip-rooted Parsley	Persil à grosse racine	Wurzelpetersilie	593	.	.	.	+	X	.	.	X	.	.	.	+	.	+	+	X	.	X	.	593
594 <i>Petunia</i> Juss.	Petunia	Pétunia	Petunie	594	(X)	X	.	X	X	X5	.	X	.	X	.	594	
595 * <i>Phacelia tanacetifolia</i> Benth.	Scorpion Weed	Phacélie à feuilles de tanaïsie	Phazelia	595	.	.	.	X	.	.	.	X	X	.	X	.	595		
596 <i>Phalaenopsis</i> Bl.*	Moth Orchid	Orchidée papillon	Phalaenopsis	596	+	.	.	X	.	.	+	X	.	+	.	X5	.	+	X	.	X	.	596	
597 <i>Phalaris</i> spp.*	Phalaris	Alpiste, Phalaris	Glanzgras	597	X	X	.	X	.	597		

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
598 *Phalaris arundinacea L.*	Reed Canary Grass	Alpiste roseau	Rohrglanzgras	598	.	.	.	X	.	.	.	X	X	X1	X	.	598		
599 *Phalaris canariensis L.	Canary Grass, Canary Seed	Alpiste des Canaries, Phalaris	Kanariengras	599	X	X1	X	.	X	.	599	
600 Phalaris tuberosa L.	Hardings Grass	Herbe de Harding, Alpiste tubéreux	Knolliges Glanzgras	600	X	.	X	.	.	.	X	.	X	.	600		
601 Pharbitis nil Chois.*	Morning Glory	Volubilis	Japanische Kaiserwinde	601	X	.	.	.	X5	.	.	X	.	X	.	601	
602 *Phaseolus angularis (Willd.) W.F. Wight*	Azuki Red Bean	Haricot Adzuki	Adzukibohne	602	X	.	.	.	X1	.	.	X	.	X	.	602	
603 *Phaseolus coccineus L.*	Runner Bean, Kidney Bean	Haricot d'Espagne	Prunkbohne	603	X	.	.	X	X	X	X	X	.	.	.	X1	.	X	X	X4	X	X	603	
604 *Phaseolus vulgaris L.	French Bean	Haricot	Gartenbohne	604	X	.	+	X	X	X	X	X	.	X	X	X1	.	X	X	X*	X	X	604	
605 *Phaseolus vulgaris L. var. nanus (L.) Aschers.	Dwarf French Bean	Haricot nain	Buschbohne	605	+	.	X	+	+	+	+	+	X	.	+	+	+	+	X	+	X	+	605	
606 *Phaseolus vulgaris L. var. vulgaris	Climbing French Bean	Haricot à rames	Stangenbohne	606	+	.	X	+	+	+	+	+	X	.	+	+	+	+	X	+	X	+	606	
607 Philadelphus L.	Mock Orange	Seringa	Pfeifenstrauch, Falscher Jasmin	607	X2	X	.	.	.	X6	.	.	X	.	X	.	607
608 Phillyrea L.	Mock Privet	Philaria	Steinlinde	608	X2	X	X	.	X	.	608	
609 Philodendron Schott corr. Schott*	Philodendron	Philodendron	Philodendron	609	X	.	.	.	X5	.	.	X	.	X	.	609	
610 Phleum spec.	Timothy	Fléole	Lieschgras	610	X	X	X	X	.	610		
611 *Phleum bertolonii DC. [P. nodosum L.] Timothy	Fléole diploïde, Petite fléole	Zwiebellieschgras	611	X	.	.	X	X	.	.	X	X	X	X	+	X	.	611		
612 *Phleum pratense L.	Timothy	Fléole des prés	Wiesenlieschgras	612	X	.	.	X	X	.	.	X	X	.	.	X4	.	X	X	+	X	.	612	
613 Phlomis fruticosa L.	Common Jerusalem Sage	Phlomis ligneux	Brandkraut	613	X2	X	X	.	X	.	613		
614 Phlox L.	Phlox	Phlox	Phlox, Flammenblume	614	X1	X	.	.	X5	.	.	X	.	X	.	614	
615 Pholiota nameko (T. Ito) S. Ito et Imai	Nameko	Pholiote du peuplier	Nameko	615	X	.	.	.	X8	.	.	.	X	.	615		
616 Phormium J.R. et G. Forst.*	New Zealand Flax	Lin de Nouvelle-Zélande	Neuseeländer Flachs	616	X2	X	X	.	X	.	616		
617 *Phormium tenax J.R. et G. Forst.	New Zealand Flax	Lin de Nouvelle-Zélande	Neuseeländer Flachs	617	+	X	.	.	X6	.	.	X	.	X	.	617	
618 Photinia Lindl.*	Photinia	Photinia	Glanzmispel	618	X2	X	X	.	X	.	618		
619 Phygelius E. Mey.	Cape Figwort	Phygelius	Phygelius	619	X1	X	X	.	X	.	619		
620 Physalis L.	Husk-tomato, Chinese Lantern Plant, Cape Gooseberry, Tomatillo	Coqueret, Amour en cage, Alkékengé	Lampionblume, Blasenkirsche	620	X	.	.	.	X5	.	.	X	.	X	.	620	
621 Physostegia Benth.	Obedient Plant, Lion's Heart	Physostégie	Gelenkblume	621	X1	X	X	.	X	.	621		

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA	
622 <i>Physostegia virginiana</i> (L.) Benth.*	Obedient Plant	Physostégie de Virginie	Gelenkblume	622	+	X	.	.	.	X5	.	X	.	X	.	622	
623 <i>Picea A. Dietr.</i> *	Spruce	Épicéa	Fichte	623	.	.	.	X	.	.	+	X	X	.	X	.	623	
624 * <i>Picea glehnii</i> (Fr. Schmidt) Mast.*	Sachalen Spruce	Pin de Sakhaline, Épicéa de Glehn	Japanische Sachalinfichte, Glehns Fichte	624	.	.	.	+	.	.	+	X	.	.	.	X6	.	X	.	X	.	624	
625 * <i>Picea jezoensis</i> (Sieb. et Zucc.) Carr.*	Yezo Spruce, Hondo Spruce	Pin de Hondo, Épicéa de Yeso	Yedofichte	625	.	.	.	+	.	.	+	X	.	.	.	X6	.	X	.	X	.	625	
626 <i>Pieris D. Don</i> *	Pieris	Andromède	Lavendelheide	626	X2	X	X	.	X	.	626	
627 <i>Pieris japonica</i> (Thunb.) D. Don ex G. Don*	Japanese Andromeda	Andromède du Japon	Japanisches Bitterkraut	627	+	X	.	.	.	X6	.	X	.	X	.	627	
628 <i>Pinus L.</i> *	Pine	Pin	Kiefer	628	.	.	.	X	.	.	+	X	X	.	X	.	628	
629 * <i>Pinus densiflora</i> Sieb. et Zucc.	Japanese Red Pine	Pin rouge du Japon	Japanische Rotkiefer	629	.	.	.	+	.	.	+	X	.	.	.	X6	.	X	.	X	.	629	
630 <i>Pinus luchuensis</i> Mayr	-	-	-	630	.	.	.	+	.	.	+	X	.	.	.	X6	.	X	.	X	.	630	
631 * <i>Pinus thunbergii</i> Parl.*	Japanese Black Pine	Pin noir du Japon, Pin des temples	Japanische Schwarzkiefer	631	.	.	.	+	.	.	+	X	.	.	.	X6	.	X	.	X	.	631	
632 <i>Pisum spec.</i>	Pea	Pois	Erbse	632	X	X	.	X	X	X	632	
633 * <i>Pisum sativum</i> L. sensu lato*	Pea	Pois	Erbse	633	X	.	X	X	X	X	X	X	X	.	.	X1	.	X	X	X*	X	+ 633	
634 <i>Pisum sativum</i> L.*	Garden Pea	Petit pois	Gemüseerbse	634	+	.	+	+	+	+	+	+	X	.	X	+	.	+	X	+	X	+	634
635 <i>Pittosporum</i> Banks et Soland. ex Gaertn.	Pittosporum	Pittosporum	Klebsame	635	X2	X	.	.	.	X6	.	X	.	X	.	635	
636 <i>Plagianthus</i> (Gaya; Hoheria)	Twinebark	Gaya	-	636	X2	X	X	.	X	.	636		
637 <i>Platanus L.</i>	Plane	Platane	Platane	637	X2	X	X	.	X	.	637		
638 <i>Platycodon grandiflorum</i> (Jacq.) A. DC.*	Balloon Flower, Chinese Bell-flower	Platycodon, Campanule à grandes fleurs bleues	Ballonblume	638	X	.	.	.	X5	.	X	.	X	.	638		
639 <i>Pleurotus cornucopiae</i> (Pers.) Rolland. Tamagitaake	Pleurote corne d'abondance, Pleurote de l'orme, Oreille d'orme	-	-	639	X	.	.	.	X8	.	.	.	X	.	639		
640 <i>Pleurotus ostreatus</i> (Fr.) Quel.	Hiratake, Oyster Mushroom	Pleurote en forme d'huître, Pleurote écailleux, Pleurote en coquille	Austernseitling	640	X	.	.	.	X8	.	.	.	X	.	640		
641 <i>Poa L.</i> *	Meadow-grass	Pâturin	Rispengras	641	.	.	.	X	X1	.	.	X	.	.	X	.	.	X	X1	X	.	641	
642 * <i>Poa annua</i> L.	Annual Meadow-grass	Pâturin annuel	Einjähriges Rispengras	642	.	.	.	+	+	.	.	X	.	.	+	.	.	X	X	+	X	.	642
643 * <i>Poa compressa</i> L.	Canada Bluegrass, Flattened Meadow-grass	Pâturin comprimé	Flaches Rispengras	643	.	.	.	+	+	.	.	X	.	.	+	.	.	X	X	+	X	.	643
644 * <i>Poa nemoralis</i> L.	Wood Meadow-grass	Pâturin des bois	Hainrispengras	644	.	.	.	+	+	.	X	X	.	.	+	.	.	X	X	+	X	.	644
				BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	ZA		

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
645 * <i>Poa palustris</i> L.	Swamp Meadow-grass	Pâture des marais	Sumpfrispengras	645	.	.	.	+	+	.	X	X	.	.	+	.	.	X	X	+	X	.	645	
646 * <i>Poa pratensis</i> L.	Kentucky Blue-grass, Smooth Stalked Meadow-grass	Pâture des prés	Wiesenrispengras	646	X	.	.	+	+	.	X	X	.	.	+	X4	.	X	X	+	X	.	646	
647 * <i>Poa trivialis</i> L.	Rough Stalked Meadow-grass	Pâture commun	Gemeines Rispengras	647	X	.	.	+	+	.	X	X	.	.	+	.	.	X	X	+	X	.	647	
648 <i>Polemonium</i> L.*	Jacob's Ladder	Polemointe	Jakobsleiter, Sperrkraut	648	X1	X	X	.	X	.	648		
649 <i>Polygonatum</i> Mill.*	Solomon's Seal	Sceau de Salomon	Salomons Siegel	649	X1	X	X	.	X	.	649		
650 <i>Polygonum</i> L.*	Knotweed, Knotgrass	Renouée	Knöterich	650	X1	X	X	.	X	.	650		
651 <i>Poncirus</i> Raf.*	Trifoliate Orange, Golden Apple	Oranger trifolié	Bitterorange	651	X	.	.	.	X6	.	X	.	X	.	651			
652 <i>Porphyra tenera</i> Kjellmann	Purple Laver	Porphyre	Purprtang	652	X	.	.	.	X7	.	.	.	X	.	652			
653 <i>Porphyra yezoensis</i> Ueda	Purple Laver	Porphyre	Purprtang	653	X	.	.	.	X7	.	.	.	X	.	653			
654 <i>Populus</i> L.	Poplar	Peuplier	Pappel	654	X	.	.	X	.	.	X2	X	.	.	X	.	X	X	.	X	.	654		
655 * <i>Portulaca grandiflora</i> Hook.	Rose-moss, Sun Plant	Pourpier à grande fleur, Chevalier d'onze heures	Grossblümiger Portulak	655	X	.	.	.	X5	.	X	.	X	.	655			
656 <i>Potentilla</i> L.*	Cinquefoil	Potentille	Fingerkraut	656	X1	X	(X)	X	.	X	.	656		
657 <i>Potentilla fruticosa</i> L.*	Shrubby Cinquefoil	Potentille ligneuse	Strauchfingerkraut	657	.	.	.	X	X	.	X2	X	(+)	X	X4	X	.	657		
658 <i>Potentilla fruticosa</i> L. var. <i>davurica</i> (Nestl.) Ser. (<i>P. glabra</i> Lodd.)	Shrubby Cinquefoil	Potentille ligneuse	Strauchfingerkraut	658	.	.	.	+	.	.	X2	X	(+)	X	+	X	.	658		
659 <i>Potentilla fruticosa</i> L. var. <i>rigida</i> (Wall. ex Lehm.) T.H. Wolf (<i>P. arbuscula</i> D. Don)	Shrubby Cinquefoil	Potentille ligneuse	Strauchfingerkraut	659	.	.	.	+	+	.	X2	X	(+)	X	+	X	.	659		
660 <i>Primula</i> L.	Auricula, Oxlip, Cowslip, Primrose	Primevère	Primel, Schlüsselblume	660	X1	X	.	.	X5	.	X	.	X	.	660			
661 <i>Protea</i> spec.*	Protea	Protea	Protea	661	X	X	.	X	X	661			
<hr/>																								
<u>PRUNUS*</u>																								
662 <i>Prunus</i> L.	-	-	-	662	X	.	.	.	X3	.	X	.	X	.	662			
<u>Fruit Crops/Plantes fruitières/Obstpfanzen</u>																								
- subg. <i>Amygdalus</i>																								
663 <i>Prunus amygdalus</i> Bartock* [<i>P. dulcis</i> (Mill.) D.A. Webb; <i>Amygdalus</i> spec.; <i>A. communis</i> L.]	Almond	Amandier	Mandel	663	X	.	X	.	X	X	+	.	.	X	.	X	663	
- subg. <i>Armeniaca</i>																								
664 <i>Prunus armeniaca</i> L.* [<i>Prunus</i> L.]	Apricot	Abricotier	Aprikose	664	X	X	.	X	.	X	X	+	.	.	X	X3	X	X	664
BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA																								

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
<u>- subg. Cerasus</u>																								
665 Prunus L.	Cherry	Cerisier	Kirsche	665	X	.	X	X*	.	.	X	.	X	.	.	.	+	.	X	X	X3	X	.	665
666 *Prunus avium (L.) L.*	Sweet Cherry	Cerisier (cerises douces: guignes, bigarreaux)	Süßkirsche	666	+	.	+	+	X2	.	+	X3	X	.	.	X	+	.	+	X	+	X	.	666
667 Prunus cerasus L.*	Morello, Sour Cherry	Cerisier (cerises acides: griottes, amareilles)	Sauerkirsche	667	+	.	+	+	X2	.	+	X3	X	.	.	.	+	.	+	X	+	X	X	667
668 Prunus fruticosa Pall.*	Dwarf Cherry, Ground Cherry	Cerisier nain de Russie	Steppenkirsche, Zwergkirsche	668	+	.	+	+	.	.	+	X3	X	.	.	.	+	.	+	X	+	X	.	668
<u>- subg. Prunus</u>																								
669 Prunus L.	Plum	Prunier	Pflaume	669	X	.	X*	X*	.	.	X	.	X	.	.	.	+	.	X	X	X3	X	.	669
670 Prunus cerasifera Ehrh.* [Prunus L.]	Myrobalan, Cherry-plum	Myrobalan	Kirschpflaume, Myrobalane	670	X	.	+	+	.	.	+	+	X	.	.	.	+	.	+	X	.	X	.	670
671 *Prunus domestica L.*	Plum	Prunier	Pflaume	671	+	.	+	+	X2	.	+	+	X	.	X	.	+	.	+	X	+	X	X	671
672 *Prunus domestica L. et P. cerasifera Ehrh.	Plum	Prunier	Pflaume	672	+	.	+	+	.	.	+	X3	X	.	.	.	+	.	+	X	.	X	.	672
673 Prunus insititia L.*	Damson, Bullace, Mirabelle	Prunier de Damas, -, Mirabelle	-, Haferpflaume, Mirabelle	673	+	.	+	+	.	.	+	X3	X	.	.	.	+	.	+	X	+	X	+	673
674 Prunus salicina Lindl.*	Plum, Japanese Plum	Prunier du Japon, Prunier japonais	Japanische Pflaume	674	+	.	+	+	.	.	+	.	X	.	X	.	+	.	+	X	+	X	X	674
<u>- subg. Persica</u>																								
675 Prunus persica (L.) Batsch* [Prunus L.]	Peach	Pêcher	Pfirsich	675	X	X	X	.	X	X	+	.	.	X	X3	X	X	675	
<u>Ornamental Plants/Plantes ornementales/Zierpflanzen</u>																								
676 Prunus L.	-	-	-	676	X2	X	.	.	.	+	.	.	X	.	X	.	676	
677 Prunus X amygdalo-persica (Weston) Rehd.	-	Amandier-pêcher	-	677	X2	X	.	.	.	+	.	.	X	.	X	.	677	
678 Prunus X cistena N.E. Hansen	-	-	-	678	X2	X	.	.	.	+	.	.	X	.	X	.	678	
679 Prunus concinna Koehne	-	-	-	679	X2	X	.	.	.	+	.	.	X	.	X	.	679	
680 Prunus glandulosa Thunb.*	Almond Cherry	Amandier à fleurs du Japon	-	680	X2	X	.	.	.	+	.	.	X	.	X	.	680	
681 Prunus laurocerasus L.*	Cherry-laurel	Laurier-cerise	Kirschlorbeer	681	X2	X	.	.	.	+	.	.	X	.	X	.	681	
682 Prunus lusitanica L.*	Portugal Laurel	Laurier du Portugal	Portugiesischer Kirschlorbeer	682	X2	X	.	.	.	+	.	.	X	.	X	.	682	
683 Prunus maritima Wangenh.	Beach-plum	Prunier des grèves	Strandpflaume	683	X2	X	.	.	.	+	.	.	X	.	X	.	683	
684 Prunus prostrata Labill.*	Rock Cherry	-	-	684	X2	X	.	.	.	+	.	.	X	.	X	.	684	
685 Prunus tenella Batsch*	Russian Almond	Amandier nain de Russie	Zwergmandel	685	X2	X	.	.	.	+	.	.	X	.	X	.	685	
686 Prunus triloba Lindl.*	-	Prunier à trois lobes	Mandelröschen	686	X2	X	.	.	.	+	.	.	X	.	X	.	686	

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
687 <i>Pseudocydonia sinensis</i> Schneid.*	Chinese Quince	Cognassier de Chine	Chinesische Quitte	687	X	.	.	.	X6	.	.	X	.	X	.	687	
688 <i>Pseudotsuga Carr.</i> *	Douglas Fir	Sapin de Douglas	Douglasie	688	.	.	.	X	.	.	.	+ X	X	.	X	.	688	
689 * <i>Psidium guajava</i> L.*	Guava	Goyavier	Guayave	689	X	X	.	X	X	689		
690 <i>Pulmonaria</i> L.*	Lungwort	Pulmonaire	Lungenkraut	690	X1	X	X	.	X	.	690		
691 <i>Pulsatilla</i> Mill. (<i>Anemone pulsatilla</i> L. and allies)	Pasque Flower	Anémone pulsatille	Gemeine Küchenschelle	691	X2	X	X	.	X	.	691		
692 * <i>Punica granatum</i> L.	Pomegranate	Grenadier	Granatapfel, Granatbaum	692	X	.	.	.	X3	.	.	X	.	X	.	692	
693 <i>Pyracantha</i> M.J. Roem.*	Firethorn	Pyracantha, Buisson ardent	Feuerdorn	693	.	.	.	X	.	.	X	X2	X	.	.	X6	.	.	X	.	X	.	693	
PYRUS																								
Fruit Crops/Plantes fruitières/Obstpflanzen																								
694 <i>Pyrus</i> L.*	Pear	Poirier	Birne	694	X	.	.	X	.	.	X	.	X	.	.	X3	.	.	X	X3	X	.	694	
695 <i>Pyrus communis</i> L.*	Pear	Poirier	Birne	695	+	.	.	+	X3	.	+	X3	X	.	X	X	+	.	X	X	+	X	695	
Ornamental Plants/Plantes ornementales/Zierpflanzen																								
696 <i>Pyrus</i> L.*	Ornamental Pear	Poirier ornemental	Zierbirne	696	X2	X	.	.	+	.	.	X	.	X	.	696	
697 <i>Quamoclit</i> Mill.*	Star-glory, Star Ipomoea, Cypress Vine	Quamoclit	Sternwinde	697	X	.	.	.	X5	.	.	X	.	X	.	697	
698 <i>Quercus</i> L.*	Oak	Chêne	Eiche	698	X2	X	X	.	X	X	698	
699 <i>Ranunculus</i> L.*	Ranunculus, Buttercup	Renoncule	Hahnenfuss	699	X	.	X	.	X5	.	.	X	.	X	.	699	
700 * <i>Ranunculus asiaticus</i> L.*	Garden Ranunculus	Renoncule des jardins	Ranunkel	700	X	.	+	X	+	.	.	X	.	X	.	700	
701 * <i>Raphanus sativus</i> L.	Japanese Radish	Radis japonais	Japanischer Rettich	701	X	.	.	.	X2	.	.	X	.	X	.	701	
702 * <i>Raphanus sativus</i> L. var. <i>niger</i> (Mill.) S. Kerner	Black Radish	Radis d'été, d'automne et d'hiver	Rettich	702	.	.	.	X	X	.	.	X	.	.	+	.	X	X	X2	X	.	702		
703 * <i>Raphanus sativus</i> L. var. <i>oleiformis</i> Pers. [ssp. <i>oleifera</i> (DC.) Metzg.]	Fodder Radish	Radis oléifère, Radis chinois	Ölrettich	703	.	.	.	X	X	.	.	X	.	.	+	.	X	X	.	X	.	703		
704 * <i>Raphanus sativus</i> L. var. <i>sativus</i> [var. <i>radicula</i> Pers.]	Radish	Radis de tous les mois	Radieschen	704	X	.	.	X	X	.	.	X	.	.	+	.	X	X	X2	X	.	704		
705 <i>Renanthera</i> Lour.*	Renanthera	Renanthera	Renanthera	705	+	+	.	X	.	+	.	X5	.	+	X	.	X	.	705
706 <i>Rhamnus</i> L.*	Buckthorn	Nerprun	Kreuzdorn	706	X2	X	X	.	X	.	X	.	706
707 <i>Rhipis</i> L. f.	Lady Palm	Rhipis	Steckenpalme, Rutēnpalme	707	X	.	.	.	X6	.	.	X	.	X	.	707	
708 <i>Rheum</i> L.	Rhubarb	Rhubarbe	Rhabarber	708	X	X	.	.	.	X1	.	.	X	.	X	.	708
709 * <i>Rheum rhabarbarum</i> L.*	Rhubarb	Rhubarbe	Krauser Rhabarber	709	.	.	.	X	.	.	+	X	.	.	.	+	.	X	X	.	X	.	709	

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
710 <i>Rhipsalidopsis</i> Britt. et Rose*	Easter Cactus	Cactus de Pâques	Osterkaktus	710	.	.	.	X	X*	.	.	X	X	.	X	.	710		
711 <i>Rhododendron</i> L.*	Rhododendron, Azalea, Azaleodendron	Rhododendron, Azalee	Rhododendron, Azalee	711	X	.	X	X	.	X	X	X	.	.	.	X6	.	X	X	.	X	.	711	
712 <i>Rhodohypoxis baurii</i> (Bak.) Nel*	Rhodohypoxis	Rhodohypoxis	Rhodohypoxis	712	X	.	.	.	X5	.	.	X	.	X	.	712	
713 <i>Rhus</i> L.*	Sumach	Sumac	Sumach, Essigbaum	713	X2	X	X	.	X	.	713	
714 <i>Rhynchosystylis</i> Bl.*	Fox Tail Orchid	Rhynchosystylis	Rhynchosystylis	714	+	+	.	X	.	+	.	X5	.	+	X	.	X	.	714

RIBESFruit Crops/Plantes fruitières/Obstpflanzen

715 <i>Ribes</i> L.	Currants, Gooseberry	Cassis, Groseilliers	Johannisbeeren, Stachelbeere	715	X*	.	X*	X*	.	.	.	X	X	X	X3	X	.	715	
716 * <i>Ribes nigrum</i> L.	Black Currant	Cassis	Schwarze Johannisbeere	716	+	.	+	+	X3	.	X	+	X	+	X	+	X	.	716
717 * <i>Ribes nigrum</i> L., R. dikukscha Fisch. ex Turcz., R. ussuriente Jancz.	Black Currant	Cassis	Schwarze Johannisbeere	717	+	.	+	+	.	.	.	X3	X	+	X	+	X	.	717
718 <i>Ribes niveum</i> Lindl.*	White Currant	Groseillier blanc	Weisse Johannisbeere	718	+	.	+	+	X3	.	X	.	X	+	X	+	X	.	718
719 <i>Ribes sylvestre</i> (Lam.) Mert. et W. Koch*	Red Currant	Groseillier rouge	Rote Johannisbeere	719	+	.	+	+	X3	.	X	.	X	+	X	+	X	.	719
720 <i>Ribes uva-crispa</i> L.* [R. grossularia; R. uva-crispa]	Gooseberry	Groseillier à maquereau	Stachelbeere	720	+	.	+	+	X3	.	X	X3	X	+	X	+	X	.	720

Ornamental Plants/Plantes ornementales/Zierpflanzen

721 <i>Ribes</i> L.	Ornamental Currant	Groseillier ornemental	Zierjohannisbeere	721	X2	X	X	.	X	.	721	
722 * <i>Ricinus communis</i> L.	Castorbean	Ricin	Wunderbaum, Palma Christi	722	X	.	X	.	X5	.	.	X	.	X	X	722	
723 <i>Robinia</i> L.*	False Acacia	Robinier	Robinie	723	X2	X	X	.	X	.	723	
724 * <i>Robinia pseudoacacia</i> L.	False Acacia	Robinier faux-acacia	Gemeine Robinie, Scheinakazie	724	+	X	X	X	.	X	.	724
725 <i>Rohdea japonica</i> (Thunb.) Roth*	Rohdea	Rohdea	Rohdea	725	X	.	.	.	X5	.	.	X	.	X	.	725	
726 <i>Romneya</i> Harv.	Romneya	Romneya	Romneya	726	X2	X	X	.	X	.	726	
727 <i>Rosa</i> L.	Rose	Rosier	Rose	727	X	.	X*	X	X	X	X	X	X	.	X	X	X6	.	X	X	X	X	727
728 * <i>Rosmarinus officinalis</i> L.	Rosemary	Romarin officinal	Rosmarin	728	X2	X	X	.	X	.	728	

RUBUSFruit Crops/Plantes fruitières/Obstpflanzen

729 <i>Rubus</i> L.	Raspberry, Bramble	Framboisier, Ronce	Himbeere, Brombeere	729	X*	.	X*	X*	.	.	.	X	X	X3	X	.	729	
730 <i>Rubus</i> L. partim	Raspberry, Rasp- berry X Blackberry Hybrids	Framboisier, Hybrid X Ronce	Himbeere, Himbeere X Brombeere Hybrid	730	+	.	+	+	.	.	.	X3	X	X	+	X	.	730

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA	
731 Rubus subg. Eubatus Focke [<i>R. fruticosus</i> L.*]	Blackberry	Ronce fruitière	Brombeere	731	+	.	+	+	X3	.	X	(X)	X	X	+	X	.	731	
732 *Rubus idaeus L.	Raspberry	Framboisier	Himbeere	732	+	.	+	+	X3	.	X	+	X	X	+	X	.	732	
<u>Ornamental Plants/Plantes ornementales/Zierpflanzen</u>																							
733 Rubus L.	Ornamental Bramble	Ronce ornementale	Zierbrombeere	733	X2	X	X	.	X	.	733	
734 Rudbeckia L.*	Cone Flower	Rudbeckia	Sonnenhut	734	X1	X	.	.	.	X5	.	.	X	.	X	.	734
735 Ruta L.*	Rue	Rue	Rute	735	X2	X	X	.	X	.	735	
736 Saccharum L.*	Sugar Cane	Canne à sucre	Zuckerrohr	736	X	.	.	.	X1	.	.	X	.	X	.	736	
737 Saintpaulia H. Wendl.	Saintpaulia, African Violet	Saintpaulia	Usambaraveilchen	737	.	.	.	X	.	.	X	.	.	.	X5	.	X	X	.	X	.	737	
738 Saintpaulia ionantha H. Wendl.	African Violet	Saintpaulia	Usambaraveilchen	738	X	.	X	+	X	.	X	X	.	X	X	+	.	+	X	X4	X	X	738
739 Salix L.	Willow	Sauie	Weide	739	X	.	.	X	.	.	X2	X	.	.	X6	.	X	X	(X)	X	.	739	
740 Salvia L.*	Sage	Sauge	Salbei	740	X1	X	.	.	X5	.	.	X	.	X	.	740	
741 *Salvia officinalis L.*	Common Sage	Sauge	Echter Salbei	741	X2	X	.	.	+	.	.	X	.	X	.	741	
742 Sambucus L.	Elder	Sureau	Holunder	742	X2	X	X	.	X	.	742	
743 Sansevieria Thunb.*	Bowstring Hemp	Sansevierie	Bogenhanf	743	X	.	.	.	X5	.	.	X	.	X	.	743	
744 Saponaria L.*	Saponaria	Saponaire	Seifenkraut	744	X1	X	X	.	X	.	744	
745 Sarcococca Lindl. (excl. <i>S. saligna</i> Muell.)	Sarcococca	Sarcococca	Sarcococca	745	X2	X	X	.	X	.	745	
746 Sarracenia L.	Pitcher Plant, Side-saddle Flower	Sarracenia	Schlauchpflanze, Krugblatt	746	X	.	.	.	X5	.	.	X	.	X	.	746	
747 Saxifraga L.*	Saxifrage	Saxifrage	Steinbrech	747	X	.	.	.	X5	.	.	X	.	X	.	747	
748 Scabiosa L.*	Scabious	Scabieuse	Grindkraut, Skabiose	748	X1	X	.	.	X5	.	.	X	.	X	.	748	
749 *Schizanthus pinnatus Ruiz et Pav.	Wingleaf Butterfly Flower	Schizanthe papilion-	Spaltblume, Schlitzblume	749	X	.	.	.	X5	.	.	X	.	X	.	749	
750 Schizostylis Backh. et Harv.	Crimson Flag	Schizostylis	Spaltgriffel	750	X1	X	X	.	X	.	750	
751 Schlumbergera Lem.*	Christmas Cactus	Cactus de Noël	Weihnachtskaktus	751	.	.	.	X	X*	.	.	X	X	.	X	.	751	
752 Scilla L.*	Squill, Wild Hyacinth	Scille	Blaustern	752	X	.	.	.	X5	.	.	X	.	X	.	752	
753 Scindapsus Schott*	Ivy-arum, Silver Vine	Pothos	Scindapsus	753	X	.	.	.	X5	.	.	X	.	X	.	753	
754 *Scorzonera hispanica L.	Black Salsify	Scorsonère, Salsifis noir	Schwarzwurzel	754	X	.	.	X	X	.	.	X	.	.	.	X	X	.	X	.	X	.	754
755 *Secale cereale L.	Rye	Seigle	Roggen	755	X	.	X	X	X	.	X	X	.	.	X	X1	.	X1	X	X1	X	.	755
756 Sedum L.*	Stonecrop, Ice Plant	Sédum	Fetthenne	756	X1	X	X	.	X	.	756	
757 Selaginella P. Beauv.*	Club Moss	Sélaginelle	Mooskraut	757	X	.	.	.	X5	.	.	X	.	X	.	757	

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
758 <i>Senecio cruentus</i> (L'Hér.) DC.*	Florists' Cineraria	Cinéraire hybride	Kreuzkraut	758	X	.	.	.	X5	.	X	.	X	.	758		
759 <i>Senecio laxifolius</i> J. Buchan.	-	-	Kreuzkraut	759	X2	X	X	.	X	.	759		
760 <i>Serruria spec.*</i>	Serruria, Protea	Serruria, Protea	Serruria, Protea	760	X	X	.	X	X	760			
761 * <i>Sesamum indicum</i> L.*	Sesame	Sésame	Sesam	761	X	.	X	.	.	.	X	.	X	.	761		
762 * <i>Setaria italica</i> (L.) P. Beauv.*	Foxtail Millet, Italian Millet	Millet d'Italie, Millet des oiseaux	Kolbenhirse	762	.	.	.	X	.	.	.	X	X	.	X	.	762			
763 <i>Sidalcea</i> A. Gray*	Prairie Mallow	Sidalcea	Präriemalve	763	X1	X	X	.	X	.	763		
764 <i>Silene</i> L.*	Catchfly	Silène	Leimkraut	764	X1	X	.	.	.	X5	.	X	.	X	.	764	
765 <i>Simmondsia chinensis</i> (Link) Schneid.*	Jojoba	-	-	765	X	.	(X)	.	.	X	.	X	.	X	.	765	
766 * <i>Sinapis alba</i> L.	White Mustard	Moutarde blanche	Weisser Senf	766	.	.	.	X	X	.	.	X	X	X	X	X1	X	.	766	
767 <i>Sinningia</i> Nees*	Gloxinia	Gloxinia	Gloxinie	767	X	X5	.	X	.	X	.	767	
768 <i>Sisyrinchium</i> L.*	Satin Flower, Blue Eyed Grass	Sisyrinchium, Bermudienne	Grassschwerte, Binsenlilie	768	X1	X	X	.	X	.	X	.	768
769 <i>Skimmia</i> Thunb.	Skimmia	Skimmia	Skimmia	769	X2	X	X	.	X	.	X	.	769
770 <i>Solanum</i> L.*	Solanum	Solanum	Nachtschatten	770	X	X2	.	X	.	X	.	770	
771 <i>Solanum lycopersicum</i> L. [* <i>Lycopersicon</i> Tomato <i>lycopersicum</i> (L.) Karst. ex Farwell; <i>L. esculentum</i> P. Mill.]		Tomate	Tomate	771	X	.	.	X	X	.	X	.	X	X	X2	.	X	X	X2	X	X	771		
772 * <i>Solanum melongena</i> L.* [S. melongena var. <i>esculentum</i> Nees]	Eggplant, Aubergine	Aubergine	Eierfrucht, Aubergine	772	X	.	X	.	X	X	+	.	X	X	.	X	X	772	
773 * <i>Solanum tuberosum</i> L.* [S. <i>tuberousum</i> L. <i>sensu lato</i>]	Potato	Pomme de terre	Kartoffel	773	X	.	X	X	X	X	X	X	X	X	X	+	.	X	X	X1	X	X	773	
774 <i>Solidago</i> L.*	Golden Rod	Verge d'or	Goldrute	774	X1	X	X	.	X	.	X	.	774
775 <i>Sophora</i> L.*	Sophora, Pagoda Tree	Sophora	Schnurbaum	775	X2	X	X	.	X	.	X	.	775
776 <i>Sophronitis</i> Lindl.*	Sophronitis	Sophronitis	Sophronitis	776	+	+	.	X	.	+	.	X5	.	+	X	.	X	.	776	
777 <i>Sorbus</i> L.*	Mountain Ash, Rowan, Whitebeam	Sorbier	Eberesche, Mehle- beere, Elsbeere	777	X2	X	X	.	X	.	X	.	777
778 <i>Sorghum Moench</i> *	Grain and Fodder Sorghum	Sorgho	Mohrenhirse	778	X	.	.	.	X1	.	.	X	.	X	X	778	
779 <i>Sorghum dochna</i> (Forssk.) Snowden*	Sweet Sorghum, Broom Corn	Sorgho sucré, Sorgho à balai	Zuckerhirse, Besenhirse	779	.	.	.	X	.	.	.	X	.	+	+	+	.	X	.	X	+	779		
780 <i>Sorghum vulgare</i> Pers.*	Sorghum	Sorgho	Mohrenhirse	780	+	.	X	.	X	X	+	.	X	.	X	.	780		
781 <i>Spartium</i> L.*	Spanish Broom	Genêt d'Espagne	Binsenginster	781	X1	X	X	.	X	.	X	.	781
782 <i>Spathiphyllum</i> spec.*	Spathiphyllum	Spathiphyllum	Spathiphyllum	782	X	.	.	X	X	.	X	.	X	.	782	
783 * <i>Spergula arvensis</i> L.	Corn Spurry	Spergule des champs, Spargoute, Espargoute, Fourrage de disette	Ackerspörgel, Ackerspark	783	X	X1	X	.	X	.	X	.	783

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
784 *Spinacia oleracea L.	Spinach	Epinard	Spinat	784	X	.	.	X	X	.	.	X	.	.	X	X2	.	X	X	X2	X	.	784	
785 Spiraea L.*	Bridal Wreath, Spirea	Spirée	Spierstrauch	785	X2	X	.	.	.	X6	.	.	X	.	X	.	785
786 Stachys L.*	Woundwort	Eapiaire	Ziest	786	X1	X	X	.	X	.	786	
787 Stachyurus Sieb. et Zucc.	Stachyurus	Stachyurus	Stachyurus	787	X2	X	X	.	X	.	787	
788 Staphylea L.	Bladder Nut	Staphylvier	Pimpernuss	788	X2	X	X	.	X	.	788	
789 Stephanandra Sieb. et Zucc.	Stephanandra	Stephanandra	Kranzspiere	789	X2	X	X	.	X	.	789	
790 Stevia rebaudiana (Bertoni) Hemsl.*	"Caa-ehe," "Azuca-caa"	Stevia	Stevia	790	X	.	.	.	X1	.	.	X	.	X	.	790	
791 Stewartia L.*	Stewartia	Stewartia	Scheinkamelie	791	X2	X	X	.	X	.	791	
792 Stokesia L'Hér.	Stocke's Aster	Stokesia	Stokesia	792	X1	X	X	.	X	.	792	
793 Stranvaesia Lindl.*	Stranvaesia	Stranvaesia	Stranvaesie	793	X2	X	X	.	X	.	793	
794 Strelitzia Ait.	Bird of Paradise Flower	Strelitzia, Oiseau du paradis	Strelitzie, Paradiesvogelblume	794	X	.	.	.	X5	.	.	X	.	X	.	794	
795 Streptocarpus Lindl. [S. X hybridus Voss]	Streptocarpus, Cape Primrose	Streptocarpus	Drehfrucht	795	X	.	X	X	X	.	X	X	X	.	.	.	X5	.	X	X	X4	X	.	795
796 Styraex L.	Styrax, Storax, Snowbell	Aliboufier	Storaxbaum	796	X2	X	X	.	X	.	796	
797 Symphoricarpos Duham.*	Snowberry	Symphorine	Schneebbeere	797	X2	X	X	.	X	.	797	
798 Syringa L.*	Lilac	Lilas	Flieder	798	X2	X	X	X	.	X	.	798
799 Syringa vulgaris L.	Common Lilac	Lilas	Flieder	799	+	X	.	.	.	X6	.	+	X	.	X	.	799
800 Tagetes L.	Marigold	Tagète, Oeillet d'Inde, Rose d'Inde	Sammetblume	800	(X)	X	.	.	X5	.	.	X	.	X	.	800	
801 Tamarix L.*	Tamarisk	Tamaris	Tamariske	801	X2	X	X	.	X	.	801	
802 Taxales	Taxads	Taxales	Eibengewächse	802	X	X	X	.	X	.	802	
803 Taxus L.	Yew	If	Eibe	803	+	X	.	.	X6	.	.	X	.	X	.	803	
804 Tecoma* (Campsis Lour.)	Trumpet Flower	Bignonia, Jasmin de Virginie	Trompetenblume, Trompetenwinde	804	X2	X	X	.	X	.	804	
805 Teucrium chamaedrys L.*	Wall Germander	Germandrée petit- chêne	Edelgärtner	805	X1	X	X	.	X	.	805	
806 Teucrium fruticans L.*	Tree Germander	Germandrée ligneuse	-	806	X2	X	X	.	X	.	806	
807 Thalictrum L.*	Meadow Rue	Pigamon	Wiesenraute	807	X1	X	X	.	X	.	807	
808 Thea sinensis L.*	Tea	Théter	Tee	808	X	.	.	.	+	.	.	X	.	X	X	808	
809 Thuja L.*	Thuja	Thuya	Lebensbaum	809	.	.	.	X	X1	.	X	+	X	X	.	X	.	809	
810 *Thuja orientalis L.*	Chinese Arborvitae	Thuya d'Orient	Orientalischer Lebensbaum	810	.	.	.	+	+	.	+	X	.	.	.	X6	.	.	X	.	X	.	810	
811 Tiarella L.*	Foam Flower	Tiarella	Schaumblüte	811	X1	X	X	.	X	.	811	

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA	
812 <i>Tilia L.</i>	Lime	Tilleul	Linde	812	X2	X	X	.	X	.	812		
813 <i>Tillandsia L.*</i>	Tillandsia	Tillandsia, Fille de l'air	Tillandsia	813	+*	X	.	.	.	X5	.	+*	X	.	X	.	813	
814 <i>Trachelium caeruleum L.</i>	Throatwort	Trachélie bleue	Blaues Halskraut	814	X	.	.	.	X5	.	.	X	.	X	.	814	
815 <i>Tradescantia L.*</i>	Spider Wort	Tradescantia, Misère	Dreimasterblume	815	X1	X	X	.	X	.	815		
816 <i>Tricyrtis Wall.</i>	Toad-lily	Tricyrtis	Krötenlilie	816	X	.	.	.	X5	.	.	X	.	X	.	816	
817 <i>Trifolium L.</i>	Clover	Trèfle	Klee	817	X	.	.	X	.	.	X	.	X	.	817		
818 * <i>Trifolium alexandrinum L.</i>	Berseem Clover	Trèfle d'Alexandrie	Alexandriner Klee	818	.	.	X	.	.	.	X	.	X	+	.	.	X1	X	.	X	.	818	
819 <i>Trifolium berytheum Boiss.</i>	-	-	-	819	X	.	X	+	.	.	X	.	X	.	819		
820 * <i>Trifolium hybridum L.</i>	Alsike Clover	Trèfle hybride	Schwedenklee	820	.	.	X	X	.	.	X	.	.	+	.	.	X	X1	X	X	820		
821 * <i>Trifolium incarnatum L.</i>	Crimson Clover	Trèfle incarnat	Inkarnatklee	821	.	.	X	.	.	.	X	.	.	+	.	.	X	.	X	.	821		
822 * <i>Trifolium pratense L.</i>	Red Clover	Trèfle violet	Rotklee	822	X	.	X	X	X	(X)	X	X	.	+	X4	.	X1	X	X1	X	X	822	
823 * <i>Trifolium repens L.*</i>	White Clover	Trèfle blanc	Weissklee	823	X	.	X	X	X	.	X	X	X	+	X4	.	X1	X	X1	X	X	823	
824 * <i>Trifolium resupinatum L.*</i>	Persian Clover	Trèfle de Perse	Persischer Klee	824	.	.	X	.	.	.	X	.	.	+	.	.	X	.	X	X	X	824	
825 * <i>Trifolium subterraneum L.</i>	Subterranean Clover	Trèfle souterrain	Bodenfrüchtiger Klee	825	.	.	X	.	.	.	X	.	X	+	.	.	X	.	X	X	X	825	
826 * <i>Trigonella foenum-graecum L.</i>	Fenugreek	Fenugrec	Bockshorn Klee, Griechisch-Heu	826	X	X	X	.	X	.	826		
827 * <i>Triisetum flavescens (L.) Beauv.*</i>	Golden Oatgrass	Avoine jaunâtre	Goldhafer	827	.	.	X	.	.	.	X	X	.	X	.	827		
828 X <i>Triticale [Triticum turgidosecale; X triticosecale Wittmack]</i>	Triticale	Triticale	Triticale	828	X	.	X	X	.	.	X	X	.	X	.	.	(X1)	X	.	X	X	828	
829 <i>Triticum L.*</i>	Wheat	Blé	Weizen	829	X	X	.	X	.	.	X	.	X	X	829		
830 * <i>Triticum aestivum L. emend. Fiori et Pao. [T. aestivum L. ssp. vulgare (Vill., Host) Mac Kay]*</i>	Wheat, Soft Wheat, Bread Wheat	Blé tendre, Froment	Weichweizen	830	X	.	X	X	X	X	+	X	X	X	+	X1	.	X	X	X1	X	+	830
831 * <i>Triticum durum Desf.*</i>	Durum Wheat, Macaroni Wheat, Hard Wheat	Blé dur	Hartweizen	831	X	.	X	X	X	X	+	X	.	X	+	.	X	X	X1	X	+	831	
832 <i>Triticum spelta L.*</i>	Spelt	Epeautre	Spelz	832	X	.	X	X	.	.	+	X	.	.	+	.	.	X	.	X	.	832	
833 <i>Tritonia Ker-Gawl.*</i>	Montbretia	Monbretia	Tritonia, Montbretie	833	X	.	.	.	X5	.	.	X	.	X	.	833	
834 <i>Trollius L.*</i>	Globe Flower	Trolle	Trollblume	834	X1	X	X	.	X	.	834		
835 * <i>Tropaeolum majus L.</i>	Garden Nasturtium, Grande capucine Indian Cress	Grosse Garten-kresse	Grosse Garten-kresse	835	X	.	.	X5	.	.	X	.	X	.	835		
836 <i>Tulipa L.</i>	Tulip	Tulipe	Tulpe	836	X	.	.	X	.	X	.	X	.	.	.	X5	.	X	X	.	X	.	836
837 <i>Ulex L.</i>	Gorse	Ajonc	Stechginster	837	X2	X	X	.	X	.	X	.	837
838 <i>Ulmus L.</i>	Elm	Orme	Ulme	838	.	.	X	.	.	.	X2	X	X	X	.	X	.	838	

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

Latine	English	Français	Deutsch	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA
--------	---------	----------	---------	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----

VACCINIUM*
Fruit Crops/Plantes fruitières/Obstpfanzen

839	Vaccinium spec.	Bilberry, Whortle- berry, Cranberry Cowberry	Airelle, Myrtille	Heidelbeere, Preiselbeere, Moosbeere	839	X	X	X3	X	.	839	
840	Vaccinium-Corymbosum-Hybrid	Blueberry	Myrtille	Kulturheidelbeere	840	.	.	.	X	.	.	X	X	+	X	.	840	
841	Vaccinium myrtillus L.	Bilberry, Whortle- berry, Blueberry	Myrtille	Heidelbeere	841	X3	.	.	X	X	+	X	.	841
842	Vaccinium vitis-idaea L.*	Cowberry, Mountain Cranberry	Airelle rouge	Preiselbeere	842	.	.	.	X	.	.	X	X	+	X	.	842	

Ornamental Plants/Plantes ornementales/Zierpflanzen

843	Vaccinium L.	-	-	-	843	X2	X	.	.	.	X	.	X	.	843				
844	*Valerianella locusta (L.) Laterrade* [V. locusta et eriocarpa]	Cornsalad, Lamb's Lettuce	Mâche, Doucette	Feldsalat	844	.	.	X	X	.	.	X	.	X	.	.	.	X	X	.	X	.	844		
845	Vanda Jones*	Vanda	Vanda	Vanda	845	+	+	.	X	.	+	.	X5	.	+	X	.	845		
846	Veratrum L.*	False Hellebore	Vératre	Germer, Nieswurz	846	X1	X	X	.	X	.	846			
847	Verbascum L.	Mullein	Molène	Königskerze	847	X1	X	X	.	X	.	847			
848	Verbena L.*	Vervain	Verveine	Verbene, Eisenkraut	848	X	.	.	.	X5	.	.	X	.	X	.	848		
849	Veronica L.*	Speedwell	Véronique	Ehrenpreis	849	X1	X	.	.	.	X5	.	.	X	.	X	.	849	
850	Viburnum L.*	Snowball Tree	Viorne	Schneeball	850	X2	X	X	.	X	.	850			
851	*Vicia articulata Hornem.*	One-flowered Vetch	Vesce	Wicklinse	851	.	.	.	X	.	.	X	X	.	X	.	851			
852	*Vicia faba L.* [V. faba L. sensu lato]	Broad Bean, Horse Bean, Field Bean, Tick Bean	Fève, Féverole	Ackerbohne, Dicke Bohne (Puffbohne)	852	+	.	.	X	+	X	.	X	X	.	.	X	X1	.	X	X	+	X	.	852
853	*Vicia faba L. var. major Harz [V. faba L.]	Broad Bean, Horse Bean	Fève	Dicke Bohne (Puffbohne)	853	X	.	.	+	X	+	.	+	X	.	X	+	+	.	+	X	X2	X	.	853
854	*Vicia faba L. var. minor Harz	Field Bean, Tick Bean	Féverole	Ackerbohne	854	X	.	.	+	X	+	.	+	X	.	+	+	.	+	X	X1	X	.	854	
855	*Vicia pannonica Crantz	Hungarian Vetch	Vesce de Pannonie	Pannoniche Wicke	855	.	.	.	X	.	.	.	X	X	.	X	.	855		
856	*Vicia sativa L.*	Common Vetch	Vesce commune	Saatwicke	856	.	.	.	X	X	X	.	X	.	X	.	.	X	X	X1	X	.	856		
857	*Vicia sepium L.	Bush Vetch, Hedge Vetch	Vesce des haies	Zaunwicke	857	.	.	.	X	.	.	X	.	.	X	.	.	.	X	.	X	.	857		
858	*Vicia villosa Roth*	Hairy Vetch	Vesce velue	Zottewicke	858	.	.	.	X	.	.	X	.	.	X	.	.	.	X	X1	X	.	858		
859	*Vigna unguiculata (L.) Walp.* [V. Sinensis (L.) Savi ex Hassk.]	Cowpea	Dolique de Chine	Catjangbohne, Spargelbohne, Augenbohne	859	X	.	.	.	X1	.	.	X	.	X	X	.	859	
860	Vinca L.*	Periwinkle	Pervenche	Immergrün	860	X	.	.	.	X5	.	X	.	X	.	860			
861	Vinca major L.	Larger Periwinkle	Grande pervenche	Immergrün, Singrün	861	X2	X	.	.	.	+	.	X	.	X	.	861		

BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----

Latine	English	Français	Deutsch	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA	
862 <i>Vinca minor</i> L.	Lesser Periwinkle	Petite pervenche	Immergrün	862	X2	X	.	.	+	.	.	X	.	X	.	862	
863 <i>Viola</i> L.*	Violet, Pansy	Violette, Pensée	Veilchen, Stiefmütterchen	863	X1	X	.	.	.	X5	.	.	X	.	X	.	863
864 <i>Vitis</i> L.*	Vine	Vigne	Rebe	864	.	.	X*	X*	.	.	X	X2	X	.	.	X	X3	.	X	.	X	X	864
865 <i>Vitis vinifera</i> L.	Vine	Vigne	Rebe	865	.	.	+	+	.	.	+	+	X	.	X	+	+	.	X	.	X	+	865
866 <i>Vriesea</i> Lindl. corr. Beer*	Vriesea	Vriesea	Vriesea	866	+*	X	.	.	.	X5	.	+*	X	.	X	.	866
867 <i>Vriesea splendens</i> (Brongn.) Lem.*	Vriesea	Vriesea	Vriesea	867	+	.	.	X	.	.	.	X	.	.	.	+	.	+	X	.	X	.	867
868 <i>X Vuylstekeara</i> hort.*	Vuylstekeara	Vuylstekeara	Vuylstekeara	868	+	.	.	X	.	.	+	.	X	.	+	.	.	+	X	.	X	.	868
869 <i>Wasabia japonica</i> Matsum.	Wasabia	Wasabia	Wasabia	869	X	.	.	.	X2	.	.	X	.	X	.	869
870 <i>Weigela</i> Thunb.* (<i>Diervilla</i> Mill.)	Diervilla	Weigela	Weigelie	870	X	X2	X	.	.	X6	.	.	X	.	X	.	870
871 <i>Wisteria</i> Nutt.*	Wisteria	Glycine	Glyzine, Wistarie	871	X2	X	.	.	.	X6	.	.	X	.	X	.	871
872 <i>Yucca</i> L.* (excl. <i>Y. aloifolia</i> L.*, <i>Y. baccata</i> Torr.*; <i>Y. whipplei</i> Torr.*)	Yucca	Yucca	Palmilie	872	X2	X	X	.	X	.	872	
873 <i>Zantedeschia</i> Spreng.*	Calla, Arum-lily	Calla	Zantedeschia, Kalla	873	X	.	.	.	X5	.	.	X	.	X	.	873	
874 * <i>Zea mays</i> L.	Maize	Mais	Mais	874	X	.	X	X	X	(X) X	X*	X	.	X	X	X1	.	X	X	X*	X	X	874
875 <i>Zeikova</i> Spach*	Zeikova	Orme du Caucase	Zeikova	875	X2	X	X	.	X	.	875	
876 <i>Zingiber officinale</i> Rosc.	Ginger	Gingembre	Ingwer	876	X	.	.	.	X2	.	.	X	.	X	.	876	
877 * <i>Zinnia elegans</i> Jacq.	Youth-and-old-age, <i>Zinnia</i> élégant Youth and Age	Zinnie	Zinnie	877	X	.	.	.	X5	.	.	X	.	X	.	877	
878 <i>Zoysia</i> Willd.	Lawn Grass	Zoysia	Zoysia	878	X	.	.	.	X4	.	.	X	.	X	.	878	
879 <i>Zygocactus</i> K. Schum.*	Crab Cactus, Christmas Cactus	Cactus de Noël	Weihnachtskaktus	879	.	.	.	+*	X*	.	.	X	.	.	.	X5	.	.	X	.	X	.	879
				BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA	

NOTES CLASSIFIED BY STATES

BE/BELGIUM¹

Special Notes

Bromeliaceae, Aechmea, Cryptanthus, Guzmania, Neoregelia, Tillandsia, Vriesea: the definition of the protected entities is the following: "Bromeliaceae belonging to the genera and to their mutual hybrids: Bromeliaceae: Aechmea Ruiz et Pav., Cryptanthus Otto et A. Dietr., Guzmania Ruiz et Pav., Neoregelia L.B. Sm., Tillandsia L., Vriesea Lindl."

Ribes L.: the definition of the protected entities is the following: "Currants, gooseberry and hybrids of those species."

Rubus L.: the definition of the protected entities is the following: "Raspberry, blackberry."

CH/SWITZERLAND²

Special Notes

Allium cepa L.: protection is limited to long-day varieties.

Dianthus L.: protection is limited to vegetatively propagated varieties.

Gerbera Cass.: protection is limited to vegetatively propagated varieties.

Helianthus annuus L.: ornamental varieties are excluded from protection.

Prunus L. subg. Prunus: the definition of the protected entities is the following: "Prunus (excluding ornamental varieties, including rootstocks) - Plum, quetsch, Japanese plum and other diploid plum varieties."

Ribes L.: the definition of the protected entities is the following: "Ribes (excluding ornamental varieties) - Black currant, red currant, gooseberry and hybrids".

Rosa L.: protection is limited to ornamental varieties.

Rubus L.: the definition of the protected entities is the following: "Rubus (excluding ornamental varieties) - Raspberry, blackberry and hybrids".

Vitis L.: ornamental varieties are excluded from protection.

DE/GERMANY (FEDERAL REPUBLIC OF)

Special Notes

Epiphyllopsis Berger, Zygocactus K. Schum.: these genera are considered as included in Rhipsalidopsis Britt. et Rose and Schlumbergera Lem., respectively.

Prunus L.: the definition of the protected entities is the following (Fourth Order, of December 14, 1982, Amending the Order of June 26, 1978, Concerning the List of Species Under the Plant Variety Protection Law): "Prunus L. - Cherry, plum, quetsch, excluding ornamental varieties."

Ribes L.: the definition of the protected entities is the following (Order of June 26, 1978): "Currants [Johannisbeere], gooseberry [Stachelbeere], excluding ornamental varieties."

¹ Source: Royal Decree of February 10, 1983, Fixing the Plant Species for Which a New Plant Variety Certificate may be Delivered and Fixing the Duration of Protection for Those Species.

² Source: Ordinance of May 11, 1977, on Plant Variety Protection - Amendment of February 28, 1983.

Rubus L.: the definition of the protected entities is the following (ibid.): "Blackberry, raspberry, excluding ornamental varieties."

Vitis L.: ornamental varieties are excluded from protection (ibid.).

DK/DENMARK¹

General Notes

Protected taxa defined by genera: it is stated for the following genera, identified by the figure 1 in the main table, that all species are protected: Agrostis, Cydonia, Festuca, Lolium, Poa, Thuja. Concerning Cydonia, see also the special note below.

Rootstocks of fruit crops: rootstocks may be protected in the case of the following fruit crops, identified by the figure 2 in the main table: Malus, Prunus avium, P. cerasus, P. domestica. Their protection is not provided for in the case of the following woody fruit crops, identified by the figure 3 (it being understood that grafting is not in use for some of them): Cydonia, Pyrus, Ribes, Rubus, Vaccinium. Concerning Cydonia, see the special note below.

Special Notes

Brassica rapa L. var. rapa (L.) Thell.: the definition of the protected entities is the following:

(i) Brassica rapa L. var. rapa (L.) Thell. - majroe (common name more particularly applicable to early garden turnips);

(ii) Brassica rapa L. var. rapifera - turnips (common name more particularly applicable to fodder turnips).

The combination of these two entries corresponds to what the majority of States designate by the name Brassica rapa var. rapa. It is to be noted that certain works use "var. rapifera" as if it were a synonym of "var. rapa."

Cydonia Mill.: it is stated that all species may be protected; protection of rootstocks is not provided for.

Epiphyllopsis Berger, Rhipsalidopsis Britt. et Rose, Schlumbergera Lem., Zygocactus K. Schum.: the definition of the protected taxon is the following (Order of the Ministry of Agriculture No. 436 of August 26, 1981, Concerning the Protection of the Rights of the Breeders of Novelties of Zygocactus K. Schum., Schlumbergera Lem., Rhipsalidopsis Britt. et Rose, Epiphyllopsis Berger ([literally: cactus with jointed stems]) and their Hybrids): "Zygocactus K. Schum., Schlumbergera Lem., Rhipsalidopsis Britt. et Rose, Epiphyllopsis Berger ([literally: cactus with jointed stems]), comprising [literally: November] and Christmas Cactus, including Easter and [literally: Whitsun] Cactus) and their hybrids."

Pelargonium L'Hér. ex Ait.: the definition of the protected taxon is the following: "Pelargonium L'Hér. (including P. X domesticum L.H. Bail.; P. X hortorum L.H. Bail. and P. X peltatum (L.) Ait.) - pelargonium."

GB/UNITED KINGDOM

General Notes

Legal form of the extension of protection: protection is extended to a taxon by means of statutory instruments entitled "The Plant Breeders' Rights ([designation of the purpose of the instrument]) Scheme [year]" (example: "The Plant Breeders' Rights (Barley) Scheme 1965"). There is now a tendency to establish instruments relating to groups of plants. Thus, the aforementioned instrument has been repealed by "The Plant Breeders' Rights (Cereals) Scheme 1980," which states by name the protected cereals.

¹ Unless otherwise indicated, the source is the Order of the Ministry of Agriculture No. 386 of July 24, 1975, on Plant Variety Protection (List of Species).

Definition of the protected entity: the precise definition of what may be protected is in general the following:

- in the case of Schemes for individual taxa: "all plant varieties of [common name of the taxon] which conform with the characteristics of cultivated plant varieties of [designation of the rank of the taxon and Latin name thereof]."
- in the case of collective Schemes: "all plant varieties of [collective designation of the group of taxa] which conform with the characteristics of cultivated plant varieties of [designation of the ranks of the taxa concerned and reference to a table containing the list of the Latin names of those taxa and the corresponding common names, if any]."

Herbaceous perennial plants and trees, shrubs and woody climbers: the technique of the collective statutory instruments has been used in particular for two groups of taxa which are identified in the main table because of the limitation of the scope of the Latin names of the taxa deriving from the collective designation:

(i) the taxa protected under "The Plant Breeders' Rights (Herbaceous Perennials) Scheme 1969" - figure 1: the only varieties which may be protected under that instrument are those which are herbaceous and hardy under the climate of the United Kingdom;

(ii) the taxa protected under "The Plant Breeders' Rights (Trees, Shrubs and Woody Climbers) Scheme 1969" as amended in 1971 - figure 2: the only varieties which may be protected within a taxon specified under that instrument are varieties of trees, shrubs and woody climbers. Concerning the following species, protection under that instrument has been limited to ornamental varieties by the amendment of 1971: *Prunus L.*, *Pyrus L.*, *Ribes L.*, *Rubus L.*, *Vaccinium L.*

Rootstocks of fruit crops: in the case of woody fruit crops, account is taken of the fact that fruiting varieties and rootstock varieties do not always belong to the same species. In the main table, the "X" indicating that the taxon is protected is placed alongside the fruiting species and is accompanied by the figure 3. The scope of protection of each fruit crop is specified in the following table.

Common names (fruit crops)	Protected taxa	
	Fruiting varieties	Rootstocks
Apple	Species <i>Malus domestica</i> Borkh.	<i>Malus</i> spp.
Cherry	Species <i>Prunus avium</i> L., <i>Prunus cerasus</i> L. and <i>Prunus fruticosa</i> Pall.	<i>Prunus</i> species or varieties of species belonging to the subgenus <i>Cerasus</i> Pers. (genus <i>Cerasus</i> Mill.) and hybrids between any of these, or between species or varieties or hybrids belonging to the subgenus <i>Cerasus</i> Pers. and species or varieties or hybrids belonging to other subgenera, subdivisions or segregates of the genus <i>Prunus</i> L.
Plum	Species <i>Prunus domestica</i> or <i>Prunus cerasifera</i>	<i>Prunus</i> species or varieties of species belonging to the subgenus <i>Cerasus</i> Pers. (genus <i>Cerasus</i> Mill.) and hybrids between any of these, or between species or varieties or hybrids belonging to the subgenus <i>Cerasus</i> Pers. and species or varieties or hybrids belonging to other subgenera, subdivisions or segregates of the genus <i>Prunus</i> L.
Damson, Bullace and Mirabelle	Species <i>Prunus insititia</i>	<i>Prunus</i> species or varieties of species belonging to the subgenus <i>Cerasus</i> Pers. (genus <i>Cerasus</i> Mill.) and hybrids between any of these, or between species or varieties or hybrids belonging to the subgenus <i>Cerasus</i> Pers. and species or varieties or hybrids belonging to other subgenera, subdivisions or segregates of the genus <i>Prunus</i> L.
Pear	Species <i>Pyrus communis</i>	<i>Pyrus</i> spp.
Gooseberry	<i>Ribes grossularia</i> , <i>Ribes uva-crispa</i>	-
Black Currants	<i>Ribes nigrum</i> , <i>Ribes ussuriense</i> , <i>Ribes diukuscha</i>	-
Raspberry, Raspberry X Blackberry hybrids	<i>Rubus</i>	-

Special Notes

Chrysanthemum L. partim: the reference to the taxon concerned is: "all plant varieties of perennial chrysanthemums which conform with the characteristics of cultivated plant varieties of the genus Chrysanthemum of the following species or groups:

Chrysanthemum morifolium Ramatuelle; C. indicum auct. non L.;
 C. sinense Sabine; C. chinense hort.; C. hortorum W. Miller;
 C. japonense (Makino) Nakai; C. vestitum (Hemsley) Stapf;
 C. makinoi Matsumura and Nakai; C. sibiricum (DC.) Fischer ex Turcz.;
 C. zawadskii Herbich and varieties; C. rubellum Sealy (C. erubescens hort. non Stapf); C. cuneifolium Kitamura; C. okiense Kitamura;
 C. boreale (Makino) Makino; C. aphrodite Kitamura; C. arcticum auct. non L.; C. ornatum Hemsley; C. koreanum (coreanum) hort.;
 C. yezoense Maekawa; Korean chrysanthemums; Konji chrysanthemums and Cascade chrysanthemums."

. Brassica rapa L. var. rapa (L.) Thell.: protection has been extended to this taxon under "The Plant Breeders' Rights (Vegetables) (including Field Beans and Field Peas) Scheme 1980," but it is to be noted that turnip is often grouped with the vegetables.

Lupinus L.: this taxon is protected under both statutory instruments mentioned in the paragraph "Herbaceous perennial plants and trees, shrubs and woody climbers."

Oenothera L.: this taxon is protected under "The Plant Breeders' Rights (Herbaceous Perennials) Scheme 1969" and under "The Plant Breeders' Rights (Oil and Fibre Plants) Scheme 1980," the latter not applying to ornamental varieties.

Paeonia L.: this taxon is protected under both statutory instruments mentioned in the paragraph "Herbaceous perennial plants and trees, shrubs and woody climbers."

Zea mays L.: protection does not extend to varieties of sweetcorn and popcorn.

HU/HUNGARYGeneral Notes

Protection is provided for in respect of all genera and species (Article 6(2) of the Law No. II of 1969 on the Protection of Inventions by Patents).

JP/JAPANGeneral Notes

The list of protected taxa appears in the implementing regulations to the revised Seeds and Seedlings Law (Cabinet Order No. 391 of December 22, 1978). That list was extended by virtue of a Cabinet Order of October 16, 1981. It is divided into eight groups, identified by the figures 1 to 8 in the main table. The groups bear no titles, but the following may be given:

- Group 1: "agricultural" plants
- Group 2: vegetables
- Group 3: fruit crops
- Group 4: fodder plants
- Group 5: herbaceous ornamental plants
- Group 6: woody ornamental plants
- Group 7: aquatic plants
- Group 8: mushrooms.

Each group is subdivided into genera, species and sub-species. The subdivisions are not identified at all in the main table, because they are readily recognizable in most cases from the Latin names.

The inclusion of the name of a taxon in one of the eight groups has no limitative effect on the scope of the name (for example, the fact that *Camellia L.* is listed in Group 6 does not exclude tea (*Camellia sinensis (L.) O. Kuntze*) from protection). The inclusion in a subdivision of a name denoting a taxon of a lower rank than that of the subdivision concerned also has no limitative effect (for example, the Japanese name equivalent to "cherry, flowering cherry" is mentioned in the subdivision "Genera" of Group 3, but the whole genus *Prunus* --and not the subgenus *Cerasus* only--is covered).

Special Notes

Brassica napus L., Brassica rapa L.: Protection is provided for in respect of Rape (*Brassica napus L. partim*; oilseed rape) and Japanese local types (*Brassica campestris L.*--synonymous with *B. rapa L.*--*partim*; leaf vegetable varieties), and also turnip (*Brassica rapa L.*--including fodder varieties).

NL/NETHERLANDS

General Notes

A special protection regime is provided for in respect of certain taxa--identified by the figure 1 in the main table--by Section 85 of the Seeds and Planting Materials Act: pursuant to that section, reproductive material of a registered variety may only be commercialized, offered for sale or exported by the breeder and by any person who has obtained from the breeder foundation stock suitable for the production of reproductive material.

Special Notes

Bromeliaceae, Aechmea, Cryptanthus, Guzmania, Neoregelia, Tillandsia, Vriesea: the definition of the protected entities is the following (Order of December 15, 1980 (Staatsblad 773) Amending the Plant Breeders' Rights Order of 1975): "Plants of the Bromelia type, provided that they belong to one of the genera mentioned [above] or to a hybrid between them."

NZ/NEW ZEALAND

General Notes

New Zealand protects the following (Plant Varieties Act Extension Order 1981 (No. 297)):

"All varieties and species of plants other than fungi, algae, and bacteria."

SE/SWEDEN

General Notes

The list of protected taxa is divided into two chapters, of which the second is subdivided into three groups, as follows:

A. Agricultural Crops (figure 1 in the main table)

B. Horticultural Crops

- 1 - Vegetables (figure 2)
- 2 - Fruit Crops (figure 3)
- 3 - Ornamental Plants (figure 4)

Concerning the fruit crops, protection of rootstocks is provided for in respect of *Malus*, *Prunus*, *Pyrus* and *Ribes*, but not in respect of *Rubus* and *Vaccinium*.

Special Notes

Brassica napus L. var. rapa (L.) Thell.: the protected taxon appears in the group of agricultural crops under the name of "*Brassica rapa L. var. rapifera Metzg. - Rova.*"

Brassica napus L. var. napobrassica (L.) Rchb.: this taxon appears both in the agricultural crops group and in the vegetables group.

Phaseolus vulgaris L.: this taxon appears both in the agricultural crops group and in the vegetables group.

Pisum sativum L.: this taxon appears both in the agricultural crops group and in the vegetables group.

Zea mays L.: this taxon appears both in the agricultural crops group and in the vegetables group.

US/UNITED STATES OF AMERICA

General Notes

The United States of America protects:

- (i) all sexually reproduced plant varieties excluding fungi, bacteria and first generation hybrids (Section 42(a) of the Plant Variety Protection Act);
- (ii) all vegetatively propagated plant varieties, including cultivated sports, mutants, hybrids, and newly found seedlings, other than tuber propagated plants [in practice, Irish potato and Jerusalem artichoke] and plants found in an uncultivated state (Section 161 of the General Patent Law, introduced therein by the law commonly known as Plant Patent Law).

The extent to which plant varieties are eligible for protection under the General Patent Law has not yet been judicially determined. The Patent and Trademark Office has, therefore, adopted a case by case procedure for determining eligibility. In general, asexually reproduced varieties not patentable under the Plant Patent Law and sexually reproduced varieties not protectable under the Plant Variety Protection Act may, upon satisfaction of the statutory criteria, be patented under the General Patent Law.

NOTES CLASSIFIED BY TAXA

A botanical nomenclature is not an absolute system, mainly because nature cannot be reduced to such a system. Determining the taxonomic rank which should be given to a certain type of plant, defining the borders of a genus or a species, classifying a species within a genus, all these involve some degree of arbitrary judgement, and thus a risk that different decisions may be taken. This arbitrary element is a source of synonymies, as also is the progress of knowledge when it results in a critical re-examination of earlier decisions.

A list is given below of taxa mentioned in the main table and of their synonyms found mainly in the Diccionario de Plantas Agricolas, in the Dictionary of Gardening and in Zander (see the introduction to this document). Although certain of these synonyms are today no more than curiosities, having fallen into disuse, others still have a definite importance, being used in scientific works and in practice, notably in commerce. Where relevant, the problems arising from nomenclature are briefly explained. Attention is drawn to the fact that it is the responsibility of the competent authorities of States to define with precision what is covered by a particular denomination for the purposes of plant variety protection.

Abelia R. Br.: synonymies with* Linnaea.

Abelmoschus esculentus (L.) Moench: syn.: Hibiscus esculentus L., the latter being stabilized by ISTA.

Abies Mill.: synonymies with Ketcleeria, Larix, Picea, Pinus, Pseudolarix, Pseudotsuga, Tsuga.

Abies sachalinensis (Fr. Schmidt) Mast.: the variety nemorensis has the synonyms A. nemorensis, A. wilsonii.

Abutilon megapotamicum St.-Hil. et Naud.: syn.: A. vexillarium E. Morr.

Abutilon X milleri hort. = A. megapotamicum X A. pictum.

Acacia Mill.: synonymies with Albizia, Leucaena, Mimosa.

Acer L.: certain species have also been grouped into a genus Negundo. A. septemlobum Thunb. is a synonym of Kalopanax septemlobus (Thunb.) Koidz. (K. pictus (Thunb.) Koidz. ex Rehd., Acanthopanax ricinifolius (Sieb. et Zucc.) Seem.).

Achillea L.: synonymies with Anthemis, Tanacetum.

Achimenes-Hybridi: synonymies in the case of the genus Achimenes Pers. with Dicyrta, Dolichoderia, Eucodonia, Gloxinia, Isoloma, Koellikeria, Mandirola, Plectopoma, Scheeria, Trevirana.

Adiantum L.: A. adiantoides (A. hewardia) has the synonym Hewardia adiantoides.

Aechmea Ruiz et Pav.: numerous synonymies, notably with Androlepis, Billbergia, Bromelia, Canistrum, Chevaliera, Echinostachys, Gravisia, Hohenbergia, Hoplophytum, Lamprococcus, Macrochordium, Nidularium, Ortgiesia, Pironneava, Portea, Pothuava, Quesnelia, Streptocalyx, Wittmackia.

Aërides Lour.: see under Orchidaceae. Synonymies with Ascocentrum, Ornithochilus, Rhynchostylis, Saccolabium, Sarcanthus, Vanda.

Aeschynanthus Jack: synonymies with Lysionotus, Trichosporum.

* The expression "synonymies with" means that subdivisions of the taxon concerned have synonyms in the taxa indicated, and vice versa. In the case of the genus Abelia, for instance, a number of species thereof have also been described under the name Linnaea.

Aesculus L.: synonymies with Pavia.

Agaricus L.: synonymies with Pratella, Psalliota.

Ageratum L.: *A. corymbosum* has the synonym *Caelestina ageratoides* and *A. lasseauxii* has the synonym *Eupatorium lasseauxii*.

Agrostis L.: synonymies with Achnatherum, Aira, Apera, Oryzopsis, Zoysia.

Agrostis gigantea Roth: syn.: *A. alba* auct. p.p. non L.

Agrostis stolonifera L.: syn.: *A. alba* auct. p.p. non L. According to ISTA, this species includes *A. palustris* Huds.

Agrostis tenuis Sibth.: syn.: *A. vulgaris* With.

Albizia julibrissin Durazz.: syn.: *A. nemu*.

Allamanda cathartica L.: syn.: *A. aubletii*, *A. linnaei*, *Orelia grandiflora*. Certain botanical varieties have also been made into species (*A. grandiflora* Hook., *A. hendersonii* Bull (*A. wardleyana*), *A. nobilis* T. Moore, *A. schottii* Pohl, *A. williamsii*).

Allium L.: *A. fragrans* is a synonym of *Nothoscordon inodorum*.

Allium ascalonicum L.: *A. ascalonicum* Lour. is a synonym of *A. fistulosum* L.

Allium bakeri Regel: *A. bakeri* Hoop. is a synonym of *A. fistulosum* L.

Allium cepa L.: *A. cepa* Lour. is a synonym of *A. fistulosum* L.

Allium fistulosum L.: syn.: *A. ascalonicum* Lour., *A. bakeri* Hoop., *A. cepa* Lour., *A. porrum* Debeaux.

Allium porrum L.: syn.: *A. ampeloprasum* porrum. *A. porrum* Debeaux is a synonym of *A. fistulosum* L.

Allium sativum L.: *A. sativum* L. var. *ophioscorodon* (Link) Döll has the synonyms *A. controversum* Schrad., *A. ophioscorodon* Link, *A. scorodoprasum* Lam.

Allium schoenoprasum L.: syn.: *A. sibiricum* L. (according to the Diccionario de Plantas Agricolas). The variety *sibiricum* has also been made into a species under the name *A. sibiricum* (according to the Dictionary of Gardening).

Allium tuberosum Rottl. ex Spreng.: syn.: *A. angulosum* Lour. non L., *A. chinense* Maxim., *A. senescens* Miq. non L., *A. odorum* partim (according to the Dictionary of Gardening), *A. odorum* L. (according to the Diccionario de Plantas Agricolas), *A. tuberosum* Roxb.

Alnus Mill.: certain species have also been classified in the genus *Betula*.

Alocasia (Schott) G. Don: synonymies with Arum, Caladium, Colocasia, Cyrtosperma, Schizocasia.

Aloë spec.: synonymies with Apicra, Astroloba, Gasteria, Haworthia, Sansevieria.

Althaea rosea (L.) Cav.: syn.: *Alcea rosea* L.

Amaranthus tricolor L.: syn.: *A. melancholicus* L., *A. gangeticus* L. (according to Zander), *A. gangeticus* L., *A. mangostanus* L. (according to the Diccionario de Plantas Agricolas). According to the Dictionary of Gardening, *A. tricolor* is a botanical variety of *A. melancholicus*.

Amelanchier Medik.: *A. canadensis* (L.) Medik. has the synonym *Mespilus canadensis* L.

Amorphophallus rivieri Durieu: syn.: *Hydrosme rivieri* (Durieu) Engl., *Proteinophallus rivieri*.

Ampelopsis hort.: synonymies with *Cissus*, *Parthenocissus*, *Vitis*.

Ananas comosus (L.) Merr.: syn.: Bromelia ananas L., B. comosa L., B. comosa Stickm., A. sativus (Lindl.) Schult. f., Ananassa sativa Lindl.

Anchusa angustissima K. Koch: syn.: A. caespitosa hort. non Lam.

Anchusa italicica Retz.: syn.: A. azurea auct. non Mill.

Andromeda L.: many species now classified in the genera Arcterica, Cassiope, Chamaedaphne, Enkianthus, Gaultheria, Leucothoë, Lyonia, Oxydendrum, Pernettya, Pieris, Phyllodoce, Vaccinium and Zenobia are still listed and commercialized under the name Andromeda.

Anemone L.: synonymies with Anemonella, Hepatica and Pulsatilla.

Anemone hupehensis Lemoine: A. hupehensis (Lemoine) Lemoine has the synonym A. japonica (Thunb.) Sieb. et Zucc. var. hupehensis Lemoine. Its botanical variety japonica (Thunb.) Bowles et Stearn has the synonyms A. japonica (Thunb.) Sieb. et Zucc. non Houtt. and A. nipponica Merr. A. hupehensis var. tomentosa (Maxim.) Hyl. is a synonym of A. toméntosa (Maxim.) Pe'i (A. vitifolia Buch.-Ham. var. tomentosa (Maxim.) Ulbr.). A.-Japonica-Hybrids is a denomination which according to Zander covers the hybrids of A. hupehensis var. japonica and of A. vitifolia and which has notably the synonym A. X elegans Decne. Concerning A. elegans, the Dictionary of Gardening refers to A. hupehensis.

Anethum graveolens L.: syn.: A. sowa Roxb., Peucedanum graveolens.

Angraecum Bory: see under Orchidaceae. This genus comprises the following sections, which have also been made into genera by certain authors: Aërangis, Angraecum (in the restricted sense), Caliptrorchilum, Cyrtorchis, Diaphananthe, Eurychone, Jumellea, Leptocentrum, Microcoelia, Mystacidium, Neofinetia, Tridactyle. In Zander and "Orchid care - A guide to cultivation and breeding" (Walter Richter - Studio Vista, London), Angraecum is considered in the restricted sense. In the Dictionary of Gardening, it is considered in the wide sense. The latter records further synonymies with: Aeonia (Oeonia), Aëranthus, Angraecopsis, Dendrophylax, Listrostachis, Saccolabium.

Annona squamosa L.: syn.: A. asiatica L.

Anthemis L.: synonymies with Achillea, Anacyclus, Chrysanthemum, Cladanthus.

Anthriscus cerefolium (L.) Hoffm.: syn.: Chaerophyllum sativum, Scandix cerefolium L.

Anthurium Schott: synonymies with Philodendron, Pothos, Spathiphyllum.

Aquilegia L.: A. ecalcarata Maxim. is a synonym of Semiaquilegia ecalcarata (Maxim.) Sprague et Hutchins.

Arachis hypogaea L.: syn.: A. nambyquarae Hoehne.

Aralia elata (Miq.) Seem.: syn.: Dimorphanthus elatus Miq., D. mandshuricus (Maxim.) Maxim. et Rupr., A. mandshurica Maxim., A. chinensis L. var. mandshurica (Maxim.) Rehd.

Arbutus L.: synonymies with Arctostaphylos (Arbutus uva-ursi L. and Arctostaphylos uva-ursi (L.) Spreng.) and Pernettya (A. furiens and P. furiens).

Arctium lappa L.: syn.: Lappa major Gaertn.

Arctostaphylos Adans.: synonymies with Arbutus, Arctous, Mairrania, Uva-ursi.

Ardisia crispa A. DC.: syn.: Bladhia crispa Thunb. According to the Dictionary of Gardening, A. crispa has the synonyms A. crenata, A. crenulata, A. elegans. According to Zander, A. crenata Sims (A. crenulata Lodd.) is not A. crispa (Thunb.) A. DC.

Armeria (DC.) Willd.: synonymies with Statice.

Armoracia rusticana Gaertn., Mey. et Scherb.: syn.: A. lapathifolia Gilib., A. sativa Bernh., Cochlearia armoracia L., Raphanis magna Moench.

Aronia Medik.: synonymies with Mespilus, Pyrus, Sorbus.

Arrhenatherum elatius (L.) P. Beauv. ex J. et C. Presl: syn.: A. avenaceum Beauv., Avena elatior L.

Artemisia L.: A. laxa (Lam.) Fritsch has the synonym Absinthium laxum Lam.

Asclepias L.: synonymies with Cynanchum, Gomphocarpus, Hoya, Xysmalobium.

Ascocentrum Schlechter: see under Orchidaceae. Synonymies with Saccolabium, a genus of which Ascocentrum is a section when it is taken in the wide sense.

Asparagus plumosus Bak.: syn.: A. setaceus (Kunth) Jessop, Asparagopsis setacea Kunth.

Aspidistra elatior Bl.: syn.: A. lurida hort. non Ker-Gawl., A. punctata.

Aster L.: synonymies recorded in Zander with Bellidiastrum, Calimeris (Kalimeris), Callistephus, Crinitaria, Felicia, Lynosyris, Microglossa. According to the Dictionary of Gardening, "many attempts have been made to separate groups of this large genus as distinct genera and some have gained a recognized place, but the following seems scarcely distinct enough to warrant separation and are here regarded as forming part of the genus Aster: Bellidiastrum, Calimeris, Doellingeria, Eucephalus, Galatella, Ionactis, Leucelene, Machae-ranthera, Oreostemma, Xylorrhiza." Synonymies with the following genera have also been recorded in the Dictionary of Gardening: Biota, Boltonia, Diplopappus, Erigeron, Inula.

Astilbe Buch.-Ham. ex D. Don: synonymies with Hoteia, Spiraea.

Aulax spec.: synonymies with Protea.

Avena L.: synonymies with Arrhenatherum, Avenula, Helictotrichon, Trisetum.

Avena nuda L.: A. strigosa Schreb. is a synonym of A. nuda L. ssp. nuda (A. strigosa Schreb. ssp. strigosa (Schreb.) Mansf.).

Babiana stricta (Ait.) Ker-Gawl.: the botanical variety sulphurea has also been named Gladiolus sulphureus and G. plicatus.

Belamcanda chinensis (L.) DC.: syn.: Pardanthus chinensis (L.) Ker-Gawl., Gemmungia chinensis (L.) O. Kuntze, B. punctata Moench, Ixia chinensis L.

Benincasa hispida (Thunb.) Cogn.: syn.: B. cerifera Savi, Cucurbita hispida Thunb., C. pepo Lour., Lagenaria siceraria (Mol.) Standl. var. hispida (Thunb.) Hara.

Berberis L.: The mahonias, with pinnate leaves, have been separated from berberis, with entire leaves, but can still be found under the name berberis.

Bergenia Moench: synonymies with Megasea, Saxifraga.

Beta vulgaris L. ssp. vulgaris var. vulgaris: syn.: B. cycla L.

Betula L.: certain species now form the genus Alnus.

Bletilla Rchb. f.: see under Orchidaceae. Synonymies with Arethusa, Bletia. B. striata has also been named Cymbidium hyacinthinum.

Boltonia asteroides (L.) L'Hér.: syn. B. glastifolia (Hill) L'Hér. B. lati-squama A. Gray is a synonym of B. asteroides var. latisquama (A. Gray) Cronq.

Bougainvillea spectabilis Willd.: syn.: Josepha augusta. According to the Dictionary of Gardening, forms of this species have also been named B. bracteata, B. brasiliensis, B. peruviana, B. splendens. In Zander, B. peruviana Humb. et Bonpl. is considered a species. The variety 'Mrs Butt' has also been classified in a species B. buttiana (cf. Encyclopédie des plantes d'appartement - M. Schubert and R. Herwig - Denoël).

Brassavola R. Br.: see under Orchidaceae. Synonymies with Epidendrum, Laelia, Rhyncholaelia.

Brassica juncea (L.) Czern. et Coss. in Czern.: syn.: B. besseriana Andr., B. integrifolia (West.) Rupr., B. japonica Sieb., Sinapis integrifolia West., Sinapis juncea L.

Brassica napus L. var. napobrassica (L.) Rchb.: syn.: B. campestris L. var. napobrassica DC., B. napo-brassica Mill.

Brassica napus L. ssp. oleifera (Metzg.) Sinsk: further synonym: B. napus L. var. napus.

Brassica nigra (L.) W. Koch: syn.: B. juncea Sickenb., Sinapis nigra L.

Brassica pekinensis (Lour.) Rupr.: syn.: B. cernua (Thunb. ex Murray) Forb. et Hemsl., B. pétsai L.H. Bail., Sinapis pekinensis Lour. According to the Dictionary of Gardening, this is perhaps a cultivated form of B. integrifolia. The common name "Chinese cabbage" and its equivalents in the other languages are also used for B. chinensis L.

Brassica rapa L.: syn.: B. campestris L.

Bromus arvensis L.: B. arvensis Poll. non L. is a synonym of B. erectus Huds.

Buddleja L.: B. indica Lam. is a synonym of Nicodemia diversifolia Ten.

Buddleja madagascariensis Lam.: syn.: B. heterophylla Lindl.

Caladium bicolor (Ait.) Vent.: syn.: Arum bicolor Ait. The botanical varieties have also been made into species (C. argyrosilium, C. baraguinii, C. brongniartii, C. chantinii, C. devosianum, C. leopoldii, C. macrophyllum, C. neumannii, C. regale, C. rubrivenum).

Calanthe R. Br.: see under Orchidaceae. Synonymies with Bletia, Limatodes.

Calathea G.F.W. Mey.: synonymies with Maranta, name under which many Calatheas are commercialized, Phrynum, Thalia. C. allouia is known in certain languages as Topinambour.

Calceolaria L.: the species of the genus Jovellana are frequently included in the genus Calceolaria.

Callicarpa purpurea Juss.: syn.: C. dichotoma (Lour.) K. Koch, C. japonica Thunb. var. angustifolia Sav., C. gracilis, C. koreana.

Callistemon R. Br.: synonymies with Metrosideros.

Callistephus chinensis (L.) Nees: syn.: Aster chinensis L.

Calluna vulgaris (L.) Hull: syn.: Erica vulgaris L.

Camelina sativa (L.) Crantz: syn.: Myagrum sativum L.

Camellia L.: Thea sinensis is frequently included in the genus Camellia under the names Camellia sinensis (L.) O. Kuntze (name stabilized by ISTA), C. thea Link, C. theifera Griff., C. bohea.

Camellia japonica L.: syn.: Thea japonica Baill.

Camellia sasanqua Thunb.: syn.: Thea sasanqua Nois.

Campanula L.: synonymies with Adenophora, Asyneuma, Azorina, Canarina, Edraianthus, Legousia, Phyteuma, Platycodon, Symphyandra, Wahlenbergia.

Campsis Lour.: synonymies with Bignonia, Tecoma.

Cannabis sativa L.: according to Zander the form 'Gigantea' (var. chinensis (Del.) A. DC.) has the synonym C. gigantea hort. According to the Dictionary of Gardening, C. gigantea and C. sativa are synonyms.

Carica papaya L.: syn.: Papaya carica.

Carpinus L.: two species have been separated by certain botanists from the genus Carpinus to form the genus Distegocarpus (C. cordata (D. cordata) and C. japonica (D. carpinus)).

Carya illinoinensis (Wangenh.) C. Koch: syn.: C. oliviformis (Michx.) Nutt., Hicoria pecan (Marsh.) Britt., C. pecan (Marsh.) Engl. et Graebn. non (Walt.) Nutt., Juglans illinoiensis Wangenh.

Caryopteris incana (Thunb. ex Houtt.) Miq.: syn.: C. mastacanthus Schau., C. sinensis (Lour.) Dipp., C. tangutica Maxim., Mastacanthus sinensis.

Cassiope D. Don: synonymies with Harrimanella. The species of this genus have also been classified in Andromeda and may still be commercialized under that name.

Castanea Mill.: synonymies with Castanopsis, Fagus, Fagus-castanea.

Cataranthus roseus (L.) G. Don: syn.: Vinca rosea L., Lochnera rosea (L.) Rchb.

Cattleya Lindl.: see under Orchidaceae. Synonymies with Encyclia, Epidendrum, Laelia, Schomburgkia, Sobralia, Sophronitis.

Ceanothus L.: C. asiaticus L. is a synonym of Colubrina asiatica (L.) Brongn.

Cenchrus ciliaris L.: syn.: Pennisetum ciliare (L.) Link.

Centaurea L.: synonymies with Aetheopappus, Amberboa, Cnicus, Rhaponticum.

Ceratostigma plumbaginoides Bunge: syn.: Plumbago larpentae Lindl., Valoradia plumbaginoides.

Chaenomeles Lindl.: the species of this genus have also been classified in the genera Cydonia and Pyrus. Pseudocydonia sinensis Schneid. has the synonyms Chaenomeles sinensis and Cydonia sinensis (Dum.-Cours.) Schneid.

Chamaecyparis Spach: synonymies with Cupressus, Retinispora, Thuyopsis.

Chamaecyparis obtusa (Sieb. et Zucc.) Sieb. et Zucc. ex Endl.: syn.: Retinispora obtusa Sieb. et Zucc., Cupressus obtusa (Sieb. et Zucc.) K. Koch. The botanical variety ericoides also has the synonym Retinispora sanderi.

Cheiranthus cheiri L.: syn.: Erysimum cheiri (L.) Crantz. The botanical variety senonieri also has the synonym C. senonieri.

Chimonanthus Lindl.: synonymies with Calycanthus.

Chrysanthemum L.: synonymies with Anthemis, Balsamita, Chrysoboltonia, Leucanthemum, Matricaria, Parthenium, Plagius, Pyrethrum, Tanacetum.

Chrysanthemum cinerariaefolium Bocq.: syn.: C. cinerariifolium (Trev.) Vis. (name stabilized by ISTA), Pyrethrum cinerariifolium Trev., Tanacetum cinerariifolium (Trev.) Schultz Bip.

Chrysanthemum coccineum Willd.: syn.: C. roseum Adam, Pyrethrum roseum (Adam) M.B., P. carneum M.B.

Chrysanthemum coronarium L.: syn.: C. segetum Hemsl.

Chrysanthemum maximum Ram.: syn.: Leucanthemum maximum (Ram.) DC. C. maximum hort. is a synonym of C. lacustre Brot. (C. superbum Bergm.).

Chrysanthemum morifolium Ramat.: syn.: C. sinense Sabine, C. vestitum Stapf, Dendranthema morifolium (Ramat.) Tzvelev.

Cimicifuga Wernischek: synonymies with Actaea, Ptyrosperma.

Cinnamomum camphora (L.) Sieb. var. glaucescens Kamikoti: Synonyms for the species: C. camphora Th. Nees et Eberm., Camphora officinarum, Laurus camphora L.

Cirsium Mill. emend. Scop.: synonymies with Carduus, Cnicus, Ptilostemon.

Cistus L.: synonymies with Fumana, Halimium.

Citrullus lanatus (Thunb.) Matsum. et Nakai: syn.: Cucurbita citrullus L., Momordica lanata Thunb., Citrullus vulgaris Schrad., Cucumis citrullus.

Citrus L.: synonymies with Aurantium, Fortunella, Limonia, Poncirus.

Citrus limon (L.) Burm. f.: syn.: C. limonum Risso, C. medica var. limon L., C. medica var. limonum (Risso) Wight et Arn.

Citrus paradisi Macf.: syn.: C. decumana var. racemosa (Risso et Poit.) Roem., C. racemosa (Risso et Poit.) Marcov. ex Tanaka.

Citrus reticulata Blanco: syn.: C. nobilis Andr. non Lour., C. deliciosa Ten.

Citrus sinensis (L.) Osbeck: syn.: C. aurantium Lour., C. aurantium var. sinensis L., C. aurantium ssp. sinensis (L.) Engl.

Clematis L.: synonymies with Atragene, Clematopsis.

Clematis heracleifolia DC.: syn.: C. tubulosa Turcz. C. davidiana Decne. ex Verlot is a synonym of C. heracleifolia DC. var. davidiana (Decne. ex Verlot) Hemsl.

Cleome L.: synonymies with Gynandropsis, Peritoma.

Clethra alnifolia L.: the botanical varieties have also been made into species (C. paniculata, C. tomentosa).

Clethra barbinervis Sieb. et Zucc.: syn.: C. canescens.

Clethra tomentosa Lam.: syn.: C. alnifolia pubescens, C. alnifolia tomentosa.

Clivia Lindl.: synonymies with Imantophyllum.

Codiaeum variegatum (L.) A. Juss.: syn.: Croton variegatus L. C. pictum (Lodd.) Hook. is a synonym of C. variegatum (L.) A. Juss. var. pictum (Lodd.) Muell. Arg.

Colchicum L.: synonymies with Bulbocodium, Merendera.

Coleus Lour.: synonymies with Germanea, Neomuellera, Plectranthus.

Colocasia Schott: synonymies with Alocasia, Arum, Caladium.

Convallaria L.: certain species of the genera Liriope, Maianthemum, Ophiopogon and Polygonatum have also been classified in the genus Convallaria. C. fruticosa Stickm. is a synonym of Cordyline fruticosa (Stickm.) Chev.

Cordyline Comm.: synonymies with Dracaena. C. fruticosa (Stickm.) Chev. has the synonym Convallaria Stickm.

Coreopsis L.: synonymies with Bidens, Calliopsis, Chrysostemma, Cosmos, Leptosyne.

Cornus L.: in view of variations recorded on the inflorescence, certain botanists have divided the genus Cornus into Afrocania, Chamaepericlymenum, Cornus (in the restricted sense), Cynoxylon, Dendrobenthamia, Macrocarpium. In addition, synonymies with Benthamia.

Cornus alba L.: syn.: C. tatarica Mill. C. sibirica is a synonym of C. alba L. var. sibirica. C. alba Wangenh. non L. is a synonym of C. stolonifera Michx.

Cornus controversa Hemsl.: syn.: C. brachipoda K. Koch non C.A. Mey.

Cornus florida L.: syn.: Cynoxylon floridum.

Cornus kousa (Buerger ex Miq.) Hance: syn.: Dendrobenthamia japonica.

Cornus mas L.: syn.: Macrocarpium mas.

Cornus nuttallii Audub.: syn.: Cynoxylon nuttallii.

Cortaderia Stapf: synonymies with *Arundo*, *Gynerium*.

Cosmos Cav.: synonymies with *Bidens*, *Coreopsis*, *Dahlia*.

Cotoneaster (B. Ehrh.) Med.: synonymies with *Mespilus* (*C. acuminata* and *M. acuminata*), *Pyracantha* (*C. pyracantha* and *P. coccinea*).

Crataegus L.: synonymies with *Malus* and *Pyrus* (*C. trilobata*), *Mespilus* (*C. orientalis* and *M. odoratissima*), *Sorbus*.

Cryptanthus Otto et A. Dietr.: synonymies with *Billbergia*, *Catopsis*, *Tillandsia*.

Cryptomeria japonica Hassk.: the botanical varieties of this species, the only one of its genus, have also been made into species in their own right.

Cryptotaenia japonica Hassk.: syn.: *C. canadensis* Sieb. et Zucc.

Cucumis L.: synonymies with *Citrullus*, *Cucurbita*, *Luffa*.

Cucurbita L.: synonymies with *Benincasa*, *Citrullus*, *Cucumis* (*Cucurbita foetidissima* and *Cucumis perennis* - ornamental species), *Lagenaria*, *Sicana*.

Cucurbita maxima Duch.: *C. maxima* Wight et Arn. is a synonym of *C. moschata* Duch.

Cucurbita pepo L.: syn.: *C. melopepo* L., *C. ovifera* L., *C. verrucosa* L. *C. pepo* Lour. is a synonym of *Benincasa hispida* (Thunb.) Cogn.

X Cupressocyparis Dallim. = *Chamaecyparis* X *Cupressus*. The main species is *X Cupressocyparis leylandii* (Jacks. et Dallim.) Dallim., which is a cross between *Chamaecyparis nootkatensis* and *Cupressus macrocarpa* and has the synonym *Cupressus leylandii* Jacks. et Dallim.

Cupressus arizonica E.L. Greene : The variety *bonita* has also been made into a species under the name *C. glabra*.

Cupressus sempervirens L. : the varieties *horizontalis*, *indica* and *stricta* (or *fastigiata*) have also been made into species under the names *C. horizontalis* Mill., *C. roylei* and *C. fastigiata*, respectively.

Cyclamen persicum Mill.: syn.: *C. latifolium* Sibth. et Sm., *C. aleppicum* Fisch., *C. puniceum* Pomel, *C. aleppicum* ssp. *puniceum* (Pomel) Glasau, *C. tomentosum*, *C. albidum*.

Cymbidium Sw.: see under *Orchidaceae*. Synonymies with *Cymbidiella*, *Cyperorchis*, *Epidendrum*, *Grammangis*, *Grammatophyllum*, *Iridorchis*.

Cyrtanthus L. f.: *C. clavatus* has also been named *Gastronema clavatum*.

Cytisus L.: synonymies with *Cajanus*, *Chamaecytisus*, *Corothamnus*, *Genista*, *Laburnum*, *Lembotropis*, *Petteria*, *Sarothamnus*, *Spartium*, *Spartocytisus*, *Teline*.

Cytisus fragrans Lam.: syn.: *C. supranubius*, *C. nubigenus*, *Genista fragrans*, *G. nubigenus*, *Spartocytisus supranubius*.

Daboecia D. Don: synonymies with *Boretta*, *Menziesia*.

Dahlia Cav.: *D. zimapanii* is a synonym of *Cosmos diversifolius*.

Daphne L.: synonymies with *Funifera*, *Mezereon*, *Thymelaea*.

Daphne odora Thunb.: syn.: *D. japonica* Paxt., *D. sinensis*, *D. indica* hort.

Delphinium L.: synonymies with *Consolida*.

Dendrobium Sw.: see under *Orchidaceae*. Synonymies with *Aporum*, *Callista*, *Dipodium*, *Epigeneium*, *Genyorchis*, *Latouria*.

Dianthus L.: *D. noeanus* is frequently commercialized under the name *Acanthophyllum spinosum*.

Dicentra Borkh. emend. Bernh.: synonymies with Diclythra, Diclytra, Dielytra, Fumaria.

Dieffenbachia Schott: synonymies with Caladium.

Diervilla Mill.: modern American authors group under the name Diervilla solely the species of American origin and under the name Weigela the Asiatic species (A. Belot. Dictionnaire des arbres et arbustes de jardin - Bordas). Others group all species under the name Diervilla.

Digitalis L.: D. chinensis is a synonym of Adenosma grandiflorum.

Dioscorea L.: synonymies with Bordera, Helmia, Oncos, Tamus, Testudinaria.

X Doritaenopsis hort.: see under Orchidaceae. Hybrids Doritis X Phalaenopsis.
Syn.: X Doritopsis hort.

Doronicum L.: synonymies with Arnica, Aronicum.

Dracaena Vand. ex L.: syn.: Terminalis. Synonymies with Cordyline and subsidiarily Sansevieria.

Emilia Cass.: synonymies with Cacalia, Senecio.

Enkianthus Lour.: synonymies with Andromeda, Meisteria, Melidora, Rhodora.

Epidendrum L. 1763, non 1753: see under Orchidaceae. Synonymies with Barkeria, Broughtonia, Cattleya, Caularathron, Diacrium, Dinema, Encyclia, Isochilus, Nanodes, Schomburgkia, Seraphyta, Sobralia.

Epiphyllopsis Berger, Rhipsalidopsis Britt. et Rose, Schlumbergera Lem., Zygocactus K. Schum.: the majority of the species of these genera have been classified in the genus Epiphyllum and are still known under that name, which is the correct one for the plants formerly known as Phyllocactus. The genus Epiphyllopsis is not mentioned in the Dictionary of Gardening. Zander refers to Rhipsalidopsis gaertneri (Regel) Lindgr. (Epiphyllum russellianum Hook. var. gaertneri Regel, Schlumbergera gaertneri (Regel) Britt. et Rose, Epiphyllopsis gaertneri (Regel) Berger). The genus Rhipsalidopsis is monotypic according to the Dictionary of Gardening, the species being R. rosea (Lagerh.) Britt. et Rose and having the synonym Rhipsalis rosea Lagerh. According to Zander, this genus also comprises R. gaertneri (Regel) Lindgr. (see above) and R. X graeseri (Werderm.) Moran (R. gaertneri X R. rosea, Rhipsalis X graeseri Werderm., X Ripsaphyllopsis graeseri Werderm.). The genus Schlumbergera comprises according to the Dictionary of Gardening S. gaertneri (see above) and S. russelliana (Gardn.) Britt. et Rose (Epiphyllum russellianum Hook.) and according to Zander the latter only. Finally, the genus Zygocactus is monotypic according to the Dictionary of Gardening, the species being Z. truncatus (Haw.) K. Schum. and having the synonyms Epiphyllum truncatum Haw. and--according to Zander--Schlumbergera truncata (Haw.) Moran. In addition Zander has on the one hand separated the cultivated varieties under the name Z.-Hybridii and on the other hand distinguished the following two botanical varieties within the species Z. truncatus:

- var. altensteinii (Pfeiff.) Lem. (Z. altensteinii (Pfeiff.) K. Schum., Epiphyllum altensteinii Pfeiff., Schlumbergera truncata var. altensteinii (Pfeiff.) Moran)

- var. truncatus.

In the twelfth edition of Zander (1980), Zygocactus has been included in Schlumbergera, the latter having been enriched by two further species: S. opuntioides and S. orssichiana. The botanical varieties of Z. truncatus are no longer mentioned therein.

Eragrostis curvula (Schrad.) Nees: syn.: Poa curvula Schrad.

Erica carnea L.: syn.: E. herbacea L. The latter name is frequently used for E. carnea var. alba.

Erica ciliaris L.: the variety maweana is also known as E. maweana.

Erica X darleyensis Bean = E. carnea X E. mediterranea. Syn.: E. hybrida, E. mediterranea hybrida.

Erica lusitanica Rud.: syn.: E. coconodes.

Erica mackiana Bab.: this is probably a hybrid E. ciliaris X E. tetralix.

Erica mediterranea hort.: syn.: E. purpurascens L. The Dictionary of Gardening gives also E. carnea occidentalis as a synonym of E. mediterranea.

Erica terminalis Salisb.: syn.: E. stricta Andr. non Donn ex Willd., E. corsica, E. ramulosa.

Erica X veitchii Bean = E. arborea X E. lusitanica.

Erica X watsonii Benth. = E. ciliaris X E. tetralix.

Erica X williamsii Druce = E. tetralix X E. vagans.

Erigeron L.: synonymies with Aster, Stenactis, Vittadinia.

Eriobotrya japonica (Thunb.) Lindl.: syn.: Mespilus japonica, Photinia japonica.

Eucryphia glutinosa (Poepp. et Endl.) Baill.: syn.: E. pinnatifolia Gay.

Eucryphia X intermedia Bausch: name proposed for hybrids between E. glutinosa and E. lucida.

Eucryphia X nymanensis Bausch: name proposed for hybrids between E. cordifolia and E. glutinosa.

Euphorbia L.: synonymies with Monadenium, Pedilanthus, Poinsettia, Sarco-stemma.

Euphorbia fulgens Karw.: syn.: E. jacquiniiflora Hook.

Euphorbia-Mili-Hybridi: E. milii Desmoulins has the synonym E. splendens Boj. ex Hook. Its botanical variety milii is also known as E. bojeri Hook. E. hislopiae N.E. Br. has the synonym E. milii var. hislopiae (N.E. Br.) Ursch et Leandri.

Euphorbia pulcherrima Willd. ex Klotzsch: syn.: Poinsettia pulcherrima (Willd. ex Klotzsch) Grah.

Eustoma russellianum (Hook.) G. Don: syn.: Lisianthus russelianus Hook.

Exochorda Lindl.: E. racemosa has also been named Spiraea grandiflora.

Fagopyrum esculentum Moench.: syn.: Polygonum fagopyrum L., F. sagittatum Gilib., F. vulgare Th. Nees.

Fagus L.: synonymies with Castanea, Nothofagus.

X Fatshedera Guillaum. = Fatsia X Hedera.

Festuca L.: F. fluitans L. is a synonym of Glyceria fluitans (L.) R. Br. and F. spicata Pursh. a synonym of Agropyrum spicatum (Pursh.) Scribn. et Smith.

Festuca arundinacea Schreb.: syn.: F. elatior L. p.p.

Festuca ovina L. sensu lato: according to ISTA, this species includes F. tenuifolia Sibth.

Festuca pratensis Huds.: syn.: F. elatior L. (according to ISTA and the Diccionario de Plantas Agricolas), F. elatior L. p.p. (according to Zander).

Festuca rubra L.: syn.: F. heterophylla Lam.

Foeniculum vulgare P. Mill.: syn.: F. foeniculum Karst., F. officinale All. The botanical variety dulce Batt. et Trab. has the synonym F. dulce Mill.

Fortunella Swingle: synonymies with Citrus, Sclerostylis.

Quamoclit Mill.: synonymies with *Calboa*, *Ipomoea*, *Mina*.

Quercus L.: synonymies with *Lithocarpus*.

Ranunculus L.: synonymies with *Batrachium*, *Callianthemum*, *Ceratocephalus*, *Ficaria*.

Ranunculus asiaticus L.: syn.: *R. hortensis* Pers., *R. africanus* hort.

Renanthera Lour.: see under *Orchidaceae*. Synonymies with *Aërides*, *Arachnis*, *Vanda*, *Vandopsis*.

Rhamnus L.: synonymies with *Frangula*, *Oreokerzogia*, *Ziziphus*.

Rheum rhabarbarum L.: syn.: *R. undulatum* L. *R. undulatum* Pall. is a synonym of *R. rhaeonticum* L.

Rhipsalidopsis Britt. et Rose: see under *Epiphyllopsis*...

Rhododendron L.: in its modern sense, this genus includes *Azalea* and *Rhodora*.

Rhodohypoxis baurii (Bak.) Nel: syn.: *Hypoxis platypetala*.

Rhus L.: synonymies with *Cotinus*, *Toxicodendron*.

Rhynchosystylis Bl.: see under *Orchidaceae*. Synonymies with *Aërides*, *Saccobarium*.

Ribes niveum Lindl.: see under *R. sylvestre*. Syn.: *R. gracile*.

Ribes sylvestre (Lam.) Mert. et W. Koch: syn.: *R. rubrum* L. p.p. et auct. mult., *R. vulgare* Lam. p.p., *R. sativum* (Rchb.) Syme, *R. rubrum* ssp. *vulgare* (Lam.) Domin (according to Zander). Zander also maintains that most cultivated varieties derive from this species. According to the Dictionary of Gardening, the main ancestor of Red and White Currants is *R. sativum*, often wrongly called *R. rubrum*. Varieties of *R. rubrum* are cultivated in Scandinavia (Northern Red Currant). The Diccionario de Plantas Agricolas and Zander refer to this species under the name *R. spicatum* Robs. emend. Wilmoth (*R. rubrum* L. p.p., *R. vulgare* Lam. p.p., *R. rubrum* (L.) O. Schwarz, *R. sylvestre* Syme).

Ribes uva-crispa L.: according to Zander, the majority of cultivated varieties belong to the variety *sativum* DC., which has the synonym *R. grossularia* L. The Diccionario de Plantas Agricolas gives *R. uva-crispa* L. and *R. grossularia* L. as synonyms (and *R. grossularia* Wall. as a synonym of *R. alpestris* Wall.).

Robinia L.: synonymies with *Tephrosia*, *Sesbania*, *Glicinidia*.

Rohdea japonica (Thunb.) Roth: syn.: *Orontium japonicum*.

Rubus fruticosus L.: according to the Dictionary of Gardening, this term is a broad one and covers the blackberries. They have been divided by certain botanists into more than 100 species. The name does not appear in Zander.

Rubus idaeus L.: according to the Dictionary of Gardening, *R. idaeus* (wild raspberry) is the ancestor of cultivated raspberries. *R. strigosus* is the American counterpart of *R. idaeus* and has the synonym *R. idaeus* var. *strigosus*.

Rudbeckia L.: synonymies with *Centrocarpha*, *Dracopis*, *Echinacea*, *Helianthus*, *Lepachys*.

Ruta L.: synonymies with *Haplophyllum*.

Saccharum L.: synonymies with *Gynerium*, *Rhynchelytrum*.

Salvia L.: synonymies with *Audibertia*, *Sclarea*.

Salvia officinalis L.: the sub-species *lavandulifolia* (Vahl) Gams has also been made into a species (*S. lavandulifolia* Vahl).

Prunus cerasifera Ehrh.: syn.: P. myrobalana Poit. et Turp., P. myrobalanus (L.) Loisel. The group of ornamental varieties of the Atropurpurea type is also known under the name P. pissardii Carr. In the States which rely mainly on common names, this species may or may not be protected depending on the interpretation of "plum."

Prunus cerasus L.: syn.: Cerasus vulgaris Mill. The subspecies and botanical varieties have also been made into species (P. acida K. Koch non Ehrh.; P. austera (L.) Ehrh., Cerasus austera (L.) Borkh.; Cerasus marasca Host, P. marasca (Host) Rchb.).

Prunus domestica L., Prunus insititia L.: classification of plums is extremely confused, as most botanists who have dealt with the genus Prunus have adopted their own system. On the species level, the most controversial question is whether P. insititia constitutes a species or should be considered a subspecies of P. domestica. The latter is at present the most commonly recognized, but the former can still be found. In addition, there is controversy over the allocation of the various types of plums to the taxonomic entities that have been defined. For instance, mirabelle belongs to the entity (subspecies or species) insititia according to certain authors and to the entity syriaca according to others. The various types are not always used in the same manner from one country to another. For example, Damson is used solely as a rootstock in France, whereas in the United Kingdom it is also used as a fruiting species for pies, stewing and bottling. Finally, partly as a consequence of the different uses, types identified by a common name in one country may not have a common name in others; thus for example, there is no equivalent of Bullace in French. All these factors may influence the scope of application of protection.

Prunus fruticosa Pall.: syn.: Cerasus fruticosa (Pall.) Woron., C. sylvestris. In the States which rely mainly on common names, this species may be protected or not depending on the interpretation of "cherry."

Prunus glandulosa Thunb.: syn.: P. sinensis.

Prunus insititia L.: see under P. domestica L.

Prunus laurocerasus L.: syn.: Laurocerasus officinalis M.J. Roem., Cerasus laurocerasus (L.) Loisel.

Prunus lusitanica L.: syn.: Cerasus lusitanica (L.) Loisel.

Prunus persica (L.) Batsch: syn.: Amygdalus persica L., A. pumila Lour. non L., Persica vulgaris.

Prunus prostrata Labill.: syn.: Cerasus prostrata.

Prunus salicina Lindl.: syn.: P. triflora. In the States which rely mainly on common names, this species may or may not be protected depending on the interpretation of "plum."

Prunus tenella Batsch: syn.: P. nana (L.) Stokes non Du Roi, Amygdalus nana L.

Prunus triloba Lindl.: syn.: Amygdalopsis lindleyi.

Pseudocydonia sinensis Schneid.: syn.: Chaenomeles sinensis, Cydonia sinensis (Dum.-Cours.) Schneid.

Pseudotsuga Carr.: synonymies with Abies.

Psidium guajava L.: syn.: P. pyrifera L., P. pomiferum L.

Pulmonaria L.: P. virginica L. is a synonym of Mertensia virginica (L.) Pers.

Pyracantha M.J. Roem.: synonymies with Cotoneaster, Crataegus.

Pyrus L.: synonymies with Amelanchier, Aronia, Chaenomeles, Cydonia, Malus, Mespilus, Sorbus.

Pyrus communis L.: syn.: P. domestica Med. non (L.) Ehrh. (according to Zander). The Diccionario de Plantas Agricolas considers the latter as a separate species, and P. communis Smith as a synonym of Sorbus domestica L.

Photinia Lindl.: synonymies with *Crataegus*, *Eriobotrya*, *Heteromeles*. *Eriobotrya japonica* (Thunb.) Lindl. has notably the synonym *P. japonica*.

Physostegia virginiana (L.) Benth.: syn.: *Dracocephalum variegatum*, *D. virginianum*.

Picea A. Dietr.: the nomenclature is very complex as there have been confusions with *Abies*, *Pinus* and *Tsuga*. In addition, certain botanists have identified 40 species, others having reduced some of them to synonyms.

Picea glehnii (Fr. Schmidt) Mast.: syn.: *Abies glehnii*.

Picea jezoensis (Sieb. et Zucc.) Carr.: syn.: *P. ajanensis* Fisch. ex Carr.; the botanical variety *hondoensis* (Mayr) Rehd. is also named *P. hondoensis* Mayr.

Pieris D. Don: synonymies with *Andromeda*, *Arcterica*, *Lyonia*, *Portuna*.

Pieris japonica (Thunb.) D. Don ex G. Don: syn.: *Andromeda japonica* Thunb.

Pinus L.: synonymies with *Abies*, *Picea*.

Pinus thunbergii Parl. non Lamb.: syn.: *P. thunbergiana* Franco.

Pisum sativum L.: in its modern sense, *P. sativum* L. includes *P. arvense*. Synonymy with *P. elatius* Stev., *P. humile* Boiss.

Platycodon grandiflorum (Jacq.) A. DC.: syn.: *Campanula grandiflora* Jacq., *Wahlenbergia grandiflora* (Jacq.) Schrad. Botanical varieties thereof have also been given species names (in particular *P. autumnale* and *P. chinensis*).

Poa L.: synonymies with *Dactylis*, *Eragrostis*, *Festuca*, *Glyceria*, *Koeleria*, *Puccinellia*.

Polemonium L.: *P. brandegeei* has also been named *Gilia brandegeei*.

Polygonatum Mill.: syn.: *Axillaria*, *Evallaria*. Synonymies with *Convallaria*.

Polygonum L.: synonymies with *Bilderdykia*, *Coccoloba*, *Fagopyrum*, *Muehlenbeckia*, *Reynoutria*.

Poncirus Raf.: monotypic genus (*P. trifoliata* (L.) Raf.) which has the synonyms *Citrus trifoliata* L., *Aegle sepiaria*, *Limonia trifoliata*.

Potentilla L.: synonymies with *Argentina*, *Comarum*, *Dasyphora*, *Drymocallis*, *Sibbaldiopsis*.

Potentilla fruticosa L.: syn.: *Dasyphora fruticosa*. As the main table shows, certain types of cinquefoil are either considered to be subspecies of *P. fruticosa* L., or made into distinct species. Differences in the scope of application of protection result therefrom.

Protea spec.: synonymies with *Aulax*, *Leucospermum*, *Paranomus*, *Serruria*.

Prunus L.: this genus has been made into several genera by some botanists. The nomenclature most encountered in practice is the following:

- *Amygdalus* (almond)
- *Armeniaca* (apricot)
- *Cerasus* (cherry)
- *Persica* (peach)
- *Prunus* (plum).

As far as the species are concerned, the synonymies are given below. Certain States have defined the protected species by the indication of the genus *Prunus* L. followed by the common name of the species, in particular to avoid problems with nomenclature.

Prunus amygdalus Bartock: syn.: *Amygdalus communis* L., *P. communis* (L.) Arcang. non Huds.

Prunus armeniaca L.: syn.: *Armeniaca vulgaris* Lam.

Prunus avium (L.) L.: syn.: *Cerasus avium* (L.) Moench.

Parrotia C.A. Mey.: P. jacquemontiana Decne. has the synonym Parrotiopsis jacquemontiana (Decne.) Rehd.

Parthenocissus Planch.: synonymies with Ampelopsis, Cissus, Vitis.

Passiflora edulis Sims: syn.: P. laurifolia F. Vill.

Pastinaca sativa L.: syn.: Peucedanum sativum.

Pelargonium L'Hér. ex Ait.: synonymies with Geranium.

Pelargonium-Grandiflorum-Hybridi: syn.: P. X domesticum L.H. Bailey, P. grandiflorum hort. non Willd.

Pelargonium-Peltatum-Hybridi: syn.: P. peltatum hort. non (L.) L'Hér. ex Ait.

Pelargonium-Zonale-Hybridi: syn.: P. X hortorum L.H. Bailey, P. zonale hort. non (L.) L'Hér. ex Ait.

Pennisetum typhoides (Burm.) Stapf et C.E. Hubb.: syn.: P. glaucum (L.) R. Br., Setaria glauca (L.) P. Beauv., P. typhoideum L.C. Rich., P. americanum (L.) K. Schum. ssp. typhoideum (L.C. Rich.) Maire et Zeiller. The Diccionario de Plantas Agricolas cites P. typhoides (Burm. f.) L.C. Rich. with the synonyms Alopecurus typhoides Burm. f., Panicum glaucum L., Penicillaria spicata Beauv., Pennisetum spicatum Roem. et Schult., Pennisetum typhoideum L.

Penstemon Schmidel: synonymies with Chelone.

Perilla L.: P. frutescens (L.) Britt. has the synonyms Ocymum frutescens L., P. ocymoides L., P. arguta Benth. The subdivision 'Nankinensis' has the synonyms var. crispa (Thunb.) Decne. ex L.H. Bailey, Ocymum crispum Thunb., P. nankinensis (Lour.) Decne.

Pernettya Gaudich.: synonymies with Arbutus, Gaultheria.

Persea americana P. Mill.: syn.: P. gratissima Gaertn. f.

Petasites japonicus (Sieb. et Zucc.) Fr. Schmidt: syn.: Nardosmia japonica.

Petroselinum crispum (Mill.) Nym. ex A.W. Hill: syn.: Apium crispum Mill., A petroselinum L., P. hortense auct. non Hoffm., P. sativum Hoffm., Carum petroselinum.

Petroselinum crispum (Mill.) Nym. ex A.W. Hill ssp. tuberosum (Bernh. ex Rchb.) Soo.: syn.: P. crispum (Mill.) Nym. ex A.W. Hill convar. radicosum (Alef.) Danert, Apium latifolium Mill., P. sativum var. latifolium Alef.

Phalaenopsis Bl.: see under Orchidaceae. Synonymies with Doritis, Kingiella, Polychilus, Sarcochilus, Strauropsis, Trichoglottis.

Phalaris spp.: synonymies with Beckmannia, Vetiveria

Phalaris arundinacea L.: syn.: Typhoides arundinacea (L.) Moench, Baldingeria arundinacea (L.) Dumort., Digraphis arundinacea.

Pharbitis nil Chois.: according to Zander, this species has the synonyms Ipomoea nil (L.) Roth, Convolvulus nil L. and includes Ipomoea imperialis hort. (japanische Kaiserwinde). According to the Dictionary of Gardening, Japanese Morning Glory is species P. X imperialis, probably a cross between P. hederacea and P. tricolor. P. hederacea has the synonyms Convolvulus nil, P. albomarginata, Ipomoea limbata. Concerning P. tricolor, see under Ipomoea tricolor.

Phaseolus angularis (Willd.) W.F. Wight: syn.: Vigna angularis (Willd.) Ohwi et Olashi, Dolichos angularis Willd.

Phaseolus coccineus L.: syn.: P. multiflorus Lam., P. multiflorus Willd.

Philodendron Schott corr. Schott: synonymies with Anthurium, Caladium, Mons- tera. In particular, Monstera deliciosa Liebm. has the synonym P. pertusum Kunth et Bouché and is known by the name Philodendron.

Phormium J.R. et G. Forst.: synonymies with Lachenalia.

X Odontioda hort.: see under Orchidaceae. Hybrids Cochlioda X Odontoglossum.

Odontoglossum H.B.K.: see under Orchidaceae. This genus includes Mesospindium. Synonymies with Cochlioda, Miltonia, Oncidium, Zygopetalum.

Oenanthe javanica (Bl.) DC.: syn.: O. stolonifera Wall.

Oenothera L.: the subgenera have also been made into genera (Anogra, Calylophis, Chylismia, Hartmannia, Kneiffia, Lavauxia, Megapterium, Pachylophus, Raimannia, Sphaerostigma, Taraxia). Other synonymies with Godetia, Meriolix, Onagra, Xylopleurum.

Olea europaea L.: the fruiting subspecies europaea has also been made into a species under the name O. sativa Hoffmigg. et Link.

Olearia X haastii Hook. f. = O. avicenniifolia X O. moschata.

Oncidium Sw.: see under Orchidaceae. This genus includes Cyrtochilum and Palumbina. Synonymies with Cymbidium, Epidendrum, Leochilus, Lophiaris, Miltonia, Odontoglossum, Waluewa.

Onobrychis viciifolia Scop.: syn.: Hedysarum onobrychis L., O. sativa Lam.

Orchidaceae Juss.: This very large family is characterized by many synonymies and by easy interspecific and intergeneric hybridizations. This family is specified as protected in several States, whereas others protect certain of its genera. The genera mentioned in the main table are the following: Aërides, Angraecum, Ascocentrum, Bletilla, Brassavola, Calanthe, Cattleya, Cymbidium, Dendrobium, X Doritaenopsis, Epidendrum, Laelia, X Laeliocattleya, Lycaste, Miltonia, X Odontioda, Odontoglossum, Oncidium, Paphiopedilum, Phalaenopsis, Renanthera, Rhynchostylis, Sophronitis, Vanda, X Vuylstekeara.

Origanum L.: synonymies with Amaracus, Majorana.

Ornithogalum spec.: O. vittatum has also been described as Albuca vittata.

Ornithopus sativus Brot. syn.: O. sativus Link. O. sativus Willk. is a synonym of O. isthmocarpus Coss.

Orothamnus spec.: monotypic genus, the species of which (O. zeyheri) has the synonym Mimetes zeyheri.

Osmanthus Lour.: synonymies with Olea, Siphonosmanthus.

Osmanthus heterophyllus (G. Don) P.S. Green: synonym other than those indicated in the main table: Olea aquifolium Sieb. et Zucc.

Oxalis L.: O. sensitiva is a synonym of Biophytum sensitivum.

Paeonia albiflora Pall.: syn.: P. lactiflora Pall., P. chinensis hort., P. sinensis (Sims) hort., P. edulis sinensis.

Paeonia officinalis L.: according to Zander, this species includes the subspecies humilis (Retz.) Cull. et Heyw., which has the synonyms P. humilis Retz., P. peregrina var. humilis (Retz.) Huth. In the Dictionary of Gardening, P. banatica, P. clusii, P. coriacea, P. peregrina are classified as species and it is stated that they are also considered subdivisions of P. officinalis.

Paeonia suffruticosa Andr.: syn.: P. arborea Donn, P. moutan Sims.

Panax ginseng C.A. Mey.: syn.: P. schingseng Nees.

Panicum L.: synonymies with Beckmannia, Brachiara, Cynodon, Digitaria, Echinochloa, Oplismenus, Pennisetum, Setaria, Sorghum, Trichachne, Tricholaena.

Paphiopedilum Pfitz.: see under Orchidaceae. Syn.: Cypripedium hort. non L.

Paranomus spec.: synonymies with Nivenia, Protea.

Maranta L.: synonymies with Alpinia, Calathea, Ctenanthe, Saranthe, Stromanthe.

Matthiola incana (L.) R. Br.: syn.: M. annua.

Medicago falcata L.: see under Medicago sativa L.

Medicago hispida Gaertn.: syn.: M. denticulata Boiss.

Medicago lupulina L.: syn.: M. lupulina Scop.

Medicago sativa L.: according to Zander, this species comprises the following subspecies:

- ssp. caerulea (Less. ex Ledeb.) Schmalh. (M. caerulea Less. ex Ledeb.)
- ssp. falcata (L.) Arcang. (M. falcata L.)
- ssp. falcata X ssp. sativa (M. X varia Martyn)
- ssp. sativa.

Medicago X varia Martyn: see under Medicago sativa L.

Mentha L.: M. requienii Benth. has the synonyms Menthella requienii (Benth.) Pér., Menthella conica. Synonymies with Pogostemon (M. cablin Blanco and P. cablin (Blanco) Benth. and M. perilloides L. and P. perilloides (L.) Mansf.).

Miltonia Lindl.: see under Orchidaceae. Synonymies with Macrochilus, Odontoglossum, Oncidium.

Mimetes spec.: see under Orothamnus spec.

Momordica charantia L.: syn.: M. muricata Willd. (according to Zander) and M. balsamina Blanco, M. balsamina Descourt. (according to the Diccionario de Plantas Agricolares). According to the Dictionary of Gardening, the botanical varieties have also been made into species (M. chinensis and M. muricata) and M. marteniensis may also belong to the species in question. M. charantia Descourt. is a synonym of M. balsamina L.

Monstera Adans.: synonymies with Macgravia, Philodendron, Raphiodophora. The species most commonly known as Philodendron is Monstera deliciosa Liebm. (Philodendron pertusum Kunth et Bouché).

Morus L.: M. papyrifera L. is a synonym of Broussonetia papyrifera (L.) L'Hér. and M. tinctoria L. of Chlorophora tinctoria (L.) Gaud.

Musa L.: synonymies with Ensete.

Musa cavendishii Lamb.: syn.: M. acuminata Colla, M. malaccensis Ridl., M. sinensis, M. X paradisiaca L., M. X sapientium L.

Narcissus L.: synonymies with Corbularia, Hermione.

Nelumbo nucifera Gaertn.: syn.: Nelumbium nelumbo (L.) Druce, N. speciosum Willd.

Neoregelia L.B. Sm.: synonymies with Aregelia and Nidularium, names under which the species of this genus are described in the Dictionary of Gardening, which also records synonymies with Bromelia and Karatas.

Nepeta L.: synonymies with Dracocephalum, Glechoma, Hyptis, Micromeria, Thymus.

Nephrolepis Schott: N. acutifolia has the synonyms Isoloma lanuginosum, Lindsaya lanuginosa.

Nerine Herb.: synonymies with Amaryllis, Lycoris.

Nopalxochia Britt. et Rose: synonymies with Epiphyllum, Phyllocactus.

Nothofagus Bl.: synonymies with Fagus.

Nymphaea L.: synonymies with Nuphar.

Litchi chinensis Sonn.: syn.: *Nephelium litchi*, *Scyrtalia chinensis*.

Lithospermum L.: synonymies with *Buglossoides*, *Lithodora*, *Moltkia*.

Lobelia L.: synonymies with *Haynalda*, *Isotoma*, *Monopsis*, *Pratia*, *Siphocampylus*, *Tupa*.

Lolium X boucheanum Kunth. = *L. multiflorum* X *L. perenne*.

Lolium multiflorum Lam.: syn.: *L. italicum* A. Braun, *L. multiflorum* DC.

Lotus spp.: synonymies with *Carmichaelia*, *Tetragonolobus*.

Lotus uliginosus Schkuhr: syn.: *L. pedunculatus* auct. non Cav.

Luffa cylindrica M.J. Roem.: according to Zander, this species is not identical to *L. aegyptiaca* Mill. (*Momordica luffa* L., *M. cylindrica* L.). The Diccionario de Plantas Agricolas and the Dictionary of Gardening consider them to be synonyms.

Lupinus albus L.: syn.: *L. hirsutus* Eichw. non *L. nec Forsk.*, *L. sativus* Gaertn., *L. varius* Gaertn. non *L. nec Savi* and, according to Zander, *L. termis* Forsk. The Diccionario de Plantas Agricolas considers the latter as a distinct species.

Lupinus angustifolius L.: syn.: *L. varius* Savi non L.

Lycaste Lindl.: see under Orchidaceae. Synonymies with *Bifrenaria*, *Colax*, *Maxillaria*, *Paphinia*.

Lychnis L.: synonymies with *Agrostemma*, *Coronaria*, *Melandrium*, *Petrocoptis*, *Silene*, *Viscaria*.

Lychnis coronaria (L.) Desr.: syn.: *L. tomentosa*, *Coronaria tomentosa* A. Br., *C. coriacea* Schischkin ex Gorschk., *Agrostemma coronaria*.

Lycopersicon lycopersicum (L.) Karst, ex Farwell: other synonym: *L. esculentum* Dunal.

Lycoris Herb.: synonymies with *Amaryllis*, *Nerine*, *Ungernia*.

Magnolia L.: synonymies with *Michelia*, *Talauma*.

Mahonia Nutt.: see under *Berberis*.

Mahonia aquifolium (Pursh) Nutt.: syn.: *Berberis aquifolium* Pursh. *M. pinnata* (Lag.) Fedde (*M. fascicularis* DC.) is considered to be a distinct species by the Dictionary of Gardening and Zander, and to be *M. aquifolium* 'Fascicularis' in the Dictionnaire des arbres et arbustes de jardin (A. Belot - Bordas).

Mahonia bealei (Fort.) Carr.: syn.: *Berberis japonica* var. *bealei* (Fort.) Skeels, *B. bealei* Fort. The Dictionary of Gardening and Zander make *M. japonica* (Thunb.) DC. (*B. japonica* (Thunb.) R. Br.) into a distinct species, the first adding that *M. japonica* is distributed under the incorrect name *M. bealei* and vice versa. The Dictionnaire des arbres et arbustes de jardin considers *M. bealii* to be *M. japonica* var. *bealei*.

Mahonia japonica (Thunb.) DC.: see under *Mahonia bealei* (Fort.) Carr.

Mahonia repens (Lindl.) G. Don: syn.: *Berberis repens* Lindl.

Malus Mill.: syn.: *Pyrus* L. partim. Synonymies with *Crataegus*, *Eriolobus*.

Malus domestica Borkh.: syn.: *M. sylvestris* Mill. var. *domestica* (Borkh.) Mansf., *M. pumila* var. *domestica* (Borkh.) Schneid. Most varieties cultivated in Europe belong to this species. *M. sylvestris* Mill. has the synonyms *Pyrus malus* L., *P. sylvestris* S.F. Gray non Moench, *M. communis* Poir.

Malva L.: synonymies with *Callirhoe*, *Lavatera*, *Malvastrum*, *Sphaeralcea*.

Juglans L.: synonymies with Carya.

Juniperus L.: J. drupacea Labill. has the synonym Arceuthos drupacea (Labill.) Ant. et Kotschy. J. ericoides has the synonym Callitris calcarata.

Kalanchoë Adans: synonymies with Bryophyllum, Cotyledon, Kitchingia.

Kalmia L.: K. hirsuta has the synonym Kalmiella hirsuta.

Kerria japonica (L.) DC.: syn.: K. lutea, Corchorus japonica.

Kniphofia Moench: synonymies with Tritonia.

Laburnum Fabr.: synonymies with Cytisus.

Lachenalia Jacq. ex Murr.: synonymies with Phormium, Scilla.

Lactuca sativa L.: The botanical varieties have also been made into species (L. angustana Host, L. capitata Gars., L. intybacea Jacq., L. romana Gars, and L. sativa DC.).

Laelia Lindl.: see under Orchidaceae. Synonymies with Bletia, Brassavola, Cattleya, Neocogniauxia, Schomburkia.

X Laeliocattleya Rolfe: see under Orchidaceae. Hybrids Cattleya X Laelia.
Synonym: X Catlaelia hort.

Lagenaria siceraria (Mol.) Standl. var. hispida Hara.: syn.: Benincasa hispida (Thunb.) Cogn., B. cerifera Savi, Cucurbita hispida Thunb. The species L. siceraria (Mol.) Standl. also has the synonyms Cucurbita lagenaria L., C. siceraria Mol., L. leucantha Rusby, L. vulgaris Ser.

Lantana Mill.: L. selloviana has the synonym Lippia montevidensis.

Larix kaempferi (Lamb.) Carr.: syn.: L. leptolepis (Sieb. et Zucc.) Sieb. ex Gord. - according to Zander and ISTA - and Pseudolarix amabilis - according to the Dictionary of Gardening. According to the latter, it is the L. kaempferi of Sargent which is synonymous with L. leptolepis and with L. japonica.

Lavandula L.: synonymies according to the Diccionario de Plantas Agricolas and Zander:

- L. angustifolia Mill., L. spica L. p.p. [non Cav.], L. officinalis Chaix, L. vera DC.
- L. latifolia (L. f.) Medik., L. spica L. var. latifolia L. f.

Lens culinaris Medik.: syn.: L. esculenta Moench, Ervum lens L.

Lepidium sativum L.: syn.: Nasturtium sativum Medik.

Leptospermum scoparium Forst.: syn.: L. bullatum. L. baccatum is a synonym of L. scoparium or of L. arachnoideum.

Leucospermum R. Br.: L. ellipticum has the synonym Protea formosa.

Leucothoë D. Don: synonymies with Andromeda, Eubotrys, Lyonia, Oreocallis.

Ligularia Cass.: synonymies with Erythrochaete, Farfugium, Senecio, Tussilago.

Lilium L.: synonymies with Cardiocrinum, Fritillaria, Nomocharis, Notholirion.

Limonium Mill.: syn.: Statice L. p.p., the other part being Armeria.

Linaria Mill.: the genus Linaria is frequently divided into three genera, namely: Cymbalaria, Chaenorhinum, Linaria (in the restricted sense).

Linum usitatissimum L.: syn.: L. crepitans (Boenningh.) Dumort., L. humile Mill., L. humile Planch.

Hibiscus L.: synonymies with Abelmoschus, Althaea, Thespisia.

Hibiscus cannabinus L.: syn.: H. aspera Hook. f.

Hibiscus syriacus L.: syn.: Althaea fruticosa.

Hippeastrum Herb.: synonymies with Amaryllis, Grifflinia, Habranthus, Phycella, Sprekelia, Zephyranthes.

Holcus L.: H. odoratus L. is a synonym of Hierochloë odorata (L.) P. Beauv. The species of the genus Sorghum have also been classified in the genus Holcus.

Hordeum vulgare L. sensu lato: H. sativum Jess. is a synonym of H. vulgare L. The subdivisions of this species have also been made into species, as follows:

- Hordeum vulgare L. convar. distichon (L.) Alef.: syn.: H. distichon L., H. zeocriton L.

- Hordeum vulgare L. convar. vulgare: syn.: H. hexastichon L., H. polystichon Haller, H. polystichum Doell, H. tetrastichum Stokes.

Hosta Tratt.: syn.: Funckia Dumort. non Willd., Funkia Spreng. In addition, synonymies with Hemerocallis.

Hypericum L.: synonymies with Androsaemum, Helodes, Webbia.

Iberis L.: I. cappadocica is a synonym of Ptilotrichum cappadocicum.

Ilex L.: I. verticillata (L.) Gray has the synonym Prinos verticillatus L.

Ilex X altaclarensis (Loud.) Dallim. = I. aquifolium X I. perado.

Impatiens L.: synonymies with Balsamina.

Impatiens-Neu-Guinea-Hybriden = I. hawkeri X I. linearifolia.

Indigofera gerardiana (Wall.) Bak.: syn.: I. dosua Lindl. non D. Don.

Indigofera incarnata (Willd.) Nakai: syn.: I. decora Lindl.

Ipomoea batatas (L.) Poir.: syn.: Batatas edulis, Convolvulus batatas L., I. mammosa Choisy.

Ipomoea tricolor Cav.: syn.: I. violacea L., I. rubro-coerulea Hook., Pharbitis rubro-coerulea (Hook.) Choisy, P. tricolor.

Iris L.: synonymies with Dientes, Gynandriris, Hermodactylus, Moraea, Pardanthus, Xiphion.

Ixia L. 1762, non 1753: synonymies with Belamcanda, Lapeirousia, Morphixia, Sparaxis, Tritonia, Wurmea.

Jasminum grandiflorum L.: syn.: J. officinale L. (according to the Diccionario de Plantas Agrícolas), J. officinale f. grandiflorum (L.) Kobuski (according to Zander). J. grandiflorum hort. is a synonym of J. officinale L. f. affine Royle ex Lindl. (according to Zander).

Jasminum humile L.: the botanical variety revolutum has also been made into a species under the names J. revolutum Sims, J. reevesii, J. triumphans. J. wallichianum Lindl. has the synonyms J. humile L. f. wallichianum (Lindl.) P.S. Green, J. humile L. var. glabrum (DC.) Kobuski, J. pubigerum D. Don var. glabrum DC.

Jasminum officinale L.: the form affine has the synonyms J. affine Royle ex Lindl., J. grandiflorum hort. non L. J. grandiflorum L. has also been considered a form of J. officinale.

Jasminum X stephanense Lemoine = J. beesianum X J. officinale.

Fuchsia magellanica Lam.: syn.: F. macrostemma Ruiz et Pav. The botanical variety 'Riccartonii' has the synonyms F. riccartonii Lebas, F. riccartoniana hort.

Gaillardia Foug.: G. acaulis Pursh is a synonym of Hymenoxys (Pursh) Parker (Actinea acaulis (Pursh) Spreng., Tetraneuris acaulis (Pursh) Greene, Actinea herbacea A. Gray).

Galega L.: G. singapou Buchoz. is a synonym of Tephrosia singapou (Buchoz.) A. Cheval.

Gardenia Ellis: synonymies with Mitriostigma, Randia.

Garrya X thuretii Carr. = G. elliptica X G. pernettya.

X Gaulnettya W.J. Marchant = Gaultheria X Pernettya.

Gaultheria Kalm ex L.: synonymies with Andromeda, Arbutus, Brossaea, Diplycosia, Pernettya, Pieris, Vaccinium.

Genista L.: synonymies with Chamaespartium, Cytisanthus, Cytisus, Echinospartum, Genistella, Pterospartium, Retama, Scorpius, Spartium.

Gentiana L.: synonymies with Crawfurdia, Gentianella, Golownina.

Geranium L.: synonymies with Erodium, Pelargonium.

Geum L.: synonymies with Parageum, Sieversia.

Gladiolus L.: synonymies with Homoglossum, Lapeirousia.

Glycine max (L.) Merrill: syn.: Dolichos soja L., Phaseolus max L., Soja hispida Moench, G. hispida (Moench) Maxim.

Godetia Spach: synonymies with Oenothera.

Gossypium hirsutum L.: the botanical variety punctatum has the synonyms G. religiosum L., G. punctatum Schumach.

Grifola frondosa (Fr.) S.F. Gray: syn.: Griphola frondosa, Polyporus frondosus.

Guzmania Ruiz et Pav.: synonymies with Caraguata, Massangea, Pitcairnia, Puya, Schlumbergia, Vriesea.

Gypsophila L.: synonymies with Banffya, Phrynia.

Halesia J. Ellis ex L.: H. corymbosa is a synonym of Pterostyrax corymbosa.

Hebe Comm. ex Juss.: syn.: Veronica L. sect. Hebe.

Hedera L.: synonymies with Acanthopanax, Kissodendron.

Helianthemum Mill.: synonymies with Fumana, Halimium.

Helianthus L.: synonymies with Harpalium, Rudbeckia.

Helianthus annuus L.: syn.: H. lenticularis Doug.

Helichrysum Mill. corr. Pers.: synonymies with Aphelexis, Gnaphalium, Leucogenes, Ozothamnus, Xeranthemum.

Helleborus niger L.: the sub-species macranthus (Freyn) Schiffn. (vernalis, angustifolius, maximus) has also been made into a species under the name H. macranthus Freyn.

Hemerocallis L.: synonymies with Hosta.

Heuchera L.: synonymies with Heucherella (= Heuchera X Tiarella), Tiarella.

Sansevieria Thunb.: *S. hyacinthoides* (L.) Druce has the synonym *Aloe hyacinthoides* L.

Saponaria L.: *S. pumila* has the synonym *Silene pumila*. *S. vaccaria* L. is a synonym of *Vaccaria hispanica* (Mill.) Rauschert (*V. pyramidata* Medik., *V. vulgaris* Host, *V. segetalis* Garcke, *V. grandiflora* (Fisch.) Jaub. et Spach).

Saxifraga L.: synonymies with *Aceriphyllum*, *Bergenia*, *Boykinia*, *Chondrosa*, *Ciliaria*, *Leptasea*, *Peltiphyllum*, *Zahlbruckneri*.

Scabiosa L.: synonymies with *Cephalaria*, *Knautia*, *Pterocephalus*, *Succisa*.

Schlumbergera Lem.: see under *Epiphyllopsis*...

Scilla L.: synonymies with *Barnardia*, *Dipcadi*, *Drimia*, *Endymion*, *Hyacinthoides*, *Hyacinthus*, *Lachenalia*, *Lebedouria*, *Urginea*.

Scindapsus Schott: synonymies with *Pothos*, *Raphidophora*.

Sedum L.: synonymies with *Byrnesia*, *Cotyledon*, *Crassula*, *Cremnophila*, *Echeverria*, *Gormania*, *Graptopetalum*, *Monanthes*, *Orostachys*, *Pistorinia*, *Rodiola*, *Rosularia*, *Sinocrassula*, *Umbilicus*.

Selaginella P. Beauv.: *S. cuspidata* var. *elongata* has the synonym *Lycopodium cordifolium*.

Senecio cruentus (L'Hér.) DC.: syn.: *Cineraria cruenta* DC.

Serruria spec.: synonymies with *Protea*.

Sesamum indicum L.: syn.: *S. orientale* L.

Setaria italica (L.) Beauv.: syn.: *Panicum italicum* L.

Sidalcea A. Gray: *S. malvaeflora* has the synonyms *Callirhoe spicata*, *Sida malvaeflora*.

Silene L.: synonymies with *Agrostemma*, *Cucubalus*, *Eudianthe*, *Heliosperma*, *Lychnis*, *Melandrium*, *Saponaria*, *Viscaria*.

Simmondsia chinensis (Link) Schneid.: syn.: *S. californica* (Link) Nutt.

Sinningia Nees: synonymies with *Gloxinia*, *Rosanowia*, *Stenogaster*, *Tapeionites*.

Sisyrinchium L.: synonymies with *Eleutherine*, *Marica*, *Olsynium*, *Solenomelus*.

Solanum L.: synonymies with *Cyphomandra*, *Lycopersicon*.

Solanum melongena L.: syn.: *S. aethiopicum* Thunb., *S. incanum* L.

Solanum tuberosum L.: syn.: *S. andigenum* Juz. et Buk.

Solidago L.: *S. graminifolia* has the synonym *Euthamia graminifolia*, its variety *nuttallii*, *E. nuttallii* and *S. rigida* has the synonym *Oligoneuron rigidum*.

Sophora L.: synonymies with *Edwardsia*.

Sophronitis Lindl.: see under *Orchidaceae*. *S. cernua* has the synonym *Sophronia cernua*. *S. violacea* Lindl. has the synonyms *Sophronitella violacea* (Lindl.) Schlechter, *Cattleya violacea* (Lindl.) Beer non Rolfe nec hort.

Sorbus L.: synonymies with *Aronia*, *Micromeles*, *Pyrus*.

Sorghum Moench: synonymies with *Andropogon*, *Holcus*, *Millium*, *Panicum*.

Sorghum dochna (Forssk.) Snowden: syn.: *S. vulgare* var. *saccharatum* (Moench) Boerl., *S. bicolor* (L.) Moench ssp. *bicolor*.

Sorghum vulgare Pers.: main synonym: *S. bicolor* (L.) Moench. According to the *Diccionario de Plantas Agricolas*, this species contains all annual cultivated types, whereas Zander distinguishes several species.

Spartium L.: *S. junceum* L. has the synonyms *Genista juncea*, *G. odorata*. *S. scoparium* L. is a synonym of *Sarrothamnus scoparius* (L.) Wimm.

Spathiphyllum spec.: synonymies with *Anthurium*, *Pothos*, *Rhodospatha*.

Spiraea L.: synonymies with *Aruncus*, *Astilbe*, *Lhamaebatiaria*, *Filipendula*, *Gillenia*, *Holodiscus*, *Luetkea*, *Petrophytum*, *Physocarpus*, *Sibiraea*, *Sorbaria*.

Stachys L.: synonymies with *Betonica*.

Stevia rebaudiana (Bertoni) Hemsl.: syn.: *Eupatorium rebaudianum*.

Stewartia L.: syn.: *Stuartia* L'Hér. *S. ovata* has also the synonym *Malacobdendron pentagynum*.

Stranvaesia Lindl.: *S. davidiana* has also been described as *Photinia davidianna*.

Symporicarpos Duham.: *S. rivularis* has also been described as *Symporia racemosa*.

Syringa L.: synonymies with *Ligustrina*.

Tamarix L.: *T. germanica* L. is a synonym of *Myricaria germanica* (L.) Desv.

Tecoma Juss.: synonymies with *Bignonia*, *Campsidium*, *Campsis*, *Pandorea*, *Podranea*, *Stenolobium*, *Tecomaria*, *Tecomella*.

Teucrium chamaedrys L.: *T. chamaedrys* hort. is perhaps a synonym of *T. massiliense* L.

Teucrium fruticans L.: syn.: *T. latifolium*.

Thalictrum L.: synonymies with *Anemonella*, *Isopyrum*.

Thea sinensis L.: syn.: *Camellia sinensis* (L.) O. Kuntze (name stabilized by ISTA), *T. viridis* L., *T. bohea* L., *C. thea* Link, *C. theifera* Griff.

Thuja L.: synonymies with *Biota*, *Platycladus*, *Tetraclinis*, *Thujopsis*.

Thuja orientalis L.: syn.: *Biota orientalis* (L.) Endl., *Platycladus orientalis* (L.) Franco, *P. stricta* Spach.

Tiarella L.: *T. menziesii* is a synonym of *Tolmiea menziesii*.

Tillandsia L.: synonymies with *Allardtia*, *Anoplophytum*, *Billbergia*, *Catopsis*, *Cryptanthus*, *Phytarrhiza*, *Platystachis*, *Pourretia*, *Streptocalyx*, *Vriesea*, *Wallisia*.

Tradescantia L.: synonymies with *Aneilema*, *Commelina*, *Dichorisandra*, *Gibasis*, *Hadrodemas*, *Phyodina*, *Pyrrheima*, *Rhoeo*, *Spironema*, *Zebrina*.

Trifolium repens L.: syn.: *T. nigrescens* Schur [non Viv.].

Trifolium resupinatum L.: *T. resupinatum* Less. is a synonym of *T. fragiferum* L.

Trisetum flavescens (L.) Beauv.: syn.: *Avena flavescens* L.

Triticum L.: synonymies with *Agropyron*.

Triticum aestivum L.: syn.: *T. hybernnum* L., *T. sativum* Lam., *T. vulgare* Vill., *T. cereale* Schrank (according to Zander). In the Diccionario de Plantas Agricolás, classification is based on *T. aestivum* (L.) Thell. (syn.: *T. aestivum* L.), which groups units that are made into species in Zander (in particular *T. macha* Dekapr. et Menabde, *T. spelta* L., *T. sphaerococcum* Perciv.).

Triticum durum Desf.: syn.: *T. turgidum* (L.) Thell. ssp. *turgidum* convar. *durm* (Desf.) Mac Kay.

Triticum spelta L.: syn.: *T. aestivum* (L.) Thell. ssp. *spelta* (L.) Thell.

Tritonia Ker-Gawl.: synonymies with *Acidanthera*, *Crocosmia*, *Dichone*, *Gladiolus*, *Ixia*, *Montbretia*.

Trollius L.: *T. lilacinus* has the synonym *Hegemone lilacina*.

Vaccinium L.: synonymies with *Agapetes*, *Andromeda*, *Batodendron*, *Cyanococcus*, *Epigynium*, *Herpothamnus*, *Hugeria*, *Oxycoccoides*, *Oxycoccus*, *Polycodium*, *Thibaudia*, *Vitis-idaea*.

Vaccinium vitis-idaea L.: syn.: *Vitis-idaea vitis-idaea*.

Valerianella locusta (L.) Laterrade: syn.: *V. olitoria* (L.) Poll.

Vanda Jones: see under *Orchidaceae*. Synonymies with *Acampe*, *Aerides*, *Anota*, *Arachnanthe*, *Esmeralda*, *Euanthe*, *Luisia*, *Phalaenopsis*, *Renanthera*, *Rhynchostylis*, *Saccolabium*, *Sarcanthus*, *Stauropsis*, *Vandopsis*.

Veratrum L.: *V. viride* has also been described under the name *Helonias viride*.

Verbena L.: synonymies with *Junellia*, *Lippia*.

Veronica L.: the genera *Hebe*, *Paederota*, *Veronicastrum* are either included in *Veronica*, or separated.

Viburnum L.: *V. rigidum* has the synonym *Tinus rugosus*.

Vicia articulata Hornem.: syn.: *V. monantha* Desf., *Ervum monanthum* L.

Vicia faba L.: syn.: *Faba bona* Medik., *F. vulgaris* Moench.

Vicia sativa L.: the subspecies *nigra* (L.) Ehrh. (*angustifolia* (L.) Aschers. et Graebn.) also has the synonym *V. angustifolia* L.

Vicia villosa Roth: according to ISTA, this species includes *V. dasycarpa* Ten. The Diccionario de Plantas Agricolas considers them as synonyms.

Vigna unguiculata (L.) Walp.: synonym other than that indicated in the main table: *Dolichos biflorus* L. According to the Diccionario de Plantas Agricolas and Zander, the subspecies have the following synonyms:

- ssp. *cylindrica* (L.) Van Eseltine ex Verdc.: *V. catjang* (Burm. f.) Walp., *V. cylindrica* (L.) Skeels, *Phaseolus cylindricus* Stickm.;

- ssp. *sesquipedalis* (L.) Verdc.: *V. sesquipedalis* (L.) Fruwirth, *Dolichos sesquipedalis*;

- ssp. *unguiculata*: *Dolichos sinensis* Stickm.

Vinca L.: *V. rosea* L. is frequently separated from *Vinca* under the name *Catharanthus roseus*.

Viola L.: *V. hederacea* has also been described under the names *Erpetion reniforme* and *E. hederaceum*.

Vitis L.: the genera *Ampelopsis*, *Cissus*, *Columella*, *Parthenocissus* and *Tetrastigma* have been included in the genus *Vitis* by certain botanists, particularly by Bentham and Hooker in their *Genera Plantarum*. A great number of synonymies resulting from this conception are still in use. Other synonymies are due to the fact that certain species have been classified in two or three, or even four of the above-mentioned genera. Other synonymies with *Muscadinia*, *Pterisanthes*, *Spinovitis*.

Vriesea Lindl. corr. Beer: synonymies with *Encholirion*, *Guzmania*, *Massangea*, *Tillandsia*.

Vriesea splendens (Brongn.) Lem.: synonymies with *V. speciosa*, *Tillandsia vittata*, *T. zebrina*. *V. splendens* var. *major* hort. Duval. is a synonym of *V. longibracteata* (Bak.) Mez.

X Vuylstekeara hort.: see under *Orchidaceae*. Hybrids *Cochlioda X Miltonia X Odontoglossum*.

Weigela Thunb.: see under *Diervilla* Mill.

Wysteria Nutt.: synonymies with *Glycine*, *Millettia*, *Wistaria*.

Yucca L.: synonymies with *Dasylirion*, *Furcraea*, *Hesperaloë*, *Hesperoyucca*, *Nolina*.

Yucca aloifolia L.: *Y. draconis* is a synonym of *Y. aloifolia* var. *draconis*.

Yucca baccata Torr.: syn.: *Y. circinata*. *Y. baccata* var. *australis* is a synonym of *Y. torreyi* Shafer (*Y. macrocarpa* (Torr.) Coville non Engelm.).

Yucca whipplei Torr.: syn.: *Hesperoyucca whipplei* (Torr.) Bak.

Zantedeschia Spreng.: synonymies with *Calla*, *Richardia*.

Zelkova Spach: syn.: *Abelicia*. Synonymies with *Hemiptelea*, *Ulmus*.

Zygocactus K. Schum.: see under *Epiphyllopsis*...

INDEX OF ENGLISH COMMON NAMES
INDEX DES NOMS COMMUNS ANGLAIS
VERZEICHNIS DER ENGLISCHEN LANDESÜBLICHEN NAMEN

Acacia	Acacia	Bean (Indian)	Catalpa
- (False)	Robinia	- (Kidney)	Phaseolus
African Cornlily	Ixia	- (Runner)	Phaseolus
- Lily	Agapanthus	- (Soya)	Glycine
- Violet	Saintpaulia	- (Tick)	Vicia
Alder	Alnus	Bearberry	Arctostaphylos
- (White)	Clethra	Beard Tongue	Penstemon
Alfalfa	Medicago	Beauty-berry	Callicarpa
Allspice (Japanese)	Chimonanthus,	Bee Balm	Monarda
Almond	Meratia	Beech	Fagus
Alum Root	Amygdalus,	- (Southern)	Nothofagus
Amaranth (Common Globe-)	Prunus	Beefsteak Plant	Perilla
- (Gangea)	Heuchera	Beet	Beta
Amaryllis	Gomphrena	Beetroot	Beta
- (Cluster-)	Amaranthus	Bell Flower	Campanula
American Laurel	Hippeastrum	Bellflower (Chinese)	Platycodon
Andromeda (Japanese)	Lycoris	Bell (Golden)	Forsythia
Angelica	Kalmia	- Heather	Erica
- Tree	Pieris	- Tree (Silver-)	Halesia
Apple	Angelica	Bentgrass	Agrostis
- (Crab)	Aralia	Bergamot	Monarda
- (Golden)	Malus	Besom Heath	Erica
- (Sugar)	Malus	Bilberry	Vaccinium
Apricot	Poncirus	Bill (Crane's)	Geranium
Arborvitae (Chinese)	Annona	- (Stork's)	Pelargonium
Arizona Cypress	Prunus	Birch	Betula
Arrayan	Thuja	Bird of Paradise Flower	Strelitzia
Artichoke (Globe)	Cupressus	Bird's Foot Trefoil	Lotus
- (Jerusalem)	Pernettya	Biscay Heath	Erica
Arum (Ivy-)	Cynara	Black Mustard	Brassica
- -lily	Helianthus	- Radish	Raphanus
Asatsuki	Scindapsus	- Salsify	Scorzonera
Ash	Zantedeschia	Blackberry	Rubus
- (Mountain)	Allium	- Lily	Belamcanda
Asparagus Fern	Fraxinus	Bladder Nut	Staphylea
Aster	Sorbus	Blanket-flower	Gaillardia
- (China)	Asparagus	Blazing Star	Liatris
- (Stocke's)	Aster	Bleeding Heart	Dicentra
Aubergine	Callistephus	Bloodflower	Asclepias
Auricula	Stokesia	Blue Beard	Caryopteris
Autumn-crocus	Solanum	Blueberry	Vaccinium
Avens	Primula	Blue Bottle	Centaurea
Avocado	Colchicum	- Buffalo Grass	Cenchrus
Bahia Grass	Geum	- Eyed Grass	Sisyrinchium
Balloon Flower	Persea	Bluegrass	Poa
Balsam	Rhododendron	Blue Spirea	Caryopteris
- Pear	Rhododendron	Bog Rosemary	Andromeda
Bamboo (Sacred)	Stevia	Bottle (Blue)	Centaurea
Banana	Phaseolus	Bottle-brush	Callistemon
Barberry		Bottle Gourd	Lagenaria
Barley		Bourbon Tea Orchid	Angræcum
Bay (Rose)		Bowstring Hemp	Sansevieria
Beach-Plum	Gypsophila	Box	Buxus
Beam (White)	Paspalum	Bramble	Rubus
Bean (Azuki Red)	Platycodon	Bridal Wreath	Spiraea
- (Broad)	Impatiens	Broad Bean	Vicia
- (Castor-)	Momordica	Broccoli	Brassica
- (Field)	Nandina	Brome	Bromus
- (French)	Musa	Broom	Cytisus
- (Horse)	Berberis	-	Genista
	Hordeum	- Corn	Sorghum
	Nerium	- (Spanish)	Spartium
	Prunus	Brown Mustard	Brassica
	Sorbus	- Top	Agrostis
	Phaseolus	Brussels Sprouts	Brassica
		Buckthorn	Rhamnus
		Buckwheat	Fagopyrum
		Buffalo Grass (Blue)	Cenchrus
		Bugbane	Cimicifuga

Bugloss	Anchusa	Chinese Bellflower	Platycodon
Bugwort	Cimicifuga	- Lantern Plant	Physalis
Bullace	Prunus	- Quince	Pseudocydonia
Burdock (Edible)	Arctium	Chinkerinchee	Ornithogalum
Bush Vetch	Vicia	Chives	Allium
Busy Lizzie	Impatiens	Chokeberry	Aronia
Butter Bur (Japanese)	Petasites	Christmas Cactus	Schlumbergera, Zygocactus
Buttercup	Ranunculus	- Rose	Helleborus
Butterfly-bush	Buddleja	Christ's Thorn	Euphorbia
Butterfly Flower (Wingleaf) - Lily	Schizanthus	Cineraria (Florists')	Senecio
	Hedychium	Cinquefoil	Potentilla
		Clover	Trifolium
Caa-ehe	Stevia	Club Moss	Selaginella
Cabbage	Brassica	Cluster-amaryllis	Lycoris
Cactus (Christmas)	Schlumbergera, Zygocactus	Cockscomb	Celosia
- (Crab)	Zygocactus	Cocksfoot	Dactylis
- (Easter)	Epiphyllum, Rhipsalidopsis	Coffee	Coffea
Calabash Cucumber	Lagenaria	Collybia (Velvet-footed)	Flammulina
Calabrese	Brassica	Columbine	Aquilegia
Calico Bush	Kalmia	Common Four O'clock	Mirabilis
California Poppy	Eschscholzia	- Globe-amaranth	Gomphrena
Calla	Zantedeschia	- Hyacinth	Hyacinthus
Campion	Lychnis	- Jerusalem Sage	Phlomis
Camphor Laurel	Cinnamomum	- Millet	Panicum
- Tree	Cinnamomum	- Sage	Salvia
Canary Grass	Phalaris	- Snapdragon	Antirrhinum
- Seed	Phalaris	- Tobacco	Nicotiana
Candytuft	Iberis	- Vetch	Vicia
Cape Cowslip	Lachenalia	Cone Flower	Rudbeckia
- Figwort	Phygelius	Conifers	Coniferae
- Gooseberry	Physalis	Coral Flower	Heuchera
- Primrose	Streptocarpus	Corn (Broom)	Sorghum
Caper Spurge	Euphorbia	Cornel	Cornus
Caraway	Carum	Cornelian Cherry	Cornus
Cardinal Flower	Lobelia	Cornflower	Centaurea
Cardoon	Cynara	Cornish Heath	Erica
Carnation	Dianthus	Cornlily (African)	Ixia
Carrot	Daucus	Cornsald	Valerianella
Cast-iron Plant	Aspidistra	Corn Spurry	Spergula
Castorbean	Ricinus	Cotton	Gossypium
Catchfly	Silene	Courgette	Cucurbita
Cat Mint	Nepeta	Cowberry	Vaccinium
Cauliflower	Brassica	Cowpea	Vigna
Cedar (Japanese)	Cryptomeria	Cowslip	Primula
Celeriac	Apium	- (Cape)	Lachenalia
Celery	Apium	Crab Apple	Malus
Chamomile	Anthemis	- Cactus	Zygocactus
- (False)	Boltonia	Cranberry	Vaccinium
Cherimoya	Annona	Crane's Bill	Geranium
Cherry	Prunus	Crape Myrtle	Lagerstroemia
- (Cornelian)	Cornus	Creeper (Virginia)	Parthenocissus
- (Dwarf)	Prunus	Cress	Lepidium
- (Ground)	Prunus	Crested Dog's-tail	Tropaeolum
- laurel	Prunus	Crimson Flag	Cynosurus
- plum	Prunus	Crocus	Schizostylis
- (Rock)	Prunus	- (Autumn-)	Crocus
- (Sour)	Prunus	Cross-leaved Heath	Colchicum
- (Sweet)	Prunus	Croton	Erica
Chervil	Anthriscus	Crown of Thorns	Codiaeum
Chestnut	Castanea	Cucumber	Euphorbia
- (Horse)	Aesculus	- (Calabash)	Cucumis
Chickling Vetch (Dwarf) ..	Lathyrus	Cupid's Dart	Lagenaria
Chick-pea	Cicer	Currant	Catananche
Chicory	Cichorium	Cypress (Arizona)	Ribes
Chilean Fire Bush	Embothrium	- (Duprez)	Cupressus
Chili	Capsicum	- (Hinoki)	Cupressus
China Aster	Callistephus	- (Leyland)	Chamaecyparis
Chinese Angelica Tree	Aralia	- (Mediterranean)	X Cupressocyparis
- Arborvitae	Thuja	- Vine	Cupressus
			Quamoclit

Daffodil	Narcissus	Firethorn	Pyracantha
Daisy	Chrysanthemum	Flame Nettle	Coleus
- Bush	Olearia	Flax	Linum
- (English)	Bellis	- (Large-seeded False) ..	Camelina
- (Michaelmas)	Aster	- (New Zealand)	Phormium
- (Paris)	Chrysanthemum	- (Toad-)	Linaria
- (Shasta)	Chrysanthemum	Flea-bane	Erigeron
- (Tree)	Olearia	Florists' Cineraria	Senecio
- (True)	Bellis	Flossflower	Ageratum
Dallisgrass	Paspalum	Flowering Quince	Chaenomeles,
Dalmatian Pyrethrum	Chrysanthemum	Foam Flower	Cydonia
Damson	Prunus	Fodder Radish	Tiarella
Day-lily	Hemerocallis	Forget-me-not	Raphanus
Devil-in-a-bush	Nigella	Four O'clock (Common)	Myosotis
Devil's Tongue	Amorphophallus	Foxglove	Mirabilis
- Walking Stick	Aralia	Foxtail (Meadow)	Digitalis
Diervilla	Diervilla,	- Millet	Alopecurus
Dill	Weigela	Fox Tail Orchid	Setaria
Dishcloth Gourd	Anethum	French Bean	Rhynchosystylis
Dog's-tail (Crested)	Luffa	- Mulberry	Phaseolus
Dogwood	Cynosurus	Funkia	Callicarpa
Dorset Heath	Cornus		Hosta
Douglas Fir	Erica		
Dracena	Pseudotsuga		
Dragon Tree	Dracaena	Gangea Amaranth	Amaranthus
Dropwort (Water)	Dracaena	Garden Nasturtium	Tropaeolum
Dumb Bane	Oenanthe	- Pea	Pisum
Duprez Cypress	Dieffenbachia	Garlic	Allium
Dutchman's Breeches	Cupressus	Gayfeather	Liatris
Dwarf Cherry	Dicentra	Gentian	Gentiana
- Chickling Vetch	Prunus	- (Prairie)	Eustoma
	Lathyrus	Geranium	Pelargonium
Easter Cactus		Germanander	Teucrium
East Indian Lotus	Epiphyllopsis, Rhipsalidopsis	Gherkin	Cucumis
Edible Burdock	Nelumbo	Ginger	Zingiber
Eggplant	Arctium	- -lily	Hedychium
Elder	Solanum	Ginseng	Panax
Elm	Sambucus	Globeamaranth (Common) ..	Gomphrena
Endive	Ulmus	- Artichoke	Cynara
English Daisy	Cichorium	- Flower	Trollius
Enokitake	Bellis	- Thistle	Echinops
Evening Primrose	Flammulina	Glory (Morning)	Pharbitis
Evergreen	Oenothera	- (Star-)	Quamoclit
Everlasting	Euonymus	Gloxinia	Sinningia
- (Winged)	Helichrysum	Goats' Rue	Galega
	Ammobium	Golden Apple	Poncirus
False Acacia	Robinia	- Bell	Forsythia
- Chamomile	Boltonia	- Chain	Laburnum
- Flax (Large-seeded)	Camelina	- Oatgrass	Trisetum
- Hellebore	Veratrum	- Ray	Ligularia
- Oatgrass	Arrhenatherum	- Rod	Solidago
Fennel	Foeniculum	Goldthread	Coptis
Fenugreek	Trigonella	Gombo	Abelmoschus
Fern (Asparagus)	Asparagus	Gooseberry	Ribes
- (Ladder)	Nephrolepis	- (Cape)	Physalis
- (Maidenhair)	Adiantum	Gorse	Ulex
- (Sword-)	Nephrolepis	Gourd (Bottle)	Lagenaria
Fescue	Festuca	- (Dishcloth)	Luffa
Field Bean	Vicia	- (Sponge)	Benincasa
- Brome	Bromus	- (Wax)	Passiflora
Fig	Ficus	Granadilla	Mahonia
Figwort (Cape)	Phygellus	Grape (Oregon)	Citrus
Filbert	Corylus	Grapefruit	Lathyrus
Fir	Abies	Grass Pea Vine	Erica
- (Douglas)	Pseudotsuga	Grey Heath	Lithospermum
- (Sachalin)	Abies	Gromwell	Prunus
Fire Bush (Chilean)	Embothrium	Ground Cherry	Arachis
		Groundnut	Psidium
		Guava	Gypsophila
		Gyp	

Hairy Vetch	Vicia	Jasmine	Jasminum
Hardings Grass	Phalaris	Jerusalem Artichoke	Helianthus
Hardy Plumbago	Ceratostigma	- Sage (Common)	Phlomis
Hawthorn	Crataegus	Jew's Ear	Auricularia
Hazelnut	Corylus	- Mallow	Kerria
Hazel (Winter)	Corylopsis	Jojoba	Simmondsia
- (Witch-)	Hamamelis	Jonquil	Narcissus
Heath	Erica	Judas Tree	Cercis
- (Besom)	Erica	Juniper	Juniperus
- (Biscay)	Erica		
- (Cornish)	Erica	Kaffir-lily	Clivia
- (Cross-leaved)	Erica	Kaki	Diospyros
- (Dorset)	Erica	Kale	Brassica
- (Grey)	Erica	Katsura Tree	Cercidiphyllum
- (Saint Dabeoc's)	Daboecia	Kenaf	Hibiscus
- (Scotch)	Erica	Kidney Bean	Phaseolus
- (Spanish)	Erica	King Cup	Caltha
- (Spring)	Erica	Kiwifruit	Actinidia
- (Tree)	Erica	Knotgrass	Polygonum
Heather	Calluna	Knotweed	Polygonum
- (Bell)	Erica	Kohlrabi	Brassica
Hedge Vetch	Vicia	Konnyaku	Amorphophallus
Hellebore	Helleborus	Kumquat	Fortunella
- (False)	Veratrum		
Hemp	Cannabis	Ladder Fern	Nephrolepis
Hemp (Bowstring)	Sansevieria	Lady Palm	Rhapis
Hen of the Woods	Grifola	Lady's Slipper	Paphiopedilum
Herb Lily	Alstroemeria	Lamb's Lettuce	Valerianella
Hercules Club	Aralia	Lantern Plant (Chinese) ..	Physalis
Hinoki Cypress	Chamaecyparis	Larch	Larix
Hiratake	Pleurotus	Large-seeded False Flax ..	Camelina
Holly	Ilex	Larkspur	Delphinium
- (Sea)	Eryngium	Laurel (American)	Kalmia
Hollyhock	Althaea	- (Camphor)	Cinnamomum
Honewort (Japanese)	Cryptotaenia	- (Cherry-)	Prunus
Honey Locust	Gleditsia	- (Mountain)	Kalmia
Honeysuckle	Lonicera	- (Portugal)	Prunus
Hop	Humulus	Lavender	Lavandula
Hornbeam	Carpinus	- (Sea)	Limonium
Horse Bean	Vicia	Laver (Purple)	Porphyra
- Chestnut	Aesculus	Lawn Grass	Zoysia
Horsemint	Monarda	Leek	Allium
Horse Radish	Armoracia	Lemon	Citrus
Hungarian Vetch	Vicia	Lenten Rose	Helleborus
Husk-tomato	Physalis	Lentil	Lens
Hyacinth (Common)	Hyacinthus	Leopard's Bane	Doronicum
- (Wild)	Scilla	Lettuce	Lactuca
		- (Lamb's)	Valerianella
Ice Plant	Sedum	Leyland Cypress	X Cupressocyparis
Ifafa Lily	Cyrtanthus	Lilac	Syringa
Impatiens (New Guinea) ...	Impatiens	Lily	Lilium
Indian Bean	Catalpa	- (African)	Agapanthus
- Cress	Tropaeolum	- (African Corn-)	Ixia
- Lotus (East)	Nelumbo	- (Arum-)	Zantedeschia
Indigo	Indigofera	- (Blackberry)	Belamcanda
Ipomoea (Star)	Quamoclit	- (Butterfly)	Hedychium
- (Tricolor)	Ipomoea	- (Day-)	Hemerocallis
Italian Millet	Setaria	- (Ginger-)	Hedychium
Ivy	Hedera	- (Herb)	Alstroemeria
- -arum	Scindapsus	- (Ifafa)	Cyrtanthus
		- (Kaffir-)	Clivia
Jacob's Ladder	Polemonium	- of the Valley	Convallaria
Japanese Allspice	Chimonanthus,	- (Plantain)	Hosta
	Meratia	- (Toad-)	Tricyrtis
- Andromeda	Pieris	- (Torch-)	Kniphofia
- Angelica Tree	Aralia	- (Water-)	Nymphaea
- Butter Bur	Petasites	Lime	Tilia
- Cedar	Cryptomeria	Ling	Calluna
- Honewort	Cryptotaenia	Linseed	Linum
- Persimmon	Diospyros	Lion's Heart	Physostegia

Locust (Honey)	Gleditsia	Myrobalan	Prunus
Loosestrife	Lythrum	Myrtle (Crape)	Lagerstroemia
Loquat	Eriobotrya		
Lotus (East Indian)	Nelumbo		
Lovegrass (Weeping)	Eragrostis	Nameko	Pholiota
Love-in-a-mist	Nigella	Nasturtium (Garden)	Tropaeolum
Lucerne	Medicago	Nettle (Flame)	Coleus
Lungwort	Pulmonaria	New Guinea Impatiens	Impatiens
Lupin	Lupinus	New Zealand Flax	Phormium
		North American Ox-eye	Heliopsis
Maidenhair Fern	Adiantum	Nut (Bladder)	Staphylea
Maize	Zea mays	- (Pecan)	Carya
Major Bird's Foot Trefoil	Lotus	- (Queensland)	Macadamia
Mallow	Malva	- (Wal-)	Juglans
- (Jew's)	Kerria		
- (Prairie)	Sidalcea	Oak	Quercus
- (Rose-)	Hibiscus	Oatgrass (False)	Arrhenatherum
- (Tree)	Hibiscus	- (Golden)	Trisetum
Mandarine	Citrus	- (Tall)	Arrhenatherum
Mangel	Beta	Oats	Avena
Mango	Mangifera	Obedient Plant	Physostegia
Manuka	Leptospermum	Okra	Abelmoschus
Maple	Acer	Oleander	Nerium
Marguerite	Chrysanthemum	Olive	Olea
Marigold	Tagetes	One-flowered Vetch	Vicia
- (Marsh)	Caltha	Onion	Allium
- (Pot)	Calendula	Opium Poppy	Papaver
Marjoram (Sweet)	Origanum	Orange	Citrus
Marrow	Cucurbita	- (Mock)	Philadelphus
Marsh Marigold	Caltha	- (Trifoliate)	Poncirus
Marvel of Peru	Mirabilis	Orchard Grass	Dactylis
Meadow Foxtail	Alopecurus	Orchid (Bourbon Tea)	Angraecum
- -grass	Poa	- (Fox Tail)	Rhynchosystylis
- Rue	Thalictrum	- (Moth)	Phalaenopsis
Medick	Medicago	- (Pansy-)	Miltonia
Mediterranean Cypress	Cupressus	- (Tree)	Epidendrum
Megasea	Bergenia	Orchids	Orchidaceae
Melon	Cucumis	Oregon Grape	Mahonia
- (Water-)	Citrullus	Oriental Poppy	Papaver
Mespilus (Snowy)	Amelanchier	Ox-eye (North American)	Heliopsis
Michaelmas Daisy	Aster	Oxlip	Primula
Milfoil	Achillea	Oyster Mushroom	Pleurotus
Milkweed	Asclepias		
Millet (Common)	Panicum		
- (Foxtail)	Setaria	Paeony	Paeonia
- (Italian)	Setaria	Pagoda Tree	Sophora
- (Pearl)	Pennisetum	Palm (Lady)	Rhipis
Mint	Mentha	Pampas Grass	Cortaderia
- (Cat)	Nepeta	Pansy	Viola
Mirabelle	Prunus	- -orchid	Miltonia
Mock Orange	Philadelphus	Paris Daisy	Chrysanthemum
- Privet	Phillyrea	Parsley	Petroselinum
Monkshood	Aconitum	Parsnip	Pastinaca
Montbretia	Tritonia	Pasque Flower	Pulsatilla
Morello	Prunus	Passion Flower	Passiflora
Morning Glory	Pharbitis	Pawpaw	Carica
Moss (Club)	Selaginella	Pea	Pisum
- (Rose-)	Portulaca	- (Chick-)	Cicer
Moth Orchid	Phalaenopsis	- (Cow-)	Vigna
Mountain Ash	Sorbus	- (Garden)	Pisum
- Laurel	Kalmia	- (Grass - Vine)	Lathyrus
Mugwort	Artemisia	- (Shrub)	Caragana
Mulberry	Morus	- (Sweet)	Lathyrus
- (French)	Callicarpa	- (Tangier)	Caragana
Mullein	Verbascum	- (Tree)	Prunus
- Pink	Lychnis	Peach	Arachis
Mushroom	Agaricus	Peanut	Pyrus
- (Oyster)	Pleurotus	Pear	Momordica
Mustard (Black)	Brassica	- (Balsam)	Exochorda
- (Brown)	Brassica	Pearlbush	Pennisetum
- (White)	Sinapis	Pearl Millet	

Pecan Nut	Carya	Rock Cherry	Prunus
Pepper Bush (Sweet)	Clethra	- Rose	Cistus
Pepper (Sweet)	Capsicum	Rose	Rosa
Periwinkle	Vinca	- Bay	Nerium
Persimmon (Japanese)	Diospyros	- Campion	Lychnis
Pine	Pinus	- (Christmas)	Helleborus
Pineapple	Ananas	- (Lenten)	Helleborus
Pink	Dianthus	- -mallow	Hibiscus
- (Mullein)	Lychnis	- -moss	Portulaca
- (Sea)	Armeria	- of Sharon	Hypericum
Pitcher Plant	Sarracenia	- (Rock)	Cistus
Plane	Platanus	- (Sun)	Helianthemum
Plantain Lily	Hosta	Rosemary	Rosmarinus
Plum	Prunus	- (Bog)	Andromeda
- (Beach-)	Prunus	Rowan	Sorbus
- (Cherry-)	Prunus	Rubber Plant	Ficus
Plumbago (Hardy)	Ceratostigma	Rue	Ruta
Plumed Thistle	Cirsium	- (Goats')	Galega
Poinsettia	Euphorbia	- (Meadow)	Thalictrum
Poker (Red Hot)	Kniphofia	Runner Bean	Phaseolus
Pomegranate	Punica	Rush	Juncus
Poplar	Populus	Russian Sage	Perovskia
Poppy	Papaver	Rye	Secale
- (California)	Eschscholzia	Ryegrass	Lolium
- (Opium)	Papaver		
- (Oriental)	Papaver		
Portugal Laurel	Prunus	Sachalin Fir	Abies
Potato	Solanum	Sacred Bamboo	Nandina
- (Sweet)	Ipomoea	Safflower	Carthamus
Pot Marigold	Calendula	Sage	Salvia
Prairie Gentian	Eustoma	- (Common)	Salvia
- Mallow	Sidalcea	- (Common Jerusalem)	Phlomis
Primrose	Primula	- (Russian)	Perovskia
- (Cape)	Streptocarpus	Sainfoin	Onobrychis
- (Evening)	Oenothera	Saint Dabeoc's Heath	Daboecia
Privet	Ligustrum	Saint John's Wort	Hypericum
- (Mock)	Phillyrea	Salsify (Black)	Scorzonera
Protea	Aulax	Satin Flower	Sisyrinchium
	Leucadendron,	Saxifrage	Saxifraga
	Leucospermum,	Scabious	Scabiosa
	Mimetes,	Scorpion Weed	Phacelia
	Orothamnus,	Scotch Heath	Erica
	Paranomus,	Sea Holly	Eryngium
	Protea,	- Lavender	Limonium
	Serruria	- Pink	Armeria
Pumpkin	Cucurbita	Serradella	Ornithopus
Purple Laver	Porphyra	Serviceberry	Amelanchier
Pyrethrum	Chrysanthemum	Sesame	Sesamum
		Serviceberry	Amelanchier
Queensland Nut	Macadamia	Sesame	Sesamum
Quince	Cydonia	Shallot	Allium
- (Chinese)	Pseudocydonia	Sharon (Rose of)	Hypericum
- (Flowering)	Chaenomeles	Shasta Daisy	Chrysanthemum
- (Flowering)	Cydonia	Shiitake	Lentinus
		Shrubby Cinquefoil	Potentilla
Radish	Raphanus	- Speedwell	Hebe
- (Black)	Raphanus	Side-saddle Flower	Sarracenia
- (Fodder)	Raphanus	Silk-tree	Albizia
- (Horse)	Armoracia	Silk-tassel Tree	Garrya
Rakyo	Allium	Silkweed	Asclepias
Rape	Brassica	Silver-bell Tree	Halesia
Raspberry	Rubus	Silver Vine	Scindapsus
Red Bean (Azuki)	Phaseolus	Skunkbusch	Menziesia
- Hot Poker	Kniphofia	Slipper Flower	Calceolaria
- Top	Agrostis	Slipperwort	Calceolaria
Reed Canary Grass	Phalaris	Smoke Tree	Cotinus
Rhodesgrass	Chloris	Snapdragon (Common)	Antirrhinum
Rhubarb	Rheum	Sneezeweed	Helenium
Rice	Oryza	Snowball Tree	Viburnum
		Snowbell	Styrax
		Snowberry	Symporicarpos

Snowdrop Tree	Halesia	Tassel Flower	Emilia
Snowy Mespilus	Amelanchier	Taxads	Taxales
Solomon's Seal	Polygonatum	Tea	Thea
Sop (Sweet)	Annona	- Orchid (Bourbon)	Angraecum
Sorrel (Wood-)	Oxalis	- Tree	Leptospermum
Sour Cherry	Prunus	Thistle (Globe)	Echinops
Southern Beech	Nothofagus	Thrift	Cirsium
Soya Bean	Glycine	Throatwort	Armeria
Soybean	Glycine	Thuya	Trachelium
Spanish Broom	Spartium	Tick Bean	Thuja
- Heath	Erica	Tickseed	Vicia
- Jasmine	Jasminum	Timothy	Coreopsis
Speedwell	Veronica	Toadflax	Phleum
- (Shrubby)	Hebe	Toad-lily	Linaria
Spelt	Triticum	Tobacco	Tricyrtis
Spider Flower	Cleome	Tomatillo	Nicotiana
- Wort	Tradescantia	Tomato	Physalis
Spinach	Spinacia	- (Husk-)	Lycopersicon,
Spindle Tree	Euonymus	Torch-lily	Solanum
Spirea	Spiraea	Touch-me-not	Physalis
- (Blue)	Caryopteris	Tree Daisy	Kniphofia
Sponge Gourd	Luffa	- Heath	Impatiens
Spring Heath	Erica	- Mallow	Olearia
Spruce	Picea	- Orchid	Erica
Spurges	Euphorbia	Trefoil (Bird's Foot)	Hibiscus
Spurry (Corn)	Spergula	- (Yellow)	Epidendrum
Squash	Cucurbita	Tricolor Ipomoea	Lotus
Squill	Scilla	Trifoliate Orange	Medicago
Star (Blazing)	Liatris	True Daisy	Ipomoea
- glory	Quamoclit	Trumpet Flower	Poncirus
- Ipomoea	Quamoclit	Tuft Root	Bellis
- of Bethlehem	Ornithogalum	Tulip	Campsis,
Statice	Limonium	- Tree	Tecoma
Stock	Matthiola	Turnip	Dieffenbachia
Stocke's Aster	Stokesia	- Rape	Tulipa
Stonecrop	Sedum	- -rooted Parsley	Liriodendron
Storax	Styrax	Twinebark	Brassica
Stork's Bill	Pelargonium		Brassica
Strawberry	Fragaria		Petroselinum
- Tree	Arbutus		Gaya,
Sugar Apple	Annona		Hoheria,
- Cane	Saccharum		Plagianthus
Sumach	Rhus		
Sunflower	Helianthus	Velvet-footed Collybia ...	Flammulina
Sun Plant	Portulaca	Vervain	Verbena
- Rose	Helianthemum	Vetch	Vicia
Swede	Brassica	- (Bush)	Vicia
- Rape	Brassica	- (Common)	Vicia
Sweet Cherry	Prunus	- (Dwarf Chickling)	Lathyrus
- Gum	Liquidambar	- (Hairy)	Vicia
- Marjoram	Origanum	- (Hedge)	Vicia
- Pea	Lathyrus	- (Hungarian)	Vicia
- Pepper	Capsicum	- (One-flowered)	Vicia
- Pepper Bush	Clethra	Vinca	Catharanthus
- Potato	Ipomoea	Vine	Vitis
- Sop	Annona	- (Cypress)	Quamoclit
- William	Dianthus	- (Grass Pea)	Lathyrus
- (Winter)	Chimonanthus,	- (Silver)	Scindapsus
Swiss Chard	Meratia	Violet	Viola
Sword-fern	Beta	- (African)	Saintpaulia
	Nephrolepis	Virginia Creeper	Parthenocissus
Tail Flower	Anthurium		
Tall Oatgrass	Arrhenatherum	Wallflower	Cheiranthus
Tamagitake	Pleurotus	Walnut	Juglans
Tamarisk	Tamarix	Water Dropwort	Oenanthe
Tangelo	Citrus	Waterlily	Nymphaea
Tangier Pea	Lathyrus	Watermelon	Citrullus
Tangor	Citrus	Wax Gourd	Benincasa
Taro	Colocasia	Weeping Lovegrass	Eragrostis

Wheat	Triticum	Witch-hazel	Hamamelis
White Alder	Clethra	Wood-sorrel	Oxalis
- Mustard	Sinapis	Woundwort	Stachys
Whitebeam	Sorbus		
Whortleberry	Vaccinium		
Wild Hyacinth	Scilla	Yam	Dioscorea
Willow	Salix	Yarrow	Achillea
Winged Everlasting	Ammobium	Yellow Trefoil	Medicago
Wingleaf Butterfly Flower	Schizanthus.	Yew	Taxus
Wintergreen	Gaultheria	Yorkshire Fog	Holcus
Winter Hazel	Corylopsis	Youth and Age	Zinnia
- Sweet	Chimonanthus, Meratia	- -and-old-age	Zinnia

INDEX OF FRENCH COMMON NAMES
INDEX DES NOMS COMMUNS FRANCAIS
VERZEICHNIS DER FRANZÖSISCHEN LANDESÜBLICHEN NAMEN

Abricotier	Prunus	Bermudienne	Sisyrinchium
Acacia	Acacia	Bette commune	Beta
- de Constantinople	Albizia	Betterave	Beta
- (Robinier faux-)	Robinia	Bigarreaux	Prunus
Agrumes	Citrus	Bignonia	Campsis,
Ail	Allium		Tecoma
Airelle	Vaccinium	Blé	Triticum
Ajond	Ulex	- dur	Triticum
Aliboufier	Styrax	- noir	Fagopyrum
Alkékenge	Physalis	- tendre	Triticum
Aloès	Aloë	Bois trompette	Catalpa
Alpiste	Phalaris	Bouleau	Betula
Amandier	Amygdalus,	Brocoli	Brassica
Amandier-pêcher	Prunus	Bruyère	Erica
Amarante du Gange	Amaranthus	Buglosse d'Italie	Anchusa
- tricolore	Amaranthus	Buis	Buxus
Amarantoïde violette	Gomphrena	Buisson ardent	Pyracantha
Amarelles	Prunus	Buplèvre	Bupleurum
Amaryllis	Hippeastrum		
Ambrette	Abelmoschus	Cacalie	Emilia
Amour en cage	Physalis	Cactus de Noël	Schlumbergera,
Ancolie	Aquilegia		Zygocactus
Andromède	Pieris	- de Pâques	Epiphyllopsis,
Anémone	Anemone	Caféier	Rhipsalidopsis
- du Japon	Anemone	Caladion bicolore	Coffea
- pulsatille	Pulsatilla	Calebasse du pèlerin	Caladium
Angélique	Angelica	Calla	Lagenaria
- en arbre	Aralia	Campanule	Zantedeschia
- épineuse	Aralia	- à grandes fleurs bleues	Campanula
Angrec	Angraecum	Camphrier	Platycodon
Arachide	Arachis	Canne à sucre	Cinnamomum
Arbousier	Arbutus	Caoutchouc	Saccharum
Arbre à melon	Carica	Capillaire	Ficus
- à perruche	Cotinus	Cardon	Adiantum
- aux cloches d'argent ..	Halesia	Carotte	Cynara
- de Judée	Cercis	Carvi	Daucus
- de soie	Albizia	Cassis	Carum
Armoise	Artemisia	Cèdre du Japon	Ribes
Artichaut	Cynara	Céleri	Cryptomeria
Asperge	Asparagus	Cerfeuil	Apium
Aspic	Lavandula	Cerisier	Anthriscus
Aster	Aster,	Chalef	Prunus
- de Chine	Callistephus	Champignon de couche	Elaeagnus
Aubépine	Callistephus	Chanvre	Agaricus
Aubergine	Crataegus	- de Guinée	Cannabis
Aulne	Solanum	Chardon plumeux	Hibiscus
Avocatier	Alnus	Charme	Cirsium
Avoine	Persea	Châtaignier	Carpinus
- (d'Algérie)	Avena	Chêne	Castanea
- élevée	Arrhenatherum	Chérimolier	Quercus
- jaunâtre	Trisetum	Chevalier d'onze heures ..	Annona
- nue	Avena	Cheveux de Vénus	Portulaca
Azalée	Rhododendron	Chèvrefeuille	Nigella
		Chicorée	Lonicera
Baie corail	Ardisia	Chimonanthe	Cichorium
Balisier	Canna	Chou	Meratia
Balsamine	Impatiens	Ciboule	Brassica
Bananier	Musa	Ciboulette	Allium
Barbadine	Passiflora	Cimicaire	Allium
Barbe bleue	Caryopteris	Cimifuge	Cimicifuga
Bardane (Grande - comest.)	Arctium	Cinéraire hybride	Cimicifuga
Bâton du diable	Aralia	Citronnier	Senecio
Belle de nuit	Mirabilis	Citrouille	Citrus
Benoîte	Geum	Civette	Cucurbita
		Coeur de Marie	Allium
			Dicentra

Cognassier	Cydonia	Fourrage de disette	Spergula
- de Chine	Pseudocydonia	Fraisier	Fragaria
- du Japon	Chaenomeles,	Framboisier	Rubus
Collybie à pied velouté ..	Cydonia	Frêne	Fraxinus
Colombine	Flammulina	Froment	Triticum
Colza	Aquilegia	Fromental	Arrhenatherum
Concombre	Brassica	Funkia	Hosta
Copalme	Cucumis	Fusain	Euonymus
Coquelourde des jardins ..	Liquidambar		
Coqueret	Lychnis		
Corète du Japon	Physalis	Gainier	Cercis
Cornichon	Kerria	Galane barbue	Penstemon
Cornouiller	Cucumis	Gaya	Gaya, Hoheria,
Cotonnier	Cornus	Genêt	Plagianthus
Coucou du Cap	Gossypium	- d'Espagne	Cytisus,
Coudrier	Lachenalia	Genévrier	Genista
Courge	Corylus	Géranium	Spartium
- à cire	Cucurbita	- - lierre	Juniperus
- calebasse	Benincasa	Germandrée	Geranium,
- torchon	Lagenaria	Gesse	Pelargonium
Cresson alénois	Luffa	Gingembre	Pelargonium
Crête de coq	Lepidium	Ginseng	Teucrium
Crételle	Celosia	Giraumont	Lathyrus
Croton	Cynosurus	Giroflée	Zingiber
Cumin des prés	Codiaeum	- d'hiver	Panax
Cyprès de Duprez	Carum	- des murailles	Cucurbita
- de l'Arizona	Cupressus	Glaeul	Matthiola
- de Leyland	X Cupressocyparis	Gloxinia	Cheiranthus
- de Provence	Cupressus	Glycine	Gladiolus
- japonais	Chamaecyparis	Goyavier	Sinningia
Cytise	Laburnum	Grande bardane comestible	Wisteria
		- capucine	Psidium
Dame d'onze heures	Ornithogalum	- marguerite	Arctium
Dentelaire	Ceratostigma	Grémil	Tropaeolum
Dielytra	Dicentra	Grenadier	Chrysanthemum
Dolique de Chine	Vigna	Griottes	Liethospermum
Dormeuse	Maranta	Groseille de Chine	Punica
Doucette	Valerianella	Groseillier	Prunus
Dragonnier	Dracaena	Gueule de loup	Actinidia
		Guignes	Ribes
Echalote	Allium	Gynéron	Antirrhinum
Endive	Cichorium	Gynérium	Prunus
Epeautre	Triticum		Cortaderia
Epinéa	Stachys		Cortaderia
Epinard	Picea	Haricot	Phaseolus
Epine du Christ	Spinacia	Hémérocalle du Japon	Hosta
Epine-vinette	Euphorbia	Herbe-aux-chats	Nepeta
Erable	Berberis	Herbe de Bahia	Paspalum
Escourgeon	Acer	- de Dallis	Paspalum
Esparcette	Hordeum	- de Harding	Phalaris
Espargoute	Onobrychis	- de la pampa	Cortaderia
	Spergula	- de Rhodes	Chloris
Faux-aloës	Kniphofia	Hêtre	Fagus
Faux-millet	Oryzopsis	- antarctique	Nothofagus
Fenouil	Foeniculum	Hortensia	Hydrangea
Fenugrec	Trigonella	Hoteia	Astilbe
Fétuque	Festuca	Houblon	Humulus
Fève	Vicia	Houlique	Holcus
Féverole	Vicia	Houque	Holcus
Févier	Gleditsia	Houx	Ilex
Figuier	Ficus		
Fille de l'air	Tillandsia	If	Taxus
Fléole	Phleum	Igname	Dioscorea
Fleur araignée	Cleome	Immortelle	Helichrysum
- d'amour	Agapanthus	Impatiante	Impatiens
- de la Passion	Passiflora	Indigo	Indigofera
- de lotus	Nelumbo	Ipomée volubilis	Ipomoea
Foin de mouton	Holcus	Iris	Iris
		Iris tigre	Belamcanda

Jacinthe	Hyacinthus	Oeillet	Dianthus
Jarrosse	Lathyrus	- d'Inde	Tagetes
Jasmin de Virginie	Campsis	Oeillette	Papaver
Jonc	Tecoma	Oignon	Allium
Jonquille	Juncus	Oiseau du paradis	Strelitzia
	Narcissus	Olivier	Olea
Kaki	Diospyros	Onagre	Oenothera
Katsura	Cercidiphyllum	Oranger	Citrus
Kénafe	Hibiscus	- trifolié	Poncirus
Kumquat	Fortunella	Orchidée coque	Epidendrum
		- dame de la nuit	Brassavola
Laitue	Lactuca	- danseuse	Oncidium
Langue-de-boeuf	Anchusa	- muguet	Odontoglossum
Laurier-cerise	Prunus	- papillon	Phalaenopsis
Laurier du Japon	Cinnamomum	Orchidées	Orchidaceae
- du Portugal	Prunus	Oreille de Judas	Auricularia
- rose	Nerium	- d'orme	Pleurotus
Lentille	Lens	Orge	Hordeum
Lierre	Hedera	Orme	Ulmus
Lilas	Syringa	- du Caucase	Zelkova
Lin	Linum		
- de Nouvelle-Zélande	Phormium		
Lis	Lilium		
- des Incas	Alstroemeria		
Lotier	Lotus		
Luzerne	Medicago		
Mâche	Valerianella	Pacanier	Carya
Maïs	Zea mays	Panaïs	Pastinaca
Mandarinier	Citrus	Panicaut	Eryngium
Manguier	Mangifera	Papayer	Carica
Margose	Momordica	Pâquerette	Bellis
Marguerite	Chrysanthemum	Pastèque	Citrullus
- (Grande)	Chrysanthemum	Patate	Ipomoea
- (Reine-)	Callistephus	Pâtisson	Cucurbita
Marronnier	Aesculus	Patte-de-velours	Flammulina
Mauve	Malva	Pâturin	Poa
Melon	Cucumis	Pavot	Papaver
Mélèze	Larix	- de Californie	Eschscholzia
Mil à chandelle	Pennisetum	Pé-tsai	Brassica
Millepertuis	Hypericum	Pêcher	Prunus
Millet commun	Panicum	- (Amandier-)	Prunus
- des oiseaux	Setaria	Pénicillaire	Pennisetum
- d'Italie	Setaria	Pensée	Viola
- (Faux-)	Oryzopsis	Persil	Petroselinum
- (Panic -)	Panicum	Pervenche	Vinca
- (Panic faux -)	Panicum	Petit millet	Oryzopsis
- (Petit -)	Oryzopsis	Peuplier	Populus
Minette	Medicago	Philaria	Phillyrea
Mirabelle	Prunus	Pied d'alouette	Delphinium
Misère	Tradescantia	Pigamon	Thalictrum
Molène	Verbascum	Piment	Capsicum
Monbretia	Tritonia	Pin	Pinus
Moutarde blanche	Sinapis	- de Hondo	Picea
- brune	Brassica	- de Sakhaline	Picea
- noire	Brassica	- des temples	Pinus
Muflier	Antirrhinum	- noir du Japon	Pinus
Muguet	Convallaria	- rouge du Japon	Pinus
Mûrier	Morus	Pivoine	Paeonia
Myrobalan	Prunus	Plante-beefsteak	Perilla
Myrtille	Vaccinium	Plaqueminier	Diospyros
		Poil de chien	Festuca
Navet	Brassica	Poinsettia	Euphorbia
Navette	Brassica	Poireau	Allium
Néflier du Japon	Eriobotrya	Poirée	Beta
Nénuphar	Nymphaea	Poirier	Pyrus
Nerprun	Rhamnus	Pois	Pisum
Noisetier	Corylus	- chiche	Cicer
Noyer	Juglans	- de senteur	Lathyrus
		Poivron	Capsicum
		Pomélo	Citrus
		Pomme de terre	Solanum
		Pommier	Malus
		- cannelle	Annona
		Populage	Caltha
		Pothos	Scindapsus
		Potiron	Cucurbita
		Poule de bois	Grifolia
		Pourpier à grande fleur	Portulaca

Primevère	Primula	Sorbier	Sorbus
Protea.....	Aulax, Leucadendron, Leucospermum, Mimetes, Orothamnus, Paranomus, Protea, Serruria	Sorgho	Sorghum
Prunier	Prunus	Souchet	Cyperus
Pulsatille (Anémone -) ...	Pulsatilla	Souci des jardins	Calendula
Pyrèthre	Chrysanthemum	Spargoute	Spergula
Radis	Raphanus	Spathiphyllum	Spathiphyllum
Raifort sauvage	Armoracia	Spergule des champs	Spergula
Raisin d'ours	Arctostaphylos	Statice	Limonium
Ray-grass	Lolium	Sumac	Rhus
Reine-marguerite	Callistephus	Sureau	Sambucus
Renoncule	Ranunculus	Sycomore	Acer
Renouée	Polygonum	Symphorine	Symporicarpos
Rhubarbe	Rheum		
Riz	Oryza		
Romarin officinal	Rosmarinus		
Romneya	Romneya		
Ronce	Rubus		
Rose de Noël	Helleborus	Tabac	Nicotiana
- d'Inde	Tagetes	Tangélo	Citrus
- trémière	Althaea	Tangor	Citrus
Rosier	Rosa	Taro	Colocasia
Rue	Ruta	Taxales	Taxales
Rutabaga	Brassica	Théier	Thea
		Thlaspi	Iberis
		Thuya	Thuja
		Tilleul	Tilia
		Tomate	Lycopersicon, Solanum
		Topinambour	Helianthus
		Tournesol	Helianthus
		Trèfle	Trifolium
		Tritoma	Kniphofia
		Troène	Ligustrum
		Trolle	Trollius
		Tulipier	Liriodendron
Sabot de Vénus	Paphiopedilum	Verge d'or	Solidago
Safran bâtarde	Carthamus	Vergerette	Erigeron
Sainfoin	Onobrychis	Véronique	Hebe, Veronica
Salsifis noir	Scorzonera	Verveine	Verbena
Sapin	Abies	Vesce	Vicia
- de Douglas	Pseudotsuga	Vigne	Vitis
- de Sakhaline	Abies	- vierge	Ampelopsis
Sarrasin	Fagopyrum	- vierge	Parthenocissus
Sauge	Salvia	Violette	Viola'
Saule	Salix	Viorne	Viburnum
Scarole	Cichorium	Volubilis	Pharbitis
Sceau de Salomon	Polygonatum	- (Ipomée -)	Ipomoea
Seigle	Secale	Vulpin des prés	Alopecurus
Seringa	Philadelphus	Weigela	Diervilla, Weigela
Serradelle	Ornithopodus		
Shiitake	Lentinus		
Soja	Glycine		
Soleil	Helianthus		

INDEX OF GERMAN COMMON NAMES
INDEX DES NOMS COMMUNS ALLEMANDS
VERZEICHNIS DER DEUTSCHEN LANDESÜBLICHEN NAMEN

Ackerbohne	Vicia	Birne	Pyrus
-spark	Spergula	- (Balsam-)	Momordica
-spörgel	Spergula	- (Felsen-)	Amelanchier
Adzukibohne	Phaseolus	Bitterkraut (Japanisches)	Pieris
Ahorn	Acer	- orange	Poncirus
Akazie	Acacia	- schopf	Aloë
- (Schein-)	Robinia	Blasenkirsche	Physalis
- (Schirm-)	Albizia	Blaubart	Caryopteris
Akelei	Aquilegia	- stern	Scilla
Alexandriner Klee	Trifolium	Blaues Halskraut	Trachelium
Alpenveilchen	Cyclamen	Bleiwurz	Ceratostigma
Amarant (Kugel-)	Gomphrena	Blumenrohr	Canna
Amaryllis	Hippeastrum	Bockshorn Klee	Trigonella
Ambari	Hibiscus	Bodenfrüchtiger Klee	Trifolium
Amberbaum	Liquidambar	Bogenhanf	Sansevieria
Ananas	Ananas	Bohne (Acker-)	Vicia
Angebauter Leindotter	Camelina	- (Adzuki-)	Phaseolus
Angelikabaum	Aralia	- (Augen-)	Vigna
Apfel	Malus	- (Busch-)	Phaseolus
-beere	Aronia	- (Catjang-)	Vigna
- (Rahm-)	Annona	- (Dicke)	Vicia
-sine	Citrus	- (Garten-)	Phaseolus
- (Zucker-)	Annona	- (Prunk-)	Phaseolus
Aprikose	Prunus	- (Puff-)	Vicia
Aralie (Bastard-)	X Fatshedera	- (Soja-)	Glycine
Arizonazypresse	Cupressus	- (Spargel-)	Vigna
Artischocke	Cynara	- (Stangen-)	Phaseolus
Aster	Aster	Borstengras (Feder-)	Pennisetum
- (Baum-)	Olearia	Brandkraut	Phlomis
- (Sommer-)	Callistephus	Brasilianische Futterhirse	Paspalum
Atlasblume	Godetia	Braut in Haaren	Nigella
Aubergine	Solanum	Brombeere	Rubus
Augenbohne	Vigna	Bromeliaceen	Bromeliaceae
Aukube	Aucuba	Buche	Fagus
Austernseitling	Pleurotus	- (Schein-)	Nothofagus
Avocado	Persea	Buchsbaum	Buxus
Azalee	Rhododendron	Buchweizen	Fagopyrum
		Büffelgras	Cenchrus
		Buntnessel	Coleus
		- wurz	Caladium
		Buschbohne	Phaseolus
Bahiagrass	Paspalum	Catjangbohne	Vigna
Ballonblume	Platycodon	Celosie (Federbusch-)	Celosia
Balsam (Bienen-)	Monarda	Champignon	Agaricus
Balsambirne	Momordica	Cherimoya	Annona
Balsamine	Impatiens	Christusdorn	Euphorbia,
Banane	Musa	- rose	Gleditsia
Bärentraube	Arctostaphylos	Coleus	Helleborus
Bartblume	Caryopteris	Croton	Coleus
-faden	Penstemon	Dallis grass	Paspalum
-nelke	Dianthus	Dalmatinische Insektenblume	Chrysanthemum
Bastardaralie	X Fatshedera	Dekkan-Hanf	Hibiscus
Batare	Ipomoea	Dicke Bohne	Vicia
Baumaster	Olearia	Dill	Anethum
-heide	Erica	Dirlitze	Cornus
-wolle	Gossypium	Distel (Edel-)	Escallonia
-wucherer	Dendrobium	- (Färber-)	Carthamus
-wurzler	Epidendrum	- (Kratz-)	Cirsium
Becherkätzchen	Garrya	- (Kugel-)	Echinops
Beifuss	Artemisia	Doldenrebe	Ampelopsis
Berglorbeer	Kalmia	Dost	Origanum
Berufskraut	Erigeron	Dotterblume	Caltha
Besenheide	Calluna	Douglasie	Pseudotsuga
-hirse	Sorghum		
Bienenbalsam	Monarda		
Binse	Juncus		
Binsenginster	Spartium		
-lilie	Sisyrinchium		
Birke	Betula		

Drachenbaum	Dracaena	Gänseblümchen	Bellis
Drehfrucht	Streptocarpus	Gartenbohne	Phaseolus
Dreifarbig Fuchsschwanz	Amaranthus	-kresse	Lepidium
Dreimasterblume	Tradescantia	-kresse (Grosse)	Tropaeolum
Duprez Zypresse	Cupressus	-löwenmaul	Antirrhinum
Duftblüte	Osmanthus	-ringelblume	Calendula
Eberesche	Sorbus	Geissblatt	Lonicera
Echte Feige	Ficus	-klee	Cytisus
- Zypresse	Cupressus	-raute	Galega
Edeldistel	Escallonia	Gelbklee	Medicago
-gamander	Teucrium	Gelenkblume	Physostegia
-pelargonie	Pelargonium	Gemeine Küchenschelle	Pulsatilla
Efeu	Hedera	Gemswurz	Doronicum
Ehrenpreis	Veronica	Gemüseerbse	Pisum
Eibe	Taxus	Germer	Veratrum
Eibengewächse	Taxales	Gerste	Hordeum
Eibisch	Hibiscus	Ginseng	Panax
Eiche	Quercus	Ginster	Genista
Eierfrucht	Solanum	- (Binsen-)	Spartium
Eisenholz	Parrotia	- (Stech-)	Ulex
-hut	Aconitum	Gipskraut	Gypsophila
-kraut	Verbena	Glanzgras	Phalaris
Endivie	Cichorium	-mispel	Photinia
Engelwurz	Angelica	Glatthafer	Arrhenatherum
Enzian	Gentiana	Glockenblume	Campanula
Erbsenstrauch	Pisum	Gloxinie	Sinningia
Erdbeerbaum	Pisum	Glyzine	Wisteria
-beere	Cicer	Goldfaden	Coptis
-nuss	Lathyrus	-flieder	Forsythia
Erika	Caragana	-glöckchen	Forsythia
Erle	Arbutus	-hafer	Trisetum
Esche	Fragaria	-kolben	Ligularia
- (Eber-)	Arachis	-lack	Cheiranthus
- (Gemeine)	Erica	-regen	Laburnum
Esparsette	Alnus	-rute	Solidago
Essigbaum	Fraxinus	Granadilla (Purpur-)	Passiflora
Eukalyptus	Sorbus	Granatapfel	Punica
	Fraxinus	-baum	Punica
	Onobrychis	Gränke	Andromeda
	Rhus	Grannenhirse	Oryzopsis
	Eucalyptus	Grapefruit	Citrus
		Grasnelke	Armeria
		-schwertel	Sisyrinchium
Fackellilie	Kniphofia	Graue Heide	Erica
Falscher Jasmin	Philadelphus	Griechisch-Heu	Trigonella
Färberdistel	Carthamus	Grindkraut	Scabiosa
Farn (Frauenhaar-)	Adiantum	Grossblumiger Portulak ...	Portulaca
Federborstengras	Pennisetum	Grosse essbare Klette	Arctium
-busch-Celosie	Celosia	- Gartenkresse	Tropaeolum
-spargel	Asparagus	Grosser Speik	Lavandula
Feige (Echte)	Ficus	Guayave	Psidium
Feinstrahl	Erigeron	Gummibaum	Ficus
Feldsalat	Valerianella	Gurke	Cucumis
Felsenbirne	Amelanchier	- (Schwamm-)	Luffa
Fenchel	Foeniculum		
Fetthenne	Sedum		
Feuerdorn	Pyracantha		
Fichte	Picea		
Fingerhut	Digitalis		
-kraut	Potentilla		
Flachs (Neuseeländer)	Phormium		
Flamingoblume	Anthurium		
Flammenblume	Phlox		
Flammendes Herz	Dicentra		
Flaschenkürbis	Lagenaria		
Flieder	Syringa		
Flockenblume	Centaurea		
Frauenhaarfarm	Adiantum		
Fuchsschwanz (Dreifarbig)	Amaranthus		
- (Wiesen-)	Alopecurus		
Funkie	Hosta		
Futterhirse (Brasilianische)	Paspalum		

Heide (Baum-)	Erica	Kamille (Hunds-)	Anthemis
- (Besen-)	Calluna	Kammgras	Cynosurus
- (Graue)	Erica	Kampferbaum	Cinnamomum
- (Irische)	Daboecia	Kanadische Rispendolde	Cryptotaenia
- (Lavendel-)	Pieris	Kanariengras	Phalaris
- (Mittelmeer-)	Erica	Kappenmohn	Eschscholzia
- (Moor-)	Erica	Kardone	Cynara
- (Rosmarin-)	Andromeda	Kartoffel	Solanum
- (Schnee-)	Erica	- (Süss-)	Ipomoea
- (Schuppen-)	Cassiope	Kastanie	Castanea
- (Trauben-)	Leucothoë	- (Ross-)	Aesculus
Heidelbeere	Vaccinium	Katsurabaum	Cercidiphyllum
Herbstrübe	Brassica	Katzenminze	Nepeta
Himbeere	Rubus	Kaukasische Insektenblume	Chrysanthemum
Hirse	Panicum	Kerbel	Anthriscus
- (Besen-)	Sorghum	Keulenbaum	Cordyline
- (Brasilianische Futter-)	Paspalum	-lilie	Cordyline
- (Grannen-)	Oryzopsis	Kichererbse	Cicer
- (Kolben-)	Setaria	Kiefer	Pinus
- (Mohren-)	Sorghum	Kirsche	Prunus
- (Rispen-)	Panicum	- (Blasen-)	Physalis
- (Zucker-)	Sorghum	- (Hecken-)	Lonicera
Holunder	Sambucus	- (Kornel-)	Cornus
Honiggras	Holcus	- (Sauer-)	Prunus
Hopfen	Humulus	- (Steppen-)	Prunus
-klee	Medicago	- (Süss-)	Prunus
Hornklee	Lotus	- (Zwerg-)	Prunus
Hortensie	Hydrangea	Kirschlarbeer	Prunus
Hühnerhirse	Echinochloa	-pflaume	Prunus
Hundskamille	Anthemis	Kiwifrucht	Actinidia
Immergrün	Vinca	Klebsame	Pittosporum
Immortelle (Sand-)	Ammobium	-schwertel	Ixia
Impatiens (Neu-Guinea-) ..	Impatiens	Klee	Trifolium
Indigostrauch	Indigofera	- (Alexandriner)	Trifolium
Indische Lotosblume	Nelumbo	- (Bockshorn)	Trigonella
Ingwer	Zingiber	- (Bodenfrüchtiger)	Trifolium
Inkalilie	Alstroemeria	- (Geiss-)	Cytisus
Inkarnatklee	Trifolium	- (Gelb-)	Medicago
Insektenblume	Chrysanthemum	- (Hopfen-)	Medicago
Irische Heide	Daboecia	- (Horn-)	Lotus
Jakobsleiter	Polemonium	- (Inkarnat-)	Trifolium
Japanische Kaiserwinde ...	Pharbitis	- (Persischer)	Trifolium
- Mispel	Eriobotrya	- (Rot-)	Trifolium
- Pestwurz	Petasites	- (Sauer-)	Oxalis
- Pflaume	Prunus	- (Schnecken-)	Medicago
Japanisches Bitterkraut ..	Pieris	- (Schoten-)	Lotus
Jasmin	Jasminum	- (Schweden-)	Trifolium
- (Falscher)	Philadelphus	- (Weiss-)	Trifolium
- (Malabar-)	Jasminum	Klette (Große essbare) ..	Arctium
- (Winter-)	Jasminum	Klivie	Clivia
Johannisseere	Ribes	Knaulgras	Dactylis
-kraut	Hypericum	Knoblauch	Allium
Judasbaum	Cercis	Knöterich	Polygonum
-ohr	Auricularia	Kohl	Brassica
Jungfer im Grünen	Nigella	-rabi	Brassica
Jungfernrebe	Parthenocissus	-rübe	Brassica
Kaffee	Coffea	Kokardenblume	Gaillardia
Kaiserwinde (Japanische) ..	Pharbitis	Kolbenhirse	Setaria
Kakipflaume	Diospyros	Königsckerze	Verbascum
Kaktus (Oster-)	Epiphyllopsis, Rhipsalidopsis	Korkschwamm	Lentinus
- (Weihnachts-)	Schlumbergera, Zygocactus	Korbmarante	Calathea
Kaladie	Caladium	Korallenranke	Euphorbia
Kalebasse	Lagenaria	Kornelkirsche	Cornus
Kalla	Zantedeschia	Kosmee	Cosmos
Kamelie	Camellia	Kranzblume	Hedychium
- (Schein-)	Stewartia	-spiere	Stephanandra
Krugblatt		Kratzdistel	Cirsium
Kresse (Garten-)		Kresse (Garten-)	Lepidium
- (Große Garten-)		- (Große Garten-)	Tropaeolum
Kreuzdorn		Kreuzdorn	Rhamnus
-kraut		-kraut	Senecio
Krokus		Krokus	Crocus
Krötenlilie		Krötenlilie	Tricyrtis
Krugblatt		Krugblatt	Sarracenia

Kugelamarant	Gomphrena	Mehlbeere	Sorbus
-distel	Echinops	Melone	Cucumis
Kumquat	Fortunella	- (Wasser-)	Citrullus
Küchenschelle (Gemeine) ..	Pulsatilla	Melonenbaum	Carica
Kümmel	Carum	Menziesia	Menziesia
Kürbis	Cucurbita	Milchstern	Ornithogalum
- (Flaschen-)	Lagenaria	Minze	Mentha
- (Wachs-)	Benincasa	- (Katzen-)	Nepeta
		- (Pferde-)	Monarda
Lampionblume	Physalis	Mirabelle	Prunus
Lärche	Larix	Mispel (Japanische)	Eriobotrya
Lauch	Allium	Mittelmeerhafer	Avena
Lavendel	Lavandula	-heide	Erica
Lavendel (Echter)	Pieris	Mohn	Papaver
-heide	Limonium	- (Kappen-)	Eschscholzia
- (Meer-)	Thuja	Möhre	Daucus
Lebensbaum	Ageratum	Mohrenhirse	Sorghum
Leberbalsam	Silene	Montbretie	Tritonia
Leimkraut	Linum	Moorheide	Erica
Lein	Camelina	Mosbeere	Vaccinium
-dotter (Angebauter)	Linaria	-kraut	Selaginella
-kraut	Belamcanda	Myrobalane	Prunus
Leopardenblume	Matthiola		
Levkoje	X Cupressocyparis	Nachtkerze	Oenothera
Leyland Zypressse	Lychnis	-schatten	Solanum
Lichtnelke	Eragrostis	Nackthafer	Avena
Liebegras (Behaartes)	Phleum	Nadelhölzer	Coniferae
Lieschgras	Sisyrinchium	Nameko	Pholiota
Lilie (Binsen-)	Kniphofia	Narzisse	Narcissus
- (Fackel-)	Alstroemeria	Nelke	Dianthus
- (Inka-)	Cordyline	- (Bart-)	Dianthus
- (Keulen-)	Tricyrtis	- (Gras-)	Armeria
- (Kröten-)	Yucca	- (Licht-)	Lychnis
- (Palm-)	Agapanthus	- (Vexier-)	Lychnis
- (Schmuck-)	Iris	Nelkenwurz	Geum
- (Schwert-)	Citrus	Nessel (Bunt-)	Coleus
Limone	Tilia	Neu-Guinea-Impatiens	Impatiens
Linde	Lens	Neuseeländer Flachs	Phormium
Linse	Vicia	Nieswurz	Helleborus, Veratrum
- (Wick-)	Eriobotrya		
Loquate	Kalmia	Ochsenzunge	Anchusa
Lorbeer (Berg-)	Prunus	Okra	Abelmoschus
- (Kirsch-)	Kalmia	Ölbaum	Olea
-rose	Nelumbo	Oleander	Nerium
Lotosblume (Indische)	Antirrhinum	Olive	Olea
Löwenmaul (Garten-)	Pulmonaria	Ölrettich	Raphanus
Lungenkraut	Lupinus	-weide	Elaeagnus
Lupine	Medicago	Orange	Citrus
Luzerne		- (Bitter-)	Poncirus
		Orchideen	Orchidaceae
Mädchenauge	Coreopsis	Osterkaktus	Epiphyllopsis, Rhipsalidopsis
Maiblume	Convallaria		
-glöckchen	Convallaria		
-rübe	Brassica		
Mais	Zea		
Malabarjasmin	Jasminum		
Malve	Malva		
- (Prairie-)	Sidalcea		
- (Stock-)	Althaea		
Mandarine	Citrus		
Mandel	Amygdalus,		
	Prunus		
Mandelröschen	Prunus	Palma Christi	Ricinus
Mango	Mangifera	Palme (Ruten)	Rhapis
Mangold	Beta	- (Schuster-)	Aspidistra
Mannstreu	Eryngium	- (Stech-)	Ilex
Maranta	Maranta	- (Stecken-)	Rhapis
Marante (Korb-)	Calathea	Palmlilie	Yucca
Marguerite	Chrysanthemum	Pampasgras	Cortaderia
Maulbeerbaum	Morus	Pannonische Wicke	Vicia
Meeriavendel	Limonium	Pantoffelblume	Calceolaria
-rettich	Armoracia	Päonie	Paeonia

Passionsblume	Passiflora	Rettich	Raphanus
-frucht	Passiflora	- (Meer-)	Armoracia
Pastinak	Pastinaca	- (Öl-)	Raphanus
Pekan	Carya	Rhabarber	Rheum
Peltaten (Halb-)	Pelargonium	Rhodes-gras	Chloris
Peribusch	Exochorda	Riemenblatt	Clivia
Persischer Klee	Trifolium	Ringelblume (Garten-)	Calendula
Perückenstrauch	Cotinus	Rispendolle (Kanadische)	Cryptotaenia
Pestwurz (Japanische)	Petasites	-gras	Poa
Petersilie	Petroselinum	-hirse	Panicum
Pfaffenhütchen	Euonymus	Rittersporn	Delphinium
Pfeffer (Pflaumen-)	Chloranthus	-stern	Hippeastrum
Pfeifenstrauch	Philadelphus	Roggen	Secale
Pfeilwurz	Alocasia,	Rose	Rosa
Pferdeminze	Maranta	Rosmarinheide	Andromeda
Pfingstrose	Monarda	Roskastanie	Aesculus
Pfirsich	Paeonia	Rote Rübe	Beta
Pflaume	Prunus	Rotklee	Trifolium
Pflaumenpfeffer	Chloranthus	Runkelrübe	Beta
Phazelia	Phacelia	Rutengpalme	Rhipis
Phlox	Phlox	Rübe (Herbst-)	Brassica
Phygelius	Phygelius	- (Mai-)	Brassica
Pilz (Nameko-)	Pholiota	- (Rote)	Beta
Pimpernuss	Staphylea	- (Runkel-)	Beta
Platterbse	Lathyrus	- (Zucker-)	Flammulina
Poinsettia	Euphorbia	Rübling (Samtfuss-)	Brassica
Porree	Allium	Rübsen	
Portulak (Grossblumiger)	Portulaca	Saatwicke	Vicia
Prachtglocke	Enkianthus	Säckelblume	Ceanothus
-scharte	Liatris	Saflor	Carthamus
-spiere	Astilbe	Salat	Lactuca
-strauch	Embothrium	- (Feld-)	Valerianella
Präriemalve	Sidalcea	Salbei	Salvia
Preiselbeere	Vaccinium	Salomons Siegel	Polygonatum
Primel	Primula	Sammetblume	Tagetes
Protea	Aulax,	Samtfussrübling	Flammulina
	Leucadendron,	Sandimmortelle	Ammobium
Prunkbohne	Mimetes,	Sareptasenf	Brassica
-spiere	Orothamnus,	Sauerkirsche	Prunus
-winde	Paranomus,	-klee	Oxalis
Puffbohne	Protea,	-zitrone	Citrus
Purpurlöckchen	Serruria	Schafgarbe	Achillea
-granadilla	Phaseolus	Schalotte	Allium
-tang	Exochorda	Schaumblüte	Tiarella
Quitte	Ipomea	Scheinakazie	Robinia
- (Chinesische)	Vicia	-beere	Gaultheria
- (Japanische)	Heuchera	-buche	Nothofagus
Radieschen	Passiflora	-hasel	Corylopsis
Rahmapfel	Porphyra	-kamelie	Stewartia
Ranunkel	Cydonia	-zypresse	Chamaecyparis
-strauch	Pseudocydonia	Schiefteller	Achimenes
Raps	Chaenomeles,	Schirmakazie	Albizia
Rasselblume	Cydonia	Schlafmützchen	Eschscholzia
Raute	Raphanus	Schlauchpflanze	Sarracenia
Raygras	Annona	Schleierkraut	Gypsophila
Rebe	Ranunculus	Schleifenblume	Iberis
- (Dolden-)	Kerria	Schlitzblume	Schizanthus
- (Jungfern-)	Brassica	Schlüsselblume	Primula
- (Wald-)	Catananche	Schmetterlingsstrauch	Buddleja
Rebendolde	Ruta	Schmuckkörbchen	Cosmos
Reis	Lolium	-lilie	Agapanthus
	Vitis	Schneeball	Medicago
	Ampelopsis	-beere	Viburnum
	Parthenocissus	-glöckchenbaum	Syphoricarpos
	Clematis	-heide	Halesia
	Oenanthe	-rose	Erica
	Oryza	Schnittlauch	Helleborus

Schotenklee	Lotus	Tabak	Nicotiana
Schuppenheide	Cassiope	Taglilie	Hemerocallis
Schusterpalme	Aspidistra	Tang (Purpur-)	Porphyra
Schwammgurke	Luffa	Tangelo	Citrus
- (Kork-)	Lentinus	Tangor	Citrus
Schwarznessel	Perilla	Tanne	Abies
-wurzel	Scorzonera	- (Sichel-)	Cryptomeria
Schwarzer Senf	Brassica	- der Insel Sachalin	Abies
Schwedenklee	Trifolium	Taro	Colocasia
Schwertel (Gras-)	Sisyrinchium	Tausendschön	Bellis
- (Kleb-)	Ixia	Tee	Thea
Schwertlilie	Iris	Tomate	Lycopersicon,
Schwingel	Festuca	Topinambur	Solanum
Seerose	Nymphaea	Torfmyrte	Helianthus
Seidelbast	Daphne	Tränendes Herz	Pernettya
Seidenpflanze	Asclepias	Traubenheide	Dicentra
Seifenkraut	Saponaria	Trespe	Leucothoë
Seitling (Austern-)	Pleurotus	Tritome	Bromus
Sellerie	Apium	Trollblume	Kniphofia
Senf (Sarepta-)	Brassica	Tropensporn	Trollius
- (Schwarzer)	Brassica	- wurz	Angraecum
- (Weisser)	Sinapis	Trompetenbaum	Alocasia
Serradella	Ornithopus	-blume	Catalpa
Sicheltanne	Cryptomeria	-winde	Campsis, Tecoma
Silberkerze	Cimicifuga	Tulpe	Tecoma
Singrün	Vinca	Tulpenbaum	Liriodendron
Skabiose	Scabiosa	Ulme	Ulmus
Sojabohne	Glycine	Usambaraveilchen	Saintpaulia
Sommeraster	Callistephus	Veilchen	Viola
Sonnenauge	Heliopsis	- (Alpen-)	Cyclamen
-blume	Helianthus	- (Usambara-)	Saintpaulia
-hut	Rudbeckia	Venuschuh	Paphiopedilum
-kraut	Helenium	Vergissmeinnicht	Myosotis
-röschen	Helianthemum	Veronika (Strauch-)	Hebe
Spaltblume	Schizanthus	Vexiernelke	Lychnis
-griffel	Schizostylis	Vogelmilch	Ornithogalum
Spargel	Asparagus	Wacholder	Juniperus
-bohne	Vigna	Wachskürbis	Benincasa
- (Feder-)	Asparagus	Waldrebe	Clematis
Speik (Grosser)	Lavandula	Walnuss	Juglans
Spelz	Triticum	Wandelröschchen	Lantana
Spierstrauch	Spiraea	Wanzenkraut	Cimicifuga
Spinat	Spinacia	Wassermelone	Citrullus
Spindelstrauch	Euonymus	Weichweizen	Triticum
Spinnenpflanze	Cleome	Weide	Salix
Spitzenblume	Ardisia	Weidelgras	Lolium
Springkraut	Impatiens	Weiderich	Lythrum
Stachelbeere	Ribes	Weigelia	Diervilla,
Stangenbohne	Phaseolus	Weihnachtskaktus	Weigela
Stechginster	Ulex	-stern	Schlumbergera,
-palme	Ilex	Wein (Wilder)	Zygocactus
Steckenpalme	Rhipis	Weissdorn	Euphorbia
Steinbrech	Saxifraga	-klee	Parthenocissus
-linde	Phillyrea	Weisser Senf	Crataegus
-same	Lithospermum	Weizen	Trifolium
Steppenkirsche	Prunus	- (Buch-)	Sinapis
Stern von Bethlehem	Ornithogalum	- (Hart-)	Triticum
-winde	Quamoclit	- (Weich-)	Triticum
Stiefmütterchen	Viola	Wicke (Pannonische)	Vicia
Stockmalve	Althaea	- (Saat)	Vicia
-rose	Althaea	- (Wohlriechende)	Lathyrus
Storaxbaum	Styrax	- (Zaun-)	Vicia
Storchschnabel	Geranium	- (Zottel-)	Vicia
Strahlengriffel	Actinidia	Wickelwurz	Bergenia
Strauchmargerite	Chrysanthemum		
-veronica	Hebe		
Straussgras	Agrostis		
Strohblume	Helichrysum		
Sumach	Rhus		
Südseemyrte	Leptospermum		
Süsskartoffel	Ipomoea		
-kirsche	Prunus		
-sack	Annona		

Wicklinse	Vicia	Zauberhuhn	Hamamelis
Widerstoss	Limonium	Zaunwicke	Vicia
Wiesenfuchsschwanz	Alopecurus	Zeitlose	Colchicum
-raute	Thalictrum	Zichorie	Cichorium
Wilder Wein	Parthenocissus	Ziest	Stachys
Winde (Japanische Kaiser-)	Pharbitis	Zistrose	Cistus
- (Prunk-)	Ipomoea	Zitrone	Citrus
- (Stern-)	Quamoclit	Zitrus	Citrus
- (Trompeten-)	Campsis, Tecoma	Zottelwicke	Vicia
Windröschen	Anemone	Zuckerapfel	Annona
Winterblüte	Chimonanthus,	-hirse	Sorghum
	Meratia	-rohr	Saccharum
Wistarie	Wisteria	-rübe	Beta
Wohlriechende Wicke	Lathyrus	Zwergkirsche	Prunus
Wolfsmilch	Euphorbia	-pfeffer	Peperomia
Wunderbaum	Ricinus	Zwiebel	Allium
-blume	Mirabilis	Zylinderputzer	Callistemon
-strauch	Codiaeum	Zypergras	Cyperus
Yamswurzel	Dioscorea	Zypresse (Arizona-)	Cupressus
		- (Duprez)	Cupressus
		- (Echte)	Cupressus
		- (Leyland)	X Cupressocyparis
		- (Schein-)	Chamaecyparis

0240