



Disclaimer: unless otherwise agreed by the Council of UPOV, only documents that have been adopted by the Council of UPOV and that have not been superseded can represent UPOV policies or guidance.

This document has been scanned from a paper copy and may have some discrepancies from the original document.

Avertissement: sauf si le Conseil de l'UPOV en décide autrement, seuls les documents adoptés par le Conseil de l'UPOV n'ayant pas été remplacés peuvent représenter les principes ou les orientations de l'UPOV.

Ce document a été numérisé à partir d'une copie papier et peut contenir des différences avec le document original.

Allgemeiner Haftungsausschluß: Sofern nicht anders vom Rat der UPOV vereinbart, geben nur Dokumente, die vom Rat der UPOV angenommen und nicht ersetzt wurden, Grundsätze oder eine Anleitung der UPOV wieder.

Dieses Dokument wurde von einer Papierkopie gescannt und könnte Abweichungen vom Originaldokument aufweisen.

Descargo de responsabilidad: salvo que el Consejo de la UPOV decida de otro modo, solo se considerarán documentos de políticas u orientaciones de la UPOV los que hayan sido aprobados por el Consejo de la UPOV y no hayan sido reemplazados.

Este documento ha sido escaneado a partir de una copia en papel y puede que existan divergencias en relación con el documento original.

UPOV

INTERNATIONAL UNION FOR THE PROTECTION OF NEW VARIETIES OF PLANTS

GENEVA

COUNCIL

Twentieth Ordinary Session
Paris, December 2, 1986

**LIST OF THE TAXA PROTECTED IN THE MEMBER STATES OF UPOV
AND IN THE SIGNATORY STATES OF THE 1978 ACT OF THE CONVENTION**

Document prepared by the Office of the Union

TABLE OF CONTENTS

	Page
Introduction	2
Explanation of the Symbols Used in the Main Table	5
Main Table	7
Notes Classified by States	
- BE/Belgium	45
- CH/Switzerland	45
- DE/Germany (Federal Republic of)	46
- DK/Denmark	46
- ES/Spain	47
- FR/France	47
- GB/United Kingdom	48
- HU/Hungary	50
- IT/Italy	50
- JP/Japan	50
- NL/Netherlands	51
- NZ/New Zealand	51
- SE/Sweden	52
- US/United States of America	52
- ZA/South Africa	53
Notes Classified by Taxa	54
Index of English Common Names	87
Index of French Common Names	94
Index of German Common Names	98

INTRODUCTION

1. The International Convention for the Protection of New Varieties of Plants is applicable, according to its Article 4(1), to all botanical genera and species. Its Article 4(2) provides that "the member States of the Union undertake to adopt all measures necessary for the progressive application of the provisions of this Convention to the largest possible number of botanical genera and species." This document surveys the measures for the protection of the various taxa* that have been instituted by the member States of the Union and the States not yet members but signatories of the 1978 Revised Act of the Convention. It also contains additional information which may be useful in the context of this document.

2. This document contains the following parts:

- (i) a main table;
- (ii) notes classified by States;
- (iii) notes classified by taxa;
- (iv) three indexes of common names.

3. The main table contains the list of the taxa protected in at least one of the States defined above with, for each of them, indications with respect to its protection in each of the States. Explanations of the symbols used for this purpose appear on page 5.

4. The taxa are listed in the alphabetical order of their Latin names, except in the case of complex genera which contain many species and subspecies. These are isolated from the rest of the table by dotted lines and are treated differently, for instance with the use of titles, in order to facilitate consultation of the table.

5. The Latin names of the taxa are taken over from the rules and regulations of the member States protecting them, except in the following circumstances:

- (i) The legislation of a member State may not contain Latin names and may therefore specify the protected taxa by means of their common names (in the case of France, Italy--with respect to certain taxa--Japan and Spain). Where relevant, the Office of the Union has added the Latin name corresponding to the common name.
- (ii) The legislation of a member State may contain a Latin name the scope of which is much greater than that of the corresponding common name which defines the protected taxon. Where relevant, the Office of the Union has completed the Latin name.
- (iii) Two or more States protecting the same taxon may use different Latin names. Two cases may exist:

* The expression "protected taxon" and the similar expressions mean that titles of protection may be issued for varieties of the taxon concerned.

(a) The differences are small (presence and absence of authors' names, different spellings, etc.): in this case, the Office of the Union has retained only one Latin name.

(b) The differences are substantial: where the difference relates to the use of synonyms (for example, *Prunus amygdalus* and *Amygdalus communis*), each designation is the subject of an entry in which the synonym is given in square brackets. Where the difference relates to the rank of the designations used and where, in practice, they cover about the same set of varieties (for example, *Hordeum L.* and *H. vulgare* to designate barley), these designations are the subject of one entry only in which one of them is given in square brackets.

6. For its decisions on the Latin names, the Office of the Union mainly had recourse to the following works:

(i) "Diccionario de Plantas Agricolas" by E. Sanchez Monje y Parellada - Ministerio de Agricultura, Servicio de Publicaciones Agrarias, Madrid;

(ii) "Dictionary of Gardening" (second edition (1977)) by P.M. Syng - Oxford University Press;

(iii) "Elsevier's Dictionary of Botany - I. Plant Names" by P. Macura - Elsevier Scientific Publishing Company, Amsterdam - Oxford - New York, 1979;

(iv) "ISTA List of Stabilized Plant Names" (second edition (1984));

(v) "R. Mansfeld - Vorläufiges Verzeichnis landwirtschaftlich oder gärtnerisch kultivierter Pflanzenarten - Akademie-Verlag, Berlin, German Democratic Republic;

(vi) "Zander - Handwörterbuch der Pflanzennamen" (tenth edition (of 1972) and twelfth edition (of 1980)), Eugen Ulmer Publications, Stuttgart, Federal Republic of Germany.

The species names stabilized by ISTA are preceded by an asterisk.

7. The common names originate from the national laws and regulations or have been indicated by the competent authorities of the member States, or again have been added by the Office of the Union. In this respect, three types of common names may be distinguished:

(i) true common names (examples: wheat, onion, apple, carnation, poplar);

(ii) common names deriving from the corresponding Latin name or from which the Latin name is derived (examples: abutilon, acacia, chrysanthemum, dahlia);

(iii) Latin names which, in the absence of true common names, are used in the common language (examples: *Cymbidium*, *Dieffenbachia*, *Romneya*). Such names may also co-exist with a true common name (example: *Anthurium* and Tail Flower). As time passes, they may pass into the common language as names of the second type (example: *Gerbera*). These names may be the subject of some changes, of which the most important are phonetic or spelling adaptations (addition of accents in French, change of the last syllable, -ia becoming for example -ie in German, etc.) and total or partial translations (for example *Abies sachalinensis* becomes "Sachalin Fir" and *Pelargonium peltatum* becomes "Ivy-leaved

Pelargonium"). The result is that several variants may be used in one and the same language. Variants may also exist for other reasons. It should be noted in particular that the spelling of compound names is not always consistent in English (example: meadowgrass, meadow-grass and meadow grass).

8. Where relevant, the Office of the Union has added common names of the third type, thereby choosing those which seemed or were likely to prevail in usage. Concerning ornamental species, it is frequent usage to designate them, in the absence of names of the first or second type, by the name of the genus. Thus the species *Allamanda cathartica* is designated by "Allamanda." This usage also prevails in the case of certain genera containing several ornamental species. In that case, in order to reduce the list, the Office of the Union has regrouped in one entry all species concerned where this was possible. Thus, *Abutilon megapotamicum*, *A. X milleri*, *A. ochsenii* and *A. vitifolium* are the subject of one entry only.

9. Attention is drawn to the fact that the relationships between common names and Latin names may be different from one taxon to another: in the case of the genera for instance, the common name may apply either to the whole of the species of the genus, or to certain species only. In the case of *Viola*, for instance, violet applies to the whole of the genus, on the one hand, and more particularly to the small flowered species on the other hand, the large flowered garden plants being called pansies. The main table and the indexes should therefore not be used without care as glossaries.

10. As the above indications show, the drawing up of the synoptical list of protected taxa has led to some departures from the relevant national laws and regulations, in particular because nomenclatures used are not uniform. In this respect, useful information is given in the "notes." In any case, it is recommended to consult these laws and regulations when precise information is needed.

11. The notes classified by States follow the alphabetical order of the codes applicable to countries. The following will be found therein, wherever it has appeared necessary:

(i) general notes relating in particular to the way in which the national list of protected taxa has been established;

(ii) special notes relating to a peculiarity of the national list which concerns a given taxon.

12. The notes classified by taxa contain more detailed information on systematics, notably on the synonyms.

13. The indexes of common names contain alphabetical lists of the common names mentioned in the main table with, opposite each of them, the Latin name of the corresponding genus. The compound common names are the subject of a double entry, as far as this is necessary, for example "Maidenhair Fern" and "Fern (Maidenhair)." In general, common names identical or very similar to Latin names do not appear in the indexes, neither do species names where they contain the name of the corresponding genus.

14. Unless otherwise indicated, the protection of a fruit crop taxon means that both fruiting varieties and rootstocks may be protected.

EXPLANATION OF THE SYMBOLS USED IN THE MAIN TABLE

Letters in the column headings (country codes)

BE	Belgium	IL	Israel
CA	Canada	IT	Italy
CH	Switzerland	JP	Japan
DE	Germany (Federal Republic of)	MX	Mexico
DK	Denmark	NL	Netherlands
ES	Spain	NZ	New Zealand
FR	France	SE	Sweden
GB	United Kingdom	US	United States of America
HU	Hungary	ZA	South Africa
IE	Ireland		

Signs in the columns

X Protected taxon

+ Taxon protected as a result of:

(i) the protection of a taxon of higher rank to which it belongs (for example in the case of a species: the genus to which it belongs is protected);

(ii) the protection of all taxa of lower rank which belong to it (for example, in the case of a genus, all its species are protected).

This sign is not used where the protected taxa are mentioned in national legislation not by name, but by means of a collective word or expression. This is the case of Hungary, New Zealand and the United States of America.

(X) Protection of the taxon envisaged in the near future.

* Before a taxon name: species name stabilized by ISTA;

After a taxon name: refers to the Notes Classified by Taxa;

After X or +: refers to a special note to be found under the name of the State concerned in the Notes Classified by States.

Numerals Refer to the general notes to be found under the name of the State concerned in the Notes Classified by States.

MAIN TABLE - TABLEAU PRINCIPAL - HAUPTTABELLE

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
001 <i>Abelia R. Br.*</i>	Abelia	Abelia	Abelia	001	X2	X	.	.	X6	.	.	X	.	X	.	001			
002 <i>Abelmoschus esculentus (L.) Moench*</i>	Okra, Gombo	Ambrette	Okra	002	X	.	.	.	X2	.	.	X	.	X	.	002		
003 <i>Abies Mill.*</i>	Fir	Sapin	Tanne	003	.	.	.	X	.	:	+	X	X	.	X	.	003		
004 <i>*Abies sachalinensis (Fr. Schmidt) Mast.*</i>	Sachalin Fir	Sapin de Sakhaline	Tanne der Insel Sachalin	004	.	.	.	+	.	.	+	X	.	.	.	X6	.	.	X	.	X	.	004	
005 <i>Abutilon megapotamicum St.-Hil. et Naud.*</i> A. <i>X milleri hort.*</i> , A. <i>ochsenii (Phil.) Phil.</i> , A. <i>vitifolium Presl</i>	Abutilon	Abutilon	Abutilon	005	.	.	.	+	.	.	X2	X	X	.	X	.	005		
006 <i>Acacia Mill.*</i>	Acacia	Acacia	Akazie	006	X	.	.	(X)	X6	.	.	X	.	X	.	006	
007 <i>Acer L.*</i>	Maple	Erable, Sycomore	Ahorn	007	X2	X	.	.	X6	.	.	X	.	X	.	007		
008 <i>Achillea L.*</i>	Milfoil, Yarrow	Achillée	Schafgarbe	008	X1	X	.	.	X5	.	.	X	.	X	.	008		
009 <i>Achimenes-Hybrid*</i>	Achimenes	Achimenes	Achimenes, Schiefteller	009	.	.	.	X	.	.	.	X	(+)	X	.	X	.	009		
010 <i>Achyranthes L.</i>	Achyranthes	Achyranthes	Achyranthes	010	X	.	.	.	X1	.	.	X	.	X	.	010		
011 <i>Aconitum L.</i>	Monkshood	Aconit	Eisenhut	011	X1	X	.	.	X1	.	.	X	.	X	.	011		
012 <i>Actinidia Lindl.</i>	Actinidia	Actinidia	Strahlengriffel	012	X2	X	.	.	(X)	X3	.	.	X	.	X	.	012	
013 <i>Actinidia chinensis Planch.</i>	Kiwifruit	Actinidia, Groseille de Chine	Kiwifrucht	013	.	.	(X)	.	.	+	X	.	.	(+)	+	.	X	.	X	X	013			
014 <i>Adiantum L.*</i>	Maidenhair Fern	Câpillaire	Frauenhaarfarn	014	X	.	.	.	X5	.	.	X	.	X	.	014		
015 <i>Aechmea Ruiz et Pav.*</i>	Aechmea	Aechmea	Aechmea	015	+	*	.	X	.	.	.	X	.	.	.	X5	.	+	*	X	.	X	.	015
016 <i>Aërides Lour.*</i>	Aërides	Aërides	Aërides	016	+	.	.	+	.	.	+	X	.	+	(+)	X5	.	+	X	.	X	.	016	
017 <i>Aeschynanthus Jack*</i>	Aeschynanthus	Aeschynanthus	Aeschynanthus	017	.	.	.	X	X	.	.	X	(+)	X	.	X	.	017	
018 <i>Aesculus L.*</i>	Horse Chestnut	Marronnier	Roskastanie	018	X2	X	X	.	X	.	018		
019 <i>Agapanthus L'Hér.</i>	Agapanthus, African Lily	Agapanthe, Fleur d'amour	Agapanthus, Schmucklilie	019	X	.	.	.	X5	.	.	X	.	X	.	019		
020 <i>Agaricus L.*</i>	Mushroom	Champignon de couche	Champignon	020	(X)	X	X	.	.	X	.	020		
021 <i>Agaricus bisporus (Lange.) Sing.</i>	Mushroom	Champignon de couche	Champignon	021	(+)	X	.	.	.	X8	.	+	.	X	.	021		
022 <i>Ageratum L.*</i>	Ageratum, Flossflower	Ageratum	Leberbalsam	022	X	.	.	.	X5	.	.	X	.	X	.	022		
023 <i>Agrostis L.*</i>	Bentgrass	Agrostis, Agrostide	Straussgras	023	.	.	.	X	X	.	.	X	.	.	X	X4	.	.	X	X1	X	.	023	
024 <i>*Agrostis canina L. [A. canina L. ssp. canina Hwd]</i>	Velvet Bent	Agrostis des chiens	Hundsstraussgras	024	X	.	.	+	+	.	.	X	X	.	.	+	+	.	X	X	+	X	.	024

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
025 * <i>Agrostis gigantea</i> Roth*	Red Top (Black Bent)	Agrostide blanche, Weisses Agrostide géante	Straussgras	025	X	.	.	+	+	.	X	X	.	.	+	+	.	X	X	+	X	.	025	
026 * <i>Agrostis stolonifera</i> L.*	Creeping Bent	Agrostide blanche, Flechtstraussgras	Agrostide stolonifère	026	X	.	.	+	+	.	X	X	.	.	+	+	.	X	X	+	X	.	026	
027 * <i>Agrostis tenuis</i> Sibth.*	Brown Top, Common Bent	Agrostide commune	Rotes Straussgras	027	X	.	.	+	+	.	X	X	X	.	+	+	.	X	X	+	X	.	027	
028 * <i>Albizia julibrissin</i> Durazz.*	Silk-tree	Acacia de Constantinople, Arbre de soie	Schirmakazie	028	X	.	.	.	X6	.	.	X	.	X	.	028		
029 <i>Allamanda cathartica</i> L.*	Allamanda	Allamanda	Allamanda	029	X	.	.	.	X	X	.	X	.	029		
ALLIUM																								
Ornamental Plants/Plantes ornementales/Zierpflanzen																								
030 <i>Allium</i> L.*	Allium	Allium	Zierlauch	030	X	X	X	.	X	.	030		
031 <i>Allium giganteum</i> Regel	Giant Allium	Oignon géant	-	031	X	X5	.	+	X	.	X	.	031	
Vegetables/Plantes potagères/Gemüsepflanzen																								
032 <i>Allium</i> L.	-	-	Lauch	032	X	X	X2	X	.	032			
033 <i>Allium ascalonicum</i> L.*	Shallot	Echalote	Schalotte	033	X	.	.	X	X	X	+	X	.	033		
034 <i>Allium bakeri</i> Regel*	Rakyo	-	-	034	X	.	.	.	X2	.	.	X	+	X	.	034		
035 * <i>Allium cepa</i> L.*	Onion	Oignon	Zwiebel	035	X	.	X*	X	X	.	.	X	.	X	X	X2	.	X	X	+	X	X	035	
036 * <i>Allium fistulosum</i> L.*	Welsh Onion	Ciboule	Winterzwiebel	036	X	.	.	.	X2	.	.	X	+	X	.	036		
037 * <i>Allium porrum</i> L.*	Leek	Poireau	Porree	037	.	.	(X)	X	X	.	.	X	.	X	.	X	X	+	X	.	037			
038 * <i>Allium sativum</i> L.*	Garlic	Ail	Knoblauch	038	X	.	X	.	X2	.	.	X	+	X	.	038		
039 * <i>Allium schoenoprasum</i> L.*	Chives, Asatsuki	Ciboulette, Civette	Schnittlauch	039	.	.	.	X	X	.	.	X	.	.	X2	.	.	X	+	X	.	039		
040 <i>Allium tuberosum</i> Rottler ex Spreng.*	Chinese Chives	-	-	040	X	.	.	.	X2	.	.	X	+	X	.	040		
041 <i>Alnus</i> Mill.*	Alder	Aulne	Erle	041	X2	X	X	.	X	.	X	.	041	
042 <i>Alocasia</i> (Schott) G. Don*	Alocasia	Alocasia	Alocasia, Pfeilwurz, Tropenwurz	042	X	.	.	X	X5	.	(+)	X	.	X	.	042		
043 Aloë spec.*	Aloe	Aloës	Aloe, Bitterschopf	043	X	X	.	X	X	.	043		
044 * <i>Alopecurus pratensis</i> L.	Meadow Foxtail	Vulpin des prés	Wiesenfuchsschwanz	044	.	.	.	X	.	.	X	X	X1	X	.	044			
045 <i>Alstroemeria</i> L. [A.-Hybridii]	Alstroemeria, Herb Lily	Alstroemerie, Lis des Incas	Inkalilie	045	X	.	.	X	X	.	X	X1	X	.	X	X	X5	.	X	X	X4	X	.	045
046 <i>Althaea rosea</i> (L.) Cav.*	Hollyhock	Rose trémière	Stockmalve, Stockrose	046	X	.	.	.	X5	.	.	X	.	X	.	X	.	046
047 * <i>Amaranthus tricolor</i> L.*	Gangea Amaranth	Amarante tricolore, Amarante du Gange	Dreifarbiger Fuchsschwanz	047	X	.	.	X	.	.	X5	.	.	X	.	X	.	047

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

Latine	English	Français	Deutsch	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
048 Amelanchier Medik.*	Serviceberry, Snowy Mespilus	Amélançhier	Felsenbirne	048	X2	X	X	.	X	.	048		
049 *Ammobium alatum R. Br.	Winged Everlasting	Ammobium élevé	Papierknöpfchen, Sandimmortelle	049	X	.	.	.	X5	.	.	X	.	X	.	049	
050 Amorphophallus konjac C. Koch [A. rivieri Durieu*]	Konnyaku, Devil's tongue	-	-	050	X	.	.	.	X1	.	(+)	X	.	X	.	050	
051 Ampelopsis hort.*	Ampelopsis	Vigne-vierge	Doldenrebe	051	X2	X	X	.	X	.	051		
052 Amygdalus spec. [A. communis L.; Prunus amygdalus Bartock*; P. dulcis (Mill.) D.A. Webb]	Almond	Amandier	Mandel	052	X	+2	X	.	X	X	+	.	X	.	X	X	052		
053 Ananas comosus (L.) Merr.*	Pineapple	Ananas	Ananas	053	X	.	.	.	X3	.	.	X	.	X	X	053	
054 Anchusa angustissima K. Koch*	-	Langue-de-boeuf	Ochsenzunge	054	X1	X	X	.	X	.	054		
055 Anchusa italicica Retz.*	Italian Bugloss	Buglosse d'Italie, Italianische Langue-de-boeuf	Ochsenzunge	055	X1	X	X	.	X	.	055		
056 Andromeda L.*	Bog Rosemary	Andromède	Gränke, Rosmarinheide	056	X2	X	X	.	X	.	056		
057 Anemone L.*	Anemone	Anémone	Anemone, Windröschen	057	X	.	X	(X)	X5	.	.	X	.	X	.	057		
058 Anemone hupehensis Lemoine*	Japanese Anemone	Anémone du Japon	Herbstanemone	058	X1	X	.	+	(+)	+	.	X	.	X	.	058		
059 *Anethum graveolens L.*	Dill	Aneth	Dill	059	.	.	.	:	X	.	.	X	X	X	X2	X	.	059		
060 Angelica acutiloba Kitagawa	Angelica	Angélique	Engelwurz	060	X	.	.	.	X1	.	.	X	.	X	.	060		
061 Angraecum Bory*	Bourbon Tea Orchid	Angraecum, Angrec	Angraecum, Tropensporn	061	+	.	.	+	.	.	+	.	X	.	+	(+)	X5	.	+	X	.	X	.	061
062 *Annona cherimola P. Mill.	Annona, Cherimoya	Chérimolier	"Cherimoya"	062	X	.	X	(X)	.	.	X	.	X	.	X	.	062	
063 *Annona squamosa L.*	Annona, Sugar Apple, Sweet Sop	Pommier-cannelle	Rahmapfel, Süss- sack, Zuckerapfel	063	X	.	X	.	.	.	X	.	X	.	X	.	063	
064 Anthemis L.*	Chamomile	Anthémis	Hundskamille	064	X1	X	X	.	X	.	064		
065 *Anthriscus cerefolium (L.) Hoffm.*	Chervil	Cerfeuil	Kerbel	065	X	.	.	X	X	X	.	X	.	065		
066 Anthurium Schott*	Anthurium, Tail Flower	Anthurium	Flamingoblume	066	X	.	(X)	X	.	.	.	X	.	X	.	X5	.	X	X	.	X	.	066	
067 *Antirrhinum majus L.	Common Snapdragon	Muflier, Gueule de Gartenlöwenmaul loup, Gueule de lion	067	X	.	.	(X)	X5	.	.	X	.	X	.	067		
068 *Apium graveolens L.	Celery, Celery	Céleri, Céleri-rave	Sellerie	068	X	.	.	X	X	.	.	X	X	.	.	X	X2	.	X	X	X2	X	.	068
069 *Apium graveolens L. var. rapaceum (Mill.) Gaud.	Celeriac	Céleri-rave	Knollensellerie	069	+	.	(X)	+	+	.	.	+	X	.	.	+	+	.	+	X	+	+	.	069
070 Aquilegia L.*	Columbine	Ancolie, Colombine	Akelei	070	X	.	.	.	X5	.	.	X	.	X	.	070		
071 *Arachis hypogaea L.* [Arachis spec.]	Groundnut, Peanut	Arachide	Erdnuss	071	X	.	X	.	X1	.	.	X	.	X	X	071		
072 Araceae Juss.	Araceae	Aracées	Aronstabgewächse	072	X	(X)	X	.	X	.	X	.	072

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA	
073 <i>Aralia chinensis</i> L.	Chinese Angelica Tree	Angélique en arbre de Chine	Angelikabaum	073	X2	X	X	.	X	.	073	
074 <i>Aralia cordata</i> Thunb.*	Udo	-	-	074	X	.	.	.	X2	.	.	X	.	X	.	074	
075 <i>Aralia elata</i> (Miq.) Seem.*	Japanese Angelica Tree	Angélique en arbre du Japon	-	075	X2	X	X	.	X	.	075		
076 <i>Aralia spinosa</i> L.	Hercules Club, Devil's Walking Stick	Angélique épineuse, Bâton du diable	-	076	X2	X	X	.	X	.	076		
077 <i>Arbutus</i> L.*	Strawberry Tree	Arbousier	Erdbeerbaum	077	X2	X	X	.	X	.	077	
078 * <i>Arctium lappa</i> L.*	Edible Burdock	Grande bardane comestible	Grosse essbare Klette	078	X	.	.	.	X2	.	.	X	.	X	.	078	
079 <i>Arctostaphylos</i> Adans.*	Bearberry	Raisin d'ours	Bärentraube	079	X2	X	X	.	X	.	079		
080 <i>Ardisia crispa</i> A. DC.*	Ardisia	Baie corail	Spitzenblume	080	X	.	.	.	X6	.	.	X	.	X	.	080	
081 <i>Armeria</i> (DC.) Willd.*	Thrift, Sea Pink	Arméria	Grasnelke	081	X1	X	.	.	X5	.	.	X	.	X	.	081	
082 <i>Armoracia rusticana</i> Gaertn., Mey. et Scherb.*	Horse Radish	Raifort sauvage	Meerrettich	082	X	.	.	X	X	.	X	.	082		
083 <i>Aronia Medik.</i> *	Chokeberry	Aronia	Apfelbeere	083	X2	X	X	.	X	.	083		
084 * <i>Arrhenatherum elatius</i> (L.) P. Beauv. ex J.S et K.B. Presl*	Tall Oatgrass, False Oatgrass	Fromental, Avoine élevée	Glatthafer	084	X	.	.	X	.	.	X	X	X	.	X	.	X	.	084
085 <i>Artemisia</i> L.*	Mugwort	Armoise	Beifuss	085	X1	X	.	.	X1	.	.	X	.	X	.	085	
086 <i>Asclepias</i> L.*	Milkweed, Silk-weed, Bloodflower	Asclépiade	Seidenpflanze	086	X	.	.	.	X5	.	.	X	.	X	.	086	
087 <i>Ascocentrum Schlechter</i> *	Ascocentrum	Ascocentrum	Ascocentrum	087	+	.	.	+	.	.	+	X	.	+	(+)	X5	.	+	X	.	X	.	087
088 * <i>Asparagus officinalis</i> L. [Asparagus L.]	Asparagus	Asperge	Spargel	088	.	.	(X)	X	X	.	.	X	.	.	X	X2	.	X	X	X2	X	.	088
089 * <i>Asparagus setaceus</i> (Kunth) Jessop*	"Asparagus Fern"	Asparagus	Asparagus, Federspargel	089	X	.	.	X	.	.	+	.	.	X	.	X	.	089	
090 <i>Aspidistra elatior</i> Bl.*	Aspidistra, Cast-iron Plant	Aspidistra	Schusterpalme	090	X	.	.	.	X5	.	.	X	.	X	.	090	
091 <i>Aster</i> L.*	Aster, Michaelmas Daisy	Aster	Aster	091	X1	X	.	X	.	X5	.	(X)	X	.	X	.	091
092 <i>Astilbe</i> Buch.-Ham. ex D. Don*	Astilbe	Astilbe, Hoteia	Astilbe, Prachtspiere	092	X1	X	.	.	X5	.	.	X	.	X	.	092	
093 <i>Atractylodes</i> DC.	Atractylodes	Atractylodes	Atractylodes	093	X	.	.	.	X1	.	.	X	.	X	.	093	
094 <i>Aucuba</i> Thunb.	Aucuba	Aucuba	Aukube	094	X2	X	X	.	X	.	X	.	094
095 * <i>Aucuba japonica</i> Thunb. ex Murray	Aucuba	Aucuba	Aukube	095	+	X	.	.	X6	.	.	X	.	X	.	095	
096 <i>Aulax spec.</i> *	Aulax, Protea	Aulax, Protea	Aulax, Protea	096	X	X	.	X	X	X	.	096
097 <i>Auricularia auricula-judae</i> (Fr.) Quel. Jew's Ear	Oreille de Judas	Judasohr	Oreille de Judas	097	X	.	.	.	X8	.	.	.	X	.	X	.	097
098 <i>Auricularia polytricha</i> (Mont.) Sacc. Jew's Ear	Oreille de Judas	Judasohr	Oreille de Judas	098	X	.	.	.	X8	.	.	.	X	.	X	.	098
099 <i>Avena</i> L.*	Oats	Avoine	Hafer	099	X	X	X	X	.	X	X	.	099

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
100 * <i>Avena byzantina</i> K. Koch	Algerian Oats	Avoine (d'Algérie)	Mittelmeerhafer	100	X	.	.	X	X	+	+	X	X	X1	X	+	100		
101 <i>Avena nuda</i> L.*	Naked Oats	Avoine nue	Nackthafer	101	X	.	.	X	.	+	+	X	X	.	X	+	101		
102 * <i>Avena sativa</i> L.	Oats	Avoine	Hafer	102	X	.	X	X	X	+	+	X	X	X	X	X1	.	X	X	X1	X	+	102	
103 <i>Babiana stricta</i> (Ait.) Ker-Gawl.*	Babiana	Babiana	Babiana	103	X	.	.	.	X5	.	.	X	.	X	.	103	
104 <i>Begonia</i> L.	Begonia	Bégonia	Begonie	104	.	.	.	X	.	+	.	X	.	X	.	X5	.	.	X	.	X	.	104	
105 <i>Begonia-Elatior-Hybridii</i> [B. elatior (B. X hiemalis); B. X hiemalis Fotsch; Begonia L.]	Elatior Begonia	Bégonia elatior	Elatior-Begonie	105	X	.	X	X	+	.	X	X	X	.	+	X	+	.	X	X	X4	X	.	105
106 * <i>Begonia X tuberhybrida</i> Voss	Tuberous Begonia	Bégonia tubéreux	Knollenbegonie	106	X	.	.	X	+	.	.	X	.	+	.	+	.	X	.	X	.	X	.	106
107 <i>Belamcanda chinensis</i> (L.) DC.*	Blackberry Lily	Iris tigre	Leopardenblume	107	X	.	.	.	X5	.	.	X	.	X	.	107	
108 * <i>Bellis perennis</i> L.	True Daisy, English Daisy	Pâquerette	Gänseblümchen, Tausendschön	108	X	.	.	.	X5	.	.	X	.	X	.	108	
109 <i>Benincasa hispida</i> (Thunb.) Cogn.*	Wax Gourd	Courge à cire	Wachskürbis	109	X	.	.	.	X2	.	.	X	.	X	.	109	
110 <i>Berberis</i> L.*	Berberis, Barberry	Berberis, Epine-vinette	Berberitz	110	X	.	.	.	X	.	X	X2	X	.	.	X6	.	.	X	.	X	.	110	
111 <i>Bergenia Moench*</i>	Megasea	Bergenia	Wickelwurz	111	X1	X	X	.	X	.	X	.	111
112 * <i>Beta vulgaris</i> L. ssp. <i>vulgaris</i> var. <i>alba</i> DC. [var. <i>crassa</i> Alef.; var. <i>crassa</i> Mansf.]	Fodder Beet	Betterave fourragère	Runkelrübe	112	.	.	.	X	X	.	.	X	X	.	X	.	X1	X	X1	X	.	112		
113 * <i>Beta vulgaris</i> L. ssp. <i>vulgaris</i> var. <i>altissima</i> Doell [var. <i>saccharifera</i> Alef.]	Sugar Beet	Betterave sucrière	Zuckerrübe	113	.	.	.	X	.	.	.	X	.	.	X	X1	.	X1	X	X1	X	.	113	
114 * <i>Beta vulgaris</i> L. ssp. <i>vulgaris</i> var. <i>conditiva</i> Alef. [var. <i>esculenta</i> L.; var. <i>hortensis</i>]	Garden Beet, Beetroot	Betterave rouge, Betterave potagère	Rote Rübe Betterave potagère	114	.	.	.	X	X	.	.	X	X	X	X	X2	X	X	114	
115 * <i>Beta vulgaris</i> L. ssp. <i>vulgaris</i> var. <i>flavescens</i> DC. f. <i>crispa</i>	Mangel, Swiss Chard	Bette à côtes	Stielmangold	115	.	.	(X)	X	.	.	.	X2	.	.	X	.	X	.	115	
116 * <i>Beta vulgaris</i> L. ssp. <i>vulgaris</i> var. <i>vulgaris</i> * [var. <i>cicla</i> (L.) Ulrich]	Mangel, Leaf Beet, Spinach Beet	Bette commune, Poirée	Mangold	116	.	.	.	X	X	.	.	X	.	.	.	X2	.	X	X	.	X	.	116	
117 <i>Betula</i> L.*	Birch	Bouleau	Birke	117	X2	X	X	.	X	.	X	.	117
118 <i>Bletilla</i> Rchb. f.*	Bletilla	Bletilla	Bletilla	118	+	.	.	+	.	+	.	X	.	+	(+)	X5	.	+	X	.	X	.	118	
119 <i>Boltonia asteroides</i> (L.) L'Hér.*	False Chamomile	Boltonie blanche	Boltonie	119	X	.	.	.	X5	.	.	X	.	X	.	119	
120 <i>Borago officinalis</i> L.	Borage	Bourrache	Boretsch	120	(X)	X	X	.	X	.	X	.	120
121 <i>Bougainvillea</i> Comm.	Bougainvillea	Bougainvillier	Bougainvillea	121	X	.	.	X	.	.	.	X	.	X	X	.	X	.	121	
122 <i>Bougainvillea spectabilis</i> Willd.*	Great Bougainvillea	-	-	122	X	.	.	.	X6	.	+	X	.	X	.	122	
123 <i>Bouvardia Salisb.*</i>	Bouvardia	Bouvardia	Bouvardie	123	X	.	.	.	X6	.	(X)	X	.	X	.	123	
124 <i>Brassavola</i> R. Br.*	Brassavola	Brassavola, Orchidée dame de la nuit	Brassavola	124	+	.	.	+	.	+	.	X	.	+	(+)	X5	.	+	X	.	X	.	124	

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
<u>BRASSICA</u>																								
125 * <i>Brassica juncea</i> (L.) Czern. et Coss. in Czern.	Brown Mustard	Moutarde brune	Sareptasenf	125	.	.	.	X	.	.	X	X	.	.	X2	.	.	X	.	X	.	125		
* <i>Brassica napus</i> . L.																								
126 - var. <i>napobrassica</i> (L.) Rchb.*	Swede	Chou-navet, Rutabaga	Kohlrübe	126	X	.	.	X	X	.	X	X	X	.	.	+	.	X	X	X*	X	.	126	
127 - ssp. <i>oleifera</i> (Metzg.) Sinsk; [var. <i>oleifera</i> Metzg.]*	Swede Rape, incl. Oilseed Rape	Colza	Raps	127	.	.	.	X	X	.	X	X	X	.	X	.	X	X	X1	X	.	127		
128 - [partim]	Rape	Colza	Raps	128	.	.	.	+	+	.	+	+	X	.	.	+	X1*	.	.	X	+	X	.	128
129 * <i>Brassica nigra</i> (L.) W. Koch*	Black Mustard	Moutarde noire	Schwarzer Senf	129	.	.	.	X	.	.	X	X	X	X1	X	.	129		
* <i>Brassica oleracea</i> L.																								
130 - [partim]	Brassica vegetables	Choux maraîchers	Gemüsekohl	130	X	X	X2	X	.	130		
- convar. <i>acephala</i> (DC.) Alef.																								
131 - [partim] [ssp. <i>acephala</i> DC.]	Fodder Kale	Chou fourrager	Futterkohl	131	X	X	X	X	X1	X	.	131		
132 - [partim]	Ornamental Cabbage	Chou ornemental	Zierkohl	132	X	.	.	X5	.	.	X	.	X	.	X	.	132	
133 + var. <i>gongylodes</i> L.	Kohlrabi	Chou-rave	Kohlrabi	133	X	.	X	X	X	.	.	X	X	X	+	X	.	133		
134 + var. <i>sabellica</i> L.	Curly Kale	Chou frisé	Grünkohl	134	X	.	.	X	X	.	(X)	.	X	X	X	+	X	.	134	
135 + var. <i>medullosa</i> Thell.	Marrow-stem Kale	Chou moellier	Markkohl	135	X	.	.	+	X	.	.	+	X	X1	X	+	X	.	135	
136 + var. <i>viridis</i> L. + var. <i>medullosa</i> Thell.	Fodder Kale	Chou fourrager	Futterkohl	136	X	.	.	X	.	.	+	X	X	+	X	.	136		
- convar. <i>botrytis</i> (L.) Alef.																								
137 - var. <i>botrytis</i>	Cauliflower	Chou-fleur	Blumenkohl	137	X	.	.	X	X	.	.	X	X	.	X	X	X2	.	X	X	+	X	X	137
138 - var. <i>cymosa</i> Duch. [var. <i>italica</i> Plenck]	Sprouting Broccoli, Calabrese	Brocoli (à jets)	Brokkoli, Spargelkohl, Sprossenbrokkoli	138	X	.	.	X	X2	.	X	X	+	X	.	138		
- convar. <i>capitata</i> (L.) Alef.																								
139 - var. <i>capitata</i> (L.) Alef.	Cabbage	Chou pomé	Kopfkohl	139	+	.	.	X	+	.	(+)	+	X	.	.	X2	.	.	X	+	X	X	139	
140 + var. <i>capitata</i> L. f. <i>alba</i> DC. [var. <i>alba</i> DC.]	White Cabbage	Chou cabus	Weisskohl	140	X	.	(X)	+	X	.	(X)	X	X	.	.	+	.	X	X	+	X	+	140	
141 + var. <i>capitata</i> L. f. <i>rubra</i> (L.) Thell. [var. <i>rubra</i> (L.) Thell.]	Red Cabbage	Chou rouge	Rotkohl	141	X	.	.	+	X	.	(X)	X	X	.	.	+	.	X	X	+	X	+	141	
142 - var. <i>sabauda</i> L. [var. <i>bullata</i> DC. + var. <i>sabauda</i> L.]	Savoy Cabbage	Chou de Milan	Wirsing	142	X	.	(X)	X	X	.	(X)	X	X	X	X	+	X	+	142	
143 - convar. <i>oleracea</i> var. <i>gemmifera</i> DC. [var. <i>bullata</i> DC. subvar. <i>gemmifera</i> DC.]	Brussels Sprouts	Chou de Bruxelles	Rosenkohl	143	X	.	.	X	X	.	(X)	X	X	.	.	.	X2	.	X	X	+	X	.	143
144 * <i>Brassica pekinensis</i> (Lour.) Rupr.*	Chinese Cabbage	Chou de Chine, Pé-tsai	Chinakohl	144	.	.	.	X	.	.	.	X	.	.	.	X2	.	.	X	.	X	.	144	

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
145 * <i>Brassica rapa</i> L.*	Turnip, Turnip Rape	Navet, Navette	Herbstrübe, Mairübe, Rübsen	145	.	.	.	X	+	.	.	X	.	.	.	+	.	X	+	X	.	145		
146 - var. <i>rapa</i> (L.) Thell.	Turnip	Navet	Herbstrübe, Mairübe	146	X	.	.	+	X*	.	.	X*	X	.	.	.	X2	.	X	X	X*	X	146	
147 - [partim]	[Leaf vegetable]	[Légume-feuille]	[Blattgemüse]	147	X	.	.	.	X1*	.	.	X	.	X	.	147	
148 - var. <i>silvestris</i> (Lam.) Briggs [var. <i>oleifera</i> Metzg.]	Turnip Rape	Navette	Rübsen	148	.	.	.	X	X	.	.	X	.	.	.	+	.	.	X	X1	X	.	148	
.....																								
149 Bromeliaceae Juss. partim	Bromeliaceae	Broméliacées	Bromeliaceen	149	X*	X	X*	X	.	X	.	149	
150 <i>Bromus</i> L. partim*	Brome	Brome	Trespe	150	X*	.	X	X	.	X	.	150	
151 * <i>Bromus arvensis</i> L.*	Field Brome	Brome des champs	Ackertrespe	151	X	X	X1	X	.	151		
152 * <i>Bromus inermis</i> Leyss.	Smooth Brome (Awnless Brome)	Brome inerme	Wehrlose Trespe	152	.	.	.	X	.	.	.	X	X4	.	X	X1	X	.	152	
153 <i>Buddleja</i> L.*	Buddleia, Butterfly-bush	Buddleia	Buddleie, Schmetterlingsstrauch	153	X	.	X	.	.	.	X6	.	X	.	X	.	153	
154 <i>Buddleja</i> L. (excl. <i>B. asiatica</i> Lour., <i>B. auriculata</i> Benth., <i>B. madagascariensis</i> Lam.*, <i>B. officinalis</i> Maxim.)	Buddleia, Butterfly-bush	Buddleia	Buddleie, Schmetterlingsstrauch	154	+	X2	X	.	.	.	+	.	X	.	X	.	154	
155 <i>Bupleurum falcatum</i> L.	Bupleurum	Buplèvre	Hasenohr	155	X	X1	.	X	.	X	.	155	
156 <i>Buxus</i> L.	Box	Buis	Buchsbaum	156	X2	X	.	.	.	X6	.	X	.	X	.	156	
157 <i>Caladium bicolor</i> (Ait.) Vent.*	Caladium	Coeur saignant, <i>Caladium bicolor</i> , <i>Caladiion bicolor</i>	Kaladie, Buntwurz	157	X	.	.	.	X5	.	(+)	X	.	X	.	157	
158 <i>Calanthe</i> R. Br.*	Calanthe	Calanthe	Calanthe	158	+	.	.	+	.	.	+	X	.	+	(+)	X5	.	+	X	.	X	.	158	
159 <i>Calathea</i> G.F.W. Mey.*	Calathea	Calathea	Calathea, Korbmarante	159	X	.	.	.	X5	.	(+)	X	.	X	.	159	
160 <i>Calceolaria</i> L.*	Slipperwort, Slipper Flower	Calcéolaire	Pantoffelblume	160	X	.	.	.	X5	.	.	X	.	X	.	160	
161 * <i>Calendula officinalis</i> L.	Pot Marigold	Souci des jardins	Gartenringelblume	161	X	.	.	.	X5	.	.	X	.	X	.	161	
162 <i>Callicarpa</i> L. (excl. <i>C. purpurea</i> Juss., <i>C. rubella</i> Lindl.)	Callicarpa, French Mulberry, Beauty-berry	Callicarpa	Schönfrucht	162	X2	X	X	.	X	.	X	.	162
163 <i>Callistemon</i> R. Br.*	Bottle-brush	Callistemon	Zylinderputzer	163	X	.	.	.	X6	.	.	X	.	X	.	163	
164 * <i>Callistephus chinensis</i> (L.) Nees* [<i>Callistephus</i> Cass.]	China Aster	Aster, Aster de Chine, Reine-marguerite	Sommeraster	164	X	.	+	.	X5	.	.	X	.	X	.	164	
165 <i>Calluna Salisb.</i> [<i>C. vulgaris</i> (L.) Hull*]	Heather, Ling	Callune	Besenheide	165	.	.	(X)	X	.	.	.	X2	X	X	.	X	.	X	.	165
166 <i>Caltha</i> L.	Marsh Marigold, King Cup	Populage	Dotterblume	166	X1	X	X	.	X	.	X	.	166
167 * <i>Camelina sativa</i> (L.) Crantz*	Large-seeded False Flax	Caméline cultivée	Angebauter Leindotter	167	X	X	X1	X	.	167		

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
168 <i>Camellia</i> L.*	<i>Camellia</i>	<i>Camélia</i>	<i>Kamelie</i>	168	X	.	.	.	X6	.	.	X	.	X	.	168		
169 * <i>Camellia japonica</i> L.*	<i>Camellia</i>	<i>Camélia du Japon</i>	<i>Kamelie</i>	169	X2	X	.	.	+	.	.	X	.	X	.	169		
170 <i>Camellia reticulata</i> Lindl., <i>C. saluenensis</i> Staf ex Bean, <i>C. saluenensis</i> Staf ex Bean X <i>C.</i> <i>reticulata</i> Lindl., <i>C. sasanqua</i> Thunb.*, <i>C. X williamsii</i> W.W. Sm.	<i>Camellia</i>	<i>Camélia</i>	<i>Kamelie</i>	170	X2	X	.	.	+	.	.	X	.	X	.	170		
171 <i>Campanula</i> L.*	<i>Campanula,</i> <i>Bell Flower</i>	<i>Campanule</i>	<i>Glockenblume</i>	171	X1	X	.	.	.	X5	.	.	X	.	X	.	171	
172 <i>Campsis</i> Lour.* (<i>Tecomia</i>)	<i>Trumpet Flower</i>	<i>Bignonia,</i> <i>Jasmin de Virginie</i>	<i>Trompetenblume,</i> <i>Trompetenwinde</i>	172	X2	X	X	.	X	.	172		
173 <i>Canna</i> L.	<i>Canna</i>	<i>Canna, Balisier</i>	<i>Blumenrohr</i>	173	X	.	.	.	X5	.	.	X	.	X	.	173		
174 * <i>Cannabis sativa</i> L.*	<i>Hemp</i>	<i>Chanvre</i>	<i>Hanf</i>	174	.	.	.	X	.	.	X	.	.	X1	.	.	X	X1	X	.	174			
175 <i>Capsicum</i> spec.	<i>Sweet Pepper</i>	<i>Poivron, Piment</i>	<i>Paprika</i>	175	X	X	.	X	X	175			
176 * <i>Capsicum annuum</i> L.	<i>Sweet Pepper,</i> <i>Capsicum, Chili</i>	<i>Poivron, Piment</i>	<i>Paprika</i>	176	X	.	.	X	.	.	X	.	X	X	X2	.	X	X	X2	X	+	176		
177 <i>Caragana</i> Fabr.	<i>Pea Shrub, Pea Tree</i>	<i>Caragana</i>	<i>Erbsenstrauch</i>	177	X2	X	X	.	X	.	177		
178 * <i>Carica papaya</i> L.*	<i>Pawpaw</i>	<i>Papayer, Arbre à melon</i>	<i>Melonenbaum, Papaya</i>	178	X	.	X	.	.	.	X	.	X	X	178			
179 <i>Carica pentagona</i> Heilborn	<i>Babaco</i>	-	-	179	X	.	.	(X)	.	.	X	.	X	.	179			
180 <i>Carpinus</i> L.*	<i>Hornbeam</i>	<i>Charme</i>	<i>Hainbuche</i>	180	X2	X	X	.	X	.	180			
181 * <i>Carthamus tinctorius</i> L.	<i>Safflower</i>	<i>Carthame, Safran bâtarde</i>	<i>Saflor, Färberdistel</i>	181	X	.	X	.	X1	.	.	X	.	X	.	181		
182 * <i>Carum carvi</i> L.	<i>Caraway</i>	<i>Carvi, Cumin des prés</i>	<i>Kümmel</i>	182	X	.	.	X	.	X	.	.	X1	X	.	X	.	182		
183 <i>Carya illinoiensis</i> (Wangenh.) C. Koch*	<i>Pecan Nut</i>	<i>Pacanier</i>	<i>Pekan, Pekannuss</i>	183	X	.	X	.	.	.	X	.	X	X	183			
184 <i>Caryopteris</i> Bunge	<i>Caryopteris</i>	<i>Caryopteris</i>	<i>Bartblume</i>	184	X2	X	X	.	X	.	184			
185 <i>Caryopteris incana</i> (Thunb. ex Houtt.) Miq.*	<i>Blue Spirea,</i> <i>Blue Beard</i>	<i>Caryopteris,</i> <i>Barbe bleue</i>	<i>Blaubart</i>	185	+	X	.	.	.	X5	.	X	.	X	.	185		
186 <i>Cassiope</i> D. Don*	<i>Cassiope</i>	<i>Cassiope</i>	<i>Schuppenheide</i>	186	X2	X	X	.	X	.	186			
187 <i>Castanea</i> Mill.*	<i>Chestnut</i>	<i>Châtaignier</i>	<i>Kastanie</i>	187	X	X2	X	.	.	X3	.	X	.	X	.	187			
188 * <i>Castanea sativa</i> Mill.*	<i>Chestnut</i>	<i>Châtaignier</i>	<i>Kastanie</i>	188	+	+	X	.	.	X	+	.	X	.	X	.	188		
189 <i>Catalpa v. Wolf</i>	<i>Indian Bean</i>	<i>Catalpa, Bois trompette</i>	<i>Trompetenbaum</i>	189	X2	X	X	.	X	.	189			
190 <i>Catananche</i> L.	<i>Cupid's Dart</i>	<i>Catananche</i>	<i>Rasselblume</i>	190	X1	X	X	.	X	.	190			
191 * <i>Catharanthus roseus</i> (L.) G. Don*	<i>Vinca</i>	<i>Catharanthus</i>	<i>Catharanthus</i>	191	X	.	X	.	.	.	X	.	X	.	191			
192 <i>Cattleya</i> Lindl.*	<i>Cattleya</i>	<i>Cattleya</i>	<i>Cattleya</i>	192	+	.	.	+	.	.	+	.	X	.	+	(+)	X5	.	+	X	.	X	.	192
193 <i>Ceanothus</i> L.*	<i>Ceanothus</i>	<i>Ceanothe</i>	<i>Säckelblume</i>	193	X2	X	X	.	X	.	193			

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
194 <i>Celosia L.</i>	Cockscomb	Célosie, Crête de coq	Hahnenkamm, Federbusch-Celosie	194	X	.	.	.	X5	.	.	X	.	X	.	194	
195 * <i>Cenchrus ciliaris L.*</i>	Blue Buffalo Grass	Cenchrus cilié	Büffelgras	195	X	X	.	X	X	.	195	
196 <i>Centaurea L.*</i>	Cornflower, Blue Bottle	Centauree	Flockenblume	196	X1	X	.	.	X5	.	.	X	.	X	.	196	
197 <i>Ceratostigma Bunge (excl. C. plumbaginoides Bunge)</i>	Hardy Plumbago	Dentelaire	Bleiwurz	197	X2	X	X	.	X	.	197	
198 <i>Ceratostigma plumbaginoides Bunge*</i>	Hardy Plumbago	Dentelaire	Bleiwurz	198	X1	X	X	.	X	.	198	
199 <i>Cercidiphyllum Sieb. et Zucc.</i>	Katsura Tree	Katsura	Katsurabaum	199	X2	X	X	.	X	.	199	
200 <i>Cercis L.</i>	Judas Tree	Gainier, Arbre de Judée	Judasbaum	200	X2	X	X	.	X	.	200	
201 <i>Chaenomeles Lindl.* (Cydonia)</i>	Flowering Quince	Cognassier du Japon	Japanische Quitte	201	X2	X	.	.	X6	.	.	X	.	X	.	201	
202 <i>Chamaecyparis Spach*</i>	Chamaecyparis	Chamaecyparis	Scheinzypresse	202	.	.	.	(X)	X	X	.	.	+	X	X	.	X	.	202	
203 * <i>Chamaecyparis obtusa (Sieb. et Zucc.) Hinoki Cypress</i> Sieb. et Zucc. ex Endl.*	Cypress japonais	-	-	203	.	.	.	(+)	+	+	.	.	+	X	.	.	X6	.	.	X	.	X	.	203
204 * <i>Cheiranthus cheiri L.*</i>	Wallflower	Giroflée des murailles	Goldlack	204	X	.	.	.	X5	.	.	X	.	X	.	204	
205 <i>Chimonanthus Lindl.* [Meratia]</i>	Winter Sweet, Japanese Allspice	Chimonanthe	Winterblüte	205	X2	X	.	.	X6	.	.	X	.	X	.	205	
206 <i>Chloranthus glaber Mak.</i>	Chloranthus	Chloranthus	Chloranthus, Pflaumenpfeffer	206	X	.	.	.	X6	.	.	X	.	X	.	206	
207 * <i>Chloris gayana Kunth</i>	Rhodesgrass	Herbe de Rhodes	Rhodes-gras	207	X	.	.	.	X4	.	.	X	.	X	.	207	
208 <i>Choisya H.B.K.</i>	Mexican Orange	Oranger du Mexique	Orangenblume	208	X2	X	X	.	X	.	208	
209 <i>Chrysanthemum L.*</i>	Chrysanthemums, Daisies	Chrysanthèmes, Marguerites	Chrysanthemen, Margueriten	209	X	.	.	X	.	.	X	X	X4	X	.	209	
210 <i>Chrysanthemum L. partim [C.-Indicum-Hybrid; C. morifolium Ramat.*]</i>	Chrysanthemum	Chrysanthème	Chrysanthème	210	X	.	X	X	X	.	X	X*	X	.	X	+	X5	.	+	X	+	X	X	210
211 <i>Chrysanthemum cinerariaefolium Bocq.*</i>	Dalmatian Pyrethrum	Pyréthre de Dalmatie	Dalmatinische Insektenblume	211	X	.	.	+	X1	.	+	X	+	X	.	211	
212 <i>Chrysanthemum coccineum Willd.*</i>	Pyrethrum	Pyréthre	Kaukasische Insektenblume	212	X1	X	.	.	+	.	.	+	X	+	X	.	212
213 * <i>Chrysanthemum coronarium L.*</i>	Garland Chrysanthemum	Chrysanthème des jardins, Chrysanthème couronné	-	213	X	.	.	+	X2	.	+	X	+	X	.	213	
214 <i>Chrysanthemum frutescens L.</i>	Marguerite, Paris Daisy	Marguerite	Strauchmargerite	214	.	.	.	X	.	.	.	X	.	.	+	X5	.	+	X	+	X	.	214	
215 <i>Chrysanthemum leucanthemum L.*</i>	Oxeye Daisy	Marguerite	Wiesenmargerite	215	X	.	.	+	X5	.	.	X	.	X	.	215	
216 <i>Chrysanthemum maximum Ram.*</i>	Shasta Daisy	Grande marguerite	-	216	X1	X	.	.	+	X5	.	+	X	+	X	.	216
217 * <i>Cicer arietinum L.</i>	Chick-pea	Pois chiche	Kichererbse	217	X	.	X	X	.	X	.	217	
218 * <i>Cichorium endivia L.</i>	Endive	Chicorée frisée, Scarole	Winterendivie	218	X	.	X	X	.	X	.	X	.	X	.	X	.	X	X	.	X	.	218	

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>		BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA	
219 * <i>Cichorium intybus</i> L.	Chicory	Chicorée, Endive	Wurzelzichorie, Salatzichorie	219	.	.	.	X	X	.	(X)	.	X	.	.	X	.	X	X	.	X	.	219	
220 * <i>Cichorium intybus</i> L. var. <i>foliosum</i> Hegi	[Salad] Chicory	Chicorée amère	Salatzichorie	220	.	.	.	(X)	+	+	.	.	X	.	.	+	.	.	+	X	.	X	.	220
221 <i>Cimicifuga Wernischek*</i>	Bugwort, Bugbane	Cimicaire, Cimifuge	Silberkerze, Wanzenkraut	221	X1	X	X	.	X	.	221	
222 <i>Cinnamomum camphora</i> (L.) Sieb. var. <i>glaucescens</i> Kamikoti*	Camphor Tree, Camphor Laurel	Camphrier, Laurier du Japon	Kampferbaum	222	X	.	.	.	X1	.	.	X	.	X	.	222
223 <i>Cirsium Mill. emend. Scop.*</i>	Cirsium, Plumed Thistle	Cirse, Chardon plumeux	Kratzdistel	223	X	.	.	.	X5	.	.	X	.	X	.	223
224 <i>Cistus L.*</i>	Rock Rose	Ciste	Zistrose	224	X2	X	X	.	X	.	224
225 * <i>Citrullus lanatus</i> (Thunb.) Matsum. et Nakai*	Watermelon	Pastèque	Wassermelone	225	X	.	X	.	X2	.	.	X	.	X	X	225
226 <i>Citrus L.*</i>	Citrus	Agrumes	Zitrus	226	X	.	X	.	X3	.	.	X	.	X	X*	226
227 * <i>Citrus limon</i> (L.) Burm. f.*	Lemon	Citronnier	Zitrone, Limone, Sauerzitrone	227	X	.	X	.	+	X	+	.	.	X	.	X	+	227
228 * <i>Citrus X paradisi</i> Macfad.*	Grapefruit	Pomélo	Grapefruit	228	X	.	.	X	.	+	X	+	.	.	X	.	X	+	228
229 * <i>Citrus reticulata</i> Blanco*	Mandarine	Mandarinier	Mandarine	229	X	.	.	X	.	+	X	+	.	.	X	.	X	+	229
230 <i>Citrus reticulata</i> Blanco X <i>C. X paradisi</i> Macfad.	Tangelo	Tangélo	Tangelo	230	X	.	+	X	+	.	.	X	.	X	+	230	
231 <i>Citrus reticulata</i> Blanco X <i>C. sinensis</i> (L.) Osbeck	Tangor	Tangor	Tangor	231	X	.	+	X	+	.	.	X	.	X	+	231	
232 * <i>Citrus sinensis</i> (L.) Pers.*	Orange	Oranger	Apfelsine, Orange	232	X	.	.	X	.	+	X	+	.	X	.	X	+	232	
233 <i>Clematis L.*</i>	Clematis	Clématite	Waldrebe	233	+	X	.	.	X5	.	.	X	.	X	.	233	
234 <i>Clematis L. (excl. C. heracleifolia</i> DC.)	Clematis	Clématite	Waldrebe	234	X2	X	.	.	+	.	.	X	.	X	.	234	
235 <i>Clematis heracleifolia</i> DC.*	-	-	-	235	X1	X	.	.	+	.	.	X	.	X	.	235	
236 <i>Cleome L.*</i>	Spider Flower	Cléome, Fleur araignée	Cleome, Spinnenpflanze	236	X	.	.	X	.	.	X5	.	.	X	.	X	.	236
237 <i>Clethra acuminata</i> Michx.	White Alder	-	-	237	X2	X	X	.	X	.	237		
238 <i>Clethra alnifolia</i> L.*	Sweet Pepper Bush	-	-	238	X2	X	X	.	X	.	238		
239 <i>Clethra barbinervis</i> Sieb. et Zucc.* <i>C. fargesii</i> Franch., <i>C. tomentosa</i> Lam.*	-	-	-	239	X2	X	X	.	X	.	239		
240 <i>Clivia Lindl.*</i>	Clivia, Kaffir-lily	Clivia	Klivie, Riemenblatt	240	X	.	.	.	X5	.	.	X	.	X	.	240	
241 <i>Codiaeum variegatum</i> (L.) A. Juss.* [<i>Codiaeum</i> A. Juss.]	Croton	Croton	Wunderstrauch, Croton	241	X	.	.	X	X6	.	.	X	.	X	.	241	
242 * <i>Coffea arabica</i> L.	Coffee	Caféier	Kaffee	242	X	X	.	X	X	242	
243 <i>Coix ma-yuen</i> Roman.	Coix	Coix	Coix	243	X	.	.	.	X1	.	.	X	.	X	.	243		
244 <i>Colchicum</i> L.*	Autumn-crocus	Colchique	Zeitlose	244	X	.	.	.	X5	.	.	X	.	X	.	244	

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA	
245 Coleus Lour.*	Coleus, Flame Nettle	Coléus	Coleus, Buntnessel	245	X	.	.	.	X5	.	X	.	X	.	245	
246 Colocasia Schott*	Taro	Taro	Taro	246	X	.	.	.	X2	.	(+)	X	.	X	.	246
247 Coniferae (Coniferales)	Conifers	Conifères	Nadelhölzer	247	X	X	X	.	X	.	247	
248 Convallaria L.* [C. majalis L.]	Lily of the Valley Muguet		Maiblume, Maioglöckchen	248	X1	X	.	.	X5	.	X	.	X	.	248	
249 Coptis japonica Mak.	Goldthread	Coptis	Goldfaden	249	X	.	.	.	X1	.	X	.	X	.	249	
250 Cordyline Comm. ex Juss.*	Cordyline	Cordyline	Cordyline, Keulenlilie, Keulenbaum	250	X	.	.	.	X6	.	X	.	X	.	250	
251 Coreopsis L.*	Tickseed	Coréopsis	Mädchenauge	251	X1	X	.	.	X5	.	X	.	X	.	251	
252 Cornus L.*	Dogwood, Cornel	Cornouiller	Hartriegel	252	X	.	.	.	X6	.	X	.	X	.	252	
253 Cornus alba L.*	Dogwood, Red Barked Dogwood	Cornouiller blanc	Weisser Hartriegel	253	X2	X	.	.	+	.	X	.	X	.	253	
254 Cornus controversa Hemsl.*	-	Cornouiller	-	254	X2	X	.	.	+	.	X	.	X	.	254	
255 Cornus florida L.*	Flowering Dogwood	Cornouiller à fleur	Blumenhartriegel	255	X2	X	.	.	+	.	X	.	X	.	255	
256 Cornus kousa (Buerger ex Miq.) Hance*	-	Cornouiller	-	256	X2	X	.	.	+	.	X	.	X	.	256	
257 *Cornus mas L.*	Cornelian Cherry	Cornouiller mâle	Kornelkirsche, Dirlitze	257	X2	X	.	.	+	.	X	.	X	.	257	
258 Cornus nuttallii Audub.*	-	Cornouiller	-	258	X2	X	.	.	+	.	X	.	X	.	258	
259 Cortaderia Stapf*	Pampas Grass	Gynérium, Herbe de Pampasgras la pampa, Gynéron		259	X1	X	.	.	+	.	X	.	X	.	259	
260 Corylopsis Sieb. et Zucc.	Corylopsis, Winter Hazel	Corylopsis	Scheinhasel	260	X2	X	.	.	X6	.	X	.	X	.	260	
261 *Corylus avellana L.	Hazelnut, Filbert	Noisetier, Coudrier	Haselnuss	261	X	.	X	X	.	X	.	261	
262 Cosmos Cav.*	Cosmos	Cosmos	Schmuckkörbchen, Kosmee	262	X	.	.	.	X5	.	X	.	X	.	262	
263 Cotinus Mill. (Rhus L. in part)	Smoke Tree	Arbre à perruque	Perückenstrauch	263	X2	X	X	.	X	.	263	
264 Cotoneaster (B. Ehrh.) Medik.*	Cotoneaster	Cotoneaster	Cotoneaster	264	.	.	(X)	X	.	.	.	X2	X	X	X	.	X	.	264
265 Crataegus L.*	Hawthorn	Aubépine	Weissdorn	265	X2	X	X	.	X	.	265	
266 Crocosmia Planch.*	Crocosmia	Crocosmia	Crocosmia	266	X1	X	(X)	X	.	X	.	266
267 Crocus L.	Crocus	Crocus	Krokus	267	X	.	.	.	X5	.	X	.	X	.	267		
268 Cryptanthus Otto et A. Dietr.*	Cryptanthus	Cryptanthus	Cryptanthus	268	+*	X	.	.	.	+	*	X	.	X	.	268	
269 *Cryptomeria japonica (L. f.) D. Don*	Japanese Cedar	Cryptomeria, Cèdre du Japon	Sicheltanne	269	+	X	.	.	.	X6	.	X	.	X	.	269	
270 Cryptotaenia japonica Hassk.*	Japanese Honewort	-	Kanadische Rispendolde	270	X	.	.	.	X2	.	X	.	X	.	270	
271 Cucumis L.*	Sweet Melon, Cucumber	Melon, Concombre	Melone, Gurke	271	X	X	.	X	X	.	271

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
272 * <i>Cucumis melo</i> L.	Melon	Melon	Melone	272	X	.	.	X	.	X	.	X2	.	X	X	X2	X	+	272	
273 * <i>Cucumis sativus</i> L.	Cucumber, Gherkin	Concombre, Cornichon	Gurke	273	X	.	(X)	X	X	.	.	X	.	X	X	X2	.	X	X	X2	X	+	273	
274 <i>Cucurbita</i> L.*	Pumpkin, Squash	Potiron, Giraumon, Kürbis Courge, Pâtisson, Citrouille	Potiron, Giraumon, Kürbis Courge, Pâtisson, Citrouille	274	X	.	.	.	X2	.	.	X	.	X	X	274	
275 * <i>Cucurbita maxima</i> Duch.*	Pumpkin	Potiron, Giraumon	Riesenkürbis	275	.	.	.	X	X	.	.	X	.	.	.	+	.	.	X	.	X	+	275	
276 * <i>Cucurbita pepo</i> L.*	Pumpkin, Marrow, Courgette, Vegetable Marrow	Courge, Pâtisson, Citrouille	Gartenkürbis, Delkürbis, Zucchini	276	.	.	.	X	X	.	.	X	X	.	X	X	+	.	X	.	X	+	276	
277 X <i>Cupressocyparis</i> Dallim.*	Leyland Cypress	Cyprès de Leyland	Leyland Zypresse	277	X	+	X	X	.	X	.	277	
278 X- <i>Cupressocyparis</i> -Hybridī	-	-	-	278	X	+	X	X	.	X	.	278	
279 <i>Cupressus</i> L.	Cypress	Cyprès	Zypresse	279	X	.	.	(X)	.	.	X	.	X	.	279		
280 * <i>Cupressus arizonica</i> E. Greene*	Arizona Cypress	Cyprès de l'Arizona	Arizonazypresse	280	X	+	X	.	.	(+)	.	.	X	.	X	.	280	
281 <i>Cupressus dupreziana</i>	Duprez Cypress	Cyprès de Duprez	Duprez Zypresse	281	X	+	X	.	.	(+)	.	.	X	.	X	.	281	
282 * <i>Cupressus sempervirens</i> L.*	Mediterranean Cypress	Cyprès de Provence	Echte Zypresse	282	X	+	X	.	.	(+)	.	.	X	.	X	.	282	
283 <i>Curtonus</i> N.E. Br.*	Curtonus	Curtonus	Curtonus	283	X1	X	X	.	X	.	283		
284 <i>Cyclamen</i> L.	Cyclamen	Cyclamen	Alpenveilchen	284	.	.	(X)	.	.	.	X	.	.	.	X5	.	X	X	.	X	.	284		
285 * <i>Cyclamen persicum</i> Mill.*	Ivy-leaved Cyclamen, Persian Cyclamen	Cyclamen de Perse	Alpenveilchen	285	.	.	(+)	.	.	.	X	.	.	X	+	.	+	X	.	X	.	285		
286 <i>Cydonia</i> Mill. [<i>C. oblonga</i> Mill.]	Quince	Cognassier	Quitte	286	X	.	(X)	X	X1	.	X	.	X	.	.	X3	.	X	.	X	X	286		
287 <i>Cydonia</i> (<i>Chaenomeles</i> Lindl.)	Flowering Quince	Cognassier du Japon	Japanische Quitte	287	X2	X	.	.	X6	.	X	.	X	.	X	.	287	
288 <i>Cymbidium</i> Sw.*	Cymbidium	Cymbidium	Cymbidie	288	+	.	+	+	.	.	+	X	X	.	+	(+)	X5	.	+	X	.	X	.	288
289 <i>Cynara</i> L.	Globe Artichoke, Cardoon	Artichaut, Cardon	Artischocke, Kardone	289	X	.	X	.	.	.	X	.	X	.	X	.	289	
290 * <i>Cynara scolymus</i> L.	Globe Artichoke	Artichaut	Artischocke	290	X	.	+	X	.	.	.	X	.	X	.	X	.	290
291 * <i>Cynosurus cristatus</i> L.	Crested Dog's-tail	Crételle	Kammgras	291	X	.	.	X	X	.	.	X	X	X	X1	X	.	291		
292 <i>Cyperus monophyllus</i> Vahl	Cyperus	Souchet	Zypergras	292	X	.	.	X1	.	X	.	X	.	X	.	292		
293 <i>Cyphomandra betacea</i> (Cav.) Sendtn.*	Tamarillo, Tree Tomato	Tomate en arbre	Baumtomate	293	X	.	.	(X)	.	.	X	.	X	.	X	.	293	
294 <i>Cyrtanthus</i> L. f.*	Ifafa Lily	Cyrtanthus	Cyrtanthus	294	X	.	.	.	X5	.	X	.	X	.	X	.	294	
295 <i>Cytisus</i> L.*	Broom	Genêt	Geissklee	295	X	.	.	X6	.	X	.	X	.	X	.	295		
296 <i>Cytisus</i> L. (excl. <i>C. canariensis</i> Steud., <i>C. fragrans</i> Lam.*)	Broom	Genêt	Geissklee	296	X2	X	.	.	+	.	X	.	X	.	X	.	296	
297 <i>Daboecia</i> D. Don*	Saint Dabeoc's Heath	Daboécie	Irische Heide	297	X2	X	X	.	X	.	X	.	297	

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
298 * <i>Dactylis glomerata</i> L.	Cocksfoot, Orchard Grass	Dactyle	Knaulgras	298	X	.	X	X	X	.	X	X	X	.	X4	.	X	X	X1	X	X	298		
299 <i>Dahlia</i> Cav.*	Dahlia	Dahlia	Dahlie	299	.	.	.	X	.	.	X	X	.	.	X5	.	X	X	.	X	.	299		
300 <i>Daphne</i> L.*	Daphne	Daphné	Seidelbast	300	X2	X	X	.	X	.	X	.	300	
301 * <i>Daphne odora</i> Thunb.* ex Murray	Winter Daphne	Daphné odorant	Duftender Seidelbast	301	+	X	.	.	X6	.	X	.	X	.	X	.	301	
302 * <i>Daucus carota</i> L.	Carrot	Carotte	Möhre	302	X	.	X	X	X	.	.	X	.	X	X2	.	X	X	X2	X	X	302		
303 <i>Delphinium</i> L.*	Delphinium, Larkspur	Pied d'alouette	Rittersporn	303	X	.	.	X5	.	(X)	X	.	X	.	303		
304 <i>Delphinium</i> L. partim	Perennial <i>Delphinium</i>	Pied d'alouette vivace	Ausdauernder Rittersporn	304	.	.	(X)	.	.	.	X	X	.	.	+	.	(+)	X	.	X	.	304		
305 <i>Dendrobium</i> Sw.*	Dendrobium	Dendrobium	Dendrobium, Baumwucherer	305	+	.	.	+	.	.	+	.	X	.	+	(+)	X5	.	+	X	.	X	.	305
306 <i>Deutzia</i> Thunb.	Deutzia	Deutzia	Deutzie	306	X2	X	.	.	X6	.	.	X	.	X	.	X	.	306
307 <i>Dianthus</i> L.*	Carnation, Pink, Sweet William	Oeillet	Nelke	307	.	.	X*	.	.	.	X	.	X	.	X5	.	X	X	.	X	.	X	.	307
308 <i>Dianthus</i> L. (excl. * <i>D. barbatus</i> L.)	Carnation, Pink, Border Carnation (excl. Sweet William)	Oeillet (sauf Oeillet de poète)	Nelke (ausser Bartnelke)	308	.	.	+	*	.	.	X	X	.	+	+	.	+	X	.	X	.	X	.	308
309 * <i>Dianthus caryophyllus</i> L. [<i>Dianthus</i> L. Carnation partim; <i>D.-Caryophyllus</i> -Hybrid]	Oeillet	Nelke	Nelke	309	X	.	+	*	X	X	X	X	+	X	.	+	X	+	.	+	X	X	X	309
310 <i>Dicentra</i> Borkh. emend. Bernh.*	Bleeding Heart, Dutchman's Breeches	Dicentra, Dielytra, Coeur de Marie	Tränendes Herz, Flammendes Herz	310	X1	X	X	.	X	.	X	.	310
311 <i>Dieffenbachia</i> Schott*	Dieffenbachia, Tuft Root, Dumb Bane	Dieffenbachia	Dieffenbachia	311	X	.	X	.	X	.	X	.	.	(+)	X	.	X	.	311	
312 <i>Diervilla</i> Mill.* (<i>Weigela</i> Thunb.)	Diervilla	Weigela	Weigelie	312	X	X2	X	.	.	.	X6	.	.	X	.	X	.	312	
313 <i>Digitalis</i> L.*	Foxglove	Digitale	Fingerhut	313	X	.	.	.	X5	.	.	X	.	X	.	X	.	313
314 <i>Dioscorea</i> L.*	Yam	Ignane	Yamswurzel	314	X	.	.	.	X2	.	.	X	.	X	.	X	.	314
315 <i>Diospyros</i> L. [<i>D. kaki</i> L. f.]	Japanese Persimmon, Kaki	Plaqueminier, Kaki	Kakipflaume	315	X	.	X	.	X3	.	X	.	X	.	X	.	315	
316 <i>Doronicum</i> L.*	Leopard's Bane	Doronic	Gemswurz	316	X1	X	X	.	X	.	X	.	316	
317 <i>Dracaena</i> Vand. ex L.*	Dragon Tree, Dracena	Dragonnier, Dracaena	Drachenbaum	317	X	.	.	X	X6	.	X	.	X	.	X	.	317	
318 <i>Duboisia</i> Leichardtii F. Moell.	Duboisia	Duboisia	Dubosie	318	X	.	X	.	.	.	X	.	X	.	X	.	318	
319 <i>Echinochloa</i> utilis Ohwi et Yabuno	Echinochloa	Echinochloa	Hühnerhirse	319	X	.	.	.	X1	.	.	X	.	X	.	X	.	319
320 <i>Echinops</i> L.	Globe Thistle	Echinops	Kugeldistel	320	X1	X	X	.	X	.	X	.	320	
321 <i>Elaeagnus</i> L.	Elaeagnus	Chalef	Oelweide	321	X2	X	X	.	X	.	X	.	321	
322 <i>Embothrium</i> J.R. et G. Forst.	Chilean Fire Bush	Embothrium	Embothrium, Prachtstrauch	322	X2	X	X	.	X	.	X	.	322	

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

	<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
323	<i>Emilia Cass.*</i>	<i>Emilia, Tassel Flower</i>	Cacalie	Emilia	323	X	.	.	.	X5	.	.	X	.	X	.	323	
324	<i>Enkianthus Lour.*</i>	<i>Enkianthus</i>	Enkianthus	Prachtglocke	324	X2	X	.	.	.	X6	.	.	X	.	X	.	324
325	<i>Epidendrum L. 1763, non 1753*</i>	<i>Epidendrum, Tree Orchid</i>	Epidendrum, Orchidée coque	Epidendrum, Baumwurzler	325	+	.	.	+	.	.	+	.	X	.	+	(+)	X5	.	+	X	.	X	.	325
326	<i>Epiphyllopsis Berger*</i>	<i>Easter Cactus</i>	Cactus de Pâques	Osterkaktus	326	X*	.	.	+*	+*	.	.	X*	X	X*	X	.	X	.	326	
327	* <i>Eragrostis curvula</i> (Schrad.) Nees*	Weeping Lovegrass	Eragrostis courb�	Behaartes Liebegras	327	X	X	.	X	X	X	327	
328	<i>Erica L.</i>	Heath	Bruy�re	Glockenheide	328	.	.	.	X	.	.	.	X	X6	.	.	X	.	X	.	328
329	<i>Erica arborea L.</i>	Tree Heath	Bruy�re arborescente	Baumheide	329	.	.	.	+	.	.	.	X2	X	.	.	+	.	.	X	.	X	.	329	
330	<i>Erica australis L.</i>	Spanish Heath	Bruy�re	-	330	.	.	.	+	.	.	.	X2	X	.	.	+	.	.	X	.	X	.	330	
331	<i>Erica carnea L.*</i>	Spring Heath	Bruy�re d'hiver, Bruy�re des neiges	Schneeheide	331	.	.	.	+	.	.	.	X2	X	.	.	+	.	.	X	.	X	.	331	
332	<i>Erica ciliaris L.*</i>	Dorset Heath	Bruy�re cili�e	-	332	.	.	.	+	.	.	.	X2	X	.	.	+	.	.	X	.	X	.	332	
333	<i>Erica cinerea L.</i>	Bell Heather, Scotch or Grey Heath	Bruy�re cendr�e	Graue Heide	333	.	.	.	+	.	.	.	X2	X	.	.	+	.	.	X	.	X	.	333	
334	<i>Erica X darleyensis Bean*</i>	-	Bruy�re	-	334	.	.	.	+	.	.	.	X2	X	.	.	+	.	.	X	.	X	.	334	
335	<i>Erica gracilis Salisb.</i>	Heath	Bruy�re	Erika	335	.	.	.	(X) +	.	.	.	X	.	.	+	.	.	X	.	X	.	335		
336	<i>Erica lusitanica Rud.*, E. mackiana Bab.*, E. X praegeri Ostenf., E. terminalis Salisb.*, E. X veitchii Bean*, E. X watsonii Benth.*, E. X williamsii Druce*</i>	-	Bruy�re	-	336	.	.	.	+	.	.	.	X2	X	.	.	+	.	.	X	.	X	.	336	
337	<i>E. mediterranea hort.*</i>	Biscay Heath	Bruy�re de la M�diterran�e	Mittelmeerheide	337	.	.	.	+	.	.	.	X2	X	.	.	+	.	.	X	.	X	.	337	
338	<i>Erica scoparia L.</i>	Besom Heath	Bruy�re � balai	-	338	.	.	.	+	.	.	.	X2	X	.	.	+	.	.	X	.	X	.	338	
339	<i>Erica tetralix L.</i>	Cross-leaved Heath	Bruy�re � quatre angles	Moorheide	339	.	.	.	+	.	.	.	X2	X	.	.	+	.	.	X	.	X	.	339	
340	<i>Erica vagans L.</i>	Cornish Heath	Bruy�re vagabonde	-	340	.	.	.	+	.	.	.	X2	X	.	.	+	.	.	X	.	X	.	340	
341	<i>Erigeron L.*</i>	Flea-bane	Erig�ron, Vergerette	Berufskraut, Feinstrahl	341	X1	X	X	.	X	.	341	
342	<i>Eriobotrya Lindl. [E. japonica (Thunb.) Lindl.*]</i>	Loquat	N�eflier du Japon	Japanische Mispel, Loquate	342	X	.	X	.	X3	.	.	X	.	X	.	342	
343	<i>Eryngium L.</i>	Eryngo	Panicaut	Edeldistel, Mannstreu	343	X1	X	X	X	.	X	.	343	
344	<i>Escallonia Mutis ex L. f.</i>	Escallonia	Escallonia	Escallonia	344	X2	X	X	.	X	.	344		
345	* <i>Eschscholzia californica</i> Cham.	California Poppy	Eschscholtzie de Californie, Pavot de Californie	Schlafm�tzchen, Kappenm�hn	345	X	.	.	.	X5	.	.	X	.	X	.	345	
346	<i>Eucalyptus L'H�r.</i>	Eucalyptus	Eucalyptus	Eukalyptus	346	X2	X	X	.	X	.	346		

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

Latine	English	Français	Deutsch	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA			
347 <i>Eucryphia cordifolia</i> Cav., <i>E. glutinosa</i> (Poepp. et Endl.) Baill.*, <i>E. X intermedia</i> Bausch*, <i>E. X nymansensis</i> Bausch*	-	-	-	347	X2	X	X	.	X	.	347				
348 <i>Euonymus</i> L.	Spindle Tree	Fusain	Pfaffenhütchen, Spindelstrauch	348	X2	X	X	X	.	X	.	348			
349 <i>Euonymus japonicus</i> L. f.	Evergreen Spindle-tree	Fusain du Japon	Japanischer Spindelstrauch	349	+	X	.	.	.	X6	.	+	X	.	X	.	349		
350 <i>Euphorbia</i> L. partim*	Spurges	Euphorbe	Wolfsmilch	350	X1	X	X	.	X	.	X	.	350		
351 <i>Euphorbia fulgens</i> Karw.*	<i>Euphorbia fulgens</i>	<i>Euphorbia fulgens</i>	Korallenranke	351	X	.	.	X	X	.	X	.	X	.	(X)	.	.	X	X	.	X	.	351		
352 <i>Euphorbia lathyris</i> L.	Caper Spurge	Euphorbe épurge	Kreuzblättrige Wolfsmilch	352	.	.	.	X	.	.	+	X	X	.	X	.	X	.	352	
353 <i>Euphorbia-Milii-Hybridi</i> [<i>E. milii</i> Desmoulins*]	Christ's Thorn, Crown of Thorns	Epine du Christ	Christusdorn	353	X	.	(X)	X	X	.	(X)	.	X	.	.	(X)	X5	.	(X)	X	.	X	.	353	
354 <i>Euphorbia pulcherrima</i> Willd. ex Klotzsch*	Poinsettia	Poinsettia	Poinsettie, Weihnachtsstern	354	X	.	X	X	X	.	X	X	X	.	X	X	X6	.	X	X	X4	X	X	354	
355 <i>Eustoma grandiflora</i> (Ret.) Shinners	-	-	-	355	X	.	.	(X)	.	.	X	.	X	.	X	.	355		
356 <i>Eustoma russellianum</i> (Hook.) G. Don*	Prairie Gentian	-	-	356	X	.	.	.	X5	.	.	X	.	X	.	X	.	356	
357 <i>Exacum</i> L.	Exacum	Exacum	Blaues Lieschen	357	.	.	(X)	.	X	.	.	X	X	.	X	.	X	.	357	
358 <i>Exochorda</i> Lindl.*	Pearlbush	Exochorda	Perlbusch, Prunkspiere	358	X2	X	X	.	X	.	X	.	358	
359 * <i>Fagopyrum esculentum</i> Mönch*	Buckwheat	Sarrasin, Blé noir	Buchweizen	359	.	.	.	X	.	.	.	X	.	.	.	X1	.	.	X	.	X	.	359		
360 <i>Fagus</i> L.*	Beech	Hêtre	Buche	360	X2	X	X	.	X	.	X	.	360	
361 <i>X Fatshedera</i> Guillaum.*	Fatshedera	Fatshedera	Bastardaralie	361	X2	X	X	.	X	.	X	.	361	
362 <i>Feijoa sellowiana</i> Berg*	Feijoa	Feijoa	Feijoa	362	X	.	.	(X)	X3	.	.	X	.	X	.	X	.	362	
363 <i>Festuca</i> L.*	Fescue	Fétuque	Schwingel	363	.	.	.	X	X	.	.	X	X	X1	X	.	X	.	363	
364 * <i>Festuca arundinacea</i> Schreb.*	Tall Fescue	Fétuque élevée	Rohrschwingel	364	.	.	.	+	+	.	(X)	X	X	.	.	.	X4	.	X	X	+	X	.	364	
365 * <i>Festuca ovina</i> L. sensu lato*	Hard Fescue, Sheep's Fescue	Fétuque durette, Fétuque ovine, Fétuque des moutons, Poil de chien	Schafschwingel	365	X	.	+	+	+	.	X	X	X	+	X	.	X	.	365	
366 * <i>Festuca pratensis</i> Huds.*	Meadow Fescue	Fétuque des prés	Wiesenschwingel	366	X	.	X	+	+	.	X	X	.	.	.	X4	.	X	X	+	X	.	366		
367 * <i>Festuca rubra</i> L.*	Red Fescue, Creeping Fescue	Fétuque rouge	Rotschwingel	367	X	.	.	+	+	.	X	X	X	.	.	X4	.	X	X	+	X	.	367		
368 * <i>Ficus benjamina</i> L*	-	-	-	368	X	(X)	X	.	X	.	X	.	368		
369 <i>Ficus carica</i> L.	Fig	Figuier	Echte Feige	369	X	.	.	X	X3	.	.	X	.	X	.	X	.	369	
370 * <i>Ficus elastica</i> Roxb.	Rubber Plant	Ficus, Caoutchouc	Gummibaum	370	X	.	.	.	X6	.	.	X	.	X	.	X	.	370	
371 <i>Flammulina velutipes</i> (Er.) Sing.	Enokitake, Velvet- footed Collybia	Velvet- footed Collybia	Patte-de-velours, Collybie à pied velouté	371	X	.	.	.	X8	.	.	.	X	.	X	.	X	.	371

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA			
372 * <i>Foeniculum vulgare</i> P. Mill.*	Fennel	Fenouil	Fenchel	372	X	.	X	.	.	(X)	.	X	.	.	X	.	X	X	.	X	.	372			
373 <i>Forsythia Vahl</i>	<i>Forsythia</i> , <i>Golden Bell</i>	<i>Forsythia</i>	<i>Forsythie</i> , <i>Goldflieder</i> , <i>Goldglöckchen</i>	373	X	X2	X	.	.	(X)	X6	.	.	X	.	X	.	373		
374 <i>Fortunella Swingle*</i>	Kumquat	Kumquat	Kumquat	374	X	.	.	.	X3	.	.	X	.	X	+	374		
375 <i>Fragaria L.</i> [F. <i>X ananassa</i> Duch.]	Strawberry	Fraisier	Erdbeere	375	X	.	X	X	X	.	X	X*	X	.	X	X	X2	.	X	X	X3	X	375		
376 <i>Fraxinus L.</i>	Ash	Frêne	Esche	376	X2	X	X	.	X	.	X	.	376	
377 * <i>Fraxinus excelsior</i> L.	Common Ash	Frêne élevé	Gemeine Esche	377	+	X	X	X	.	X	.	377		
378 <i>Freesia Eckl. ex Klatt</i> [F.-Hybridii]	Freesia	Freesia	Freesie	378	X	.	.	X	X	.	X	X	.	X	X	X5	.	X	X	.	X	X	378		
379 <i>Fuchsia L.</i>	Fuchsia	Fuchsia	Fuchsie	379	.	.	(X)	.	X	.	.	X	.	.	.	X5	.	.	X	.	X	.	379		
380 <i>Fuchsia magellanica</i> Lam.* var. <i>macrostemma</i> (Ruiz et Pav.) Munz, <i>F. magellanica</i> Lam. var. <i>'Riccartonii'</i> *	Fuchsia	Fuchsia arbustif	Fuchsie	380	.	.	(+)	.	+	.	X2	X	.	.	+	.	X	.	X	.	X	.	380		
381 <i>Gaillardia Foug.*</i>	Blanket-flower	Gaillarde	Kokardenblume	381	X1	X	.	.	.	X5	.	.	X	.	X	.	381		
382 <i>Galega L.*</i>	Goats' Rue	Galéga	Geissraute	382	X1	X	X	.	X	.	X	.	382	
383 <i>Gardenia Ellis*</i>	Gardenia	Gardénia	Gardenia	383	X	.	.	.	X6	.	.	X	.	X	.	383			
384 <i>Garrya elliptica</i> Douglas ex Lindl., G. <i>X thuretii</i> Carr.*	Silk-tassel Tree	-	Becherkätzchen	384	X2	X	X	.	X	.	X	.	384		
385 X <i>Gaulnettya W.J. Marchant*</i>	Gaulnettya	Gaulnettya	Gaulnettya	385	X2	X	X	.	X	.	X	.	385	
386 <i>Gaultheria Kalm</i> ex L.*	Wintergreen	Gaultheria	Scheinbeere	386	X2	X	X	.	X	.	X	.	386	
387 <i>Gaya (Hoheria; Plagianthus)</i>	Twinebark	Gaya	-	387	X2	X	X	.	X	.	X	.	387		
388 <i>Genista L.*</i>	Broom	Genêt	Ginster	388	X2	X	X	.	X	.	X	.	388	
389 <i>Genista monosperma</i> (L.) Lam.*	-	-	-	389	(+)	X	.	.	(X)	.	.	X	.	X	.	X	.	389	
390 <i>Gentiana L.*</i>	Gentian	Gentiane	Enzian	390	X	.	.	.	X5	.	(X)	X	.	X	.	390			
391 <i>Geranium L.*</i>	Crane's Bill	Géranium	Storzschnabel	391	X1	X	X	.	X	.	X	.	391		
392 <i>Gerbera L.</i> [<i>Gerbera Cass.</i>]	Gerbera	Gerbera	Gerbera	392	X	.	X*	X	.	.	X	X	X	.	X	X	X5	.	X	X	.	X	.	392	
393 <i>Gesneriaceae Dum.</i>	Gesneriaceae	Gesneriacées	Gesneriazseen	393	X	(X)	X	.	X	.	X	.	393	
394 <i>Geum L.*</i>	Avens	Benoïte	Nelkenwurz	394	X1	X	.	.	.	X5	.	.	X	.	X	.	394		
395 * <i>Ginkgo biloba</i> L.*	Maidenhair Tree	Ginkgo, Arbre aux quarante écus	Gingko	395	X	.	.	.	X3	.	.	X	.	X	.	X	.	395	
396 <i>Gladiolus L.*</i>	Gladiolus	Glaïeul	Gladiole	396	X	X	X	X	.	X	X	X5	.	X	X	.	X	X	396	
397 <i>Gleditsia L.</i>	Honey Locust	Gleditsia, Gleditschia, Févier	Christusdorn	397	X2	X	X	.	X	.	X	.	X	.	397
398 <i>Glehnia littoralis</i> Fr. Schmidt*	Glehnia	Glehnia	Glehnia	398	X	.	.	.	X1	.	.	X	.	X	.	X	.	398	
399 <i>Gloriosa L.*</i>	Gloriosa	Gloriosa	Gloriosa	399	X	(X)	X	.	X	.	X	.	399	
400 * <i>Glycine max</i> (L.) Merrill*	Soya Bean, Soybean Soja	Sojabohne	Sojabohne	400	.	.	(X)	X	.	X	X	.	X	.	.	X	X1	.	.	X	X1	X	X	400	

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA	
401 Godetia Spach*	Godetia	Godétie	Godetie, Atlasblume	401	X	.	.	X5	.	.	X	.	X	.	401		
402 Gomphrena globosa L.	Common Globe-amaranth	Amarantoïde violette	Kugelamarant	402	X	.	.	X5	.	.	X	.	X	.	402		
403 Gossypium L.	Cotton	Cotonnier	Baumwolle	403	X	.	X	.	.	.	X	.	X	.	403		
404 *Gossypium hirsutum L.*	Cotton	Cotonnier	Baumwolle	404	X	.	+	.	.	.	X	.	X	X	404		
405 Grifola frondosa (Fr.) S.F. Gray*	Hen of the Woods	Poule de bois	-	405	X	.	.	X8	.	.	.	X	.	405			
406 Guzmania Ruiz et Pav.*	Guzmania	Guzmania	Guzmania	406	+*	X	.	.	X5	.	+*	X	.	X	.	406		
407 Gypsophila L.*	Gyp, Gypsophila, Baby's Breath	Gypsophile	Gipskraut, Schleierkraut	407	X1	X	.	X	.	X5	.	(X)	X	.	X	.	407
408 Haemanthus L.	Haemanthus, Blood Lily	Haemanthus	Blutblume	408	X	(X)	X	.	X	.	408	
409 Halesia J. Ellis ex L.*	Snowdrop Tree, Silver-bell Tree	Halesia, Arbre aux cloches d'argent	Schneeglöckchenbaum	409	X2	X	X	.	X	.	409	
410 Hamamelis L.	Witch-hazel	Hamamélis	Zauberhassel	410	X2	X	.	.	.	X6	.	.	X	.	X	.	410
411 Hebe Comm. ex Juss.* (excl. H. speciosa (Cunn.) Cock. et Allan)	Shrubby Speedwell	Véronique	Strauchveronika	411	X2	X	X	.	X	.	411	
412 Hedera L.*	Ivy	Lierre	Efeu	412	X2	X	.	.	.	X6	.	.	X	.	X	.	412
413 Hedychium J.G. Koenig	Ginger-lily, Butterfly Lily	Hedychium	Hedychium, Kranzblume	413	X	.	.	X5	.	.	X	.	X	.	X	.	413
414 Helenium L.	Sneezeweed	Hélénium	Sonnenkraut	414	X1	X	.	.	.	X5	.	.	X	.	X	.	414
415 Helianthemum Mill.*	Sun Rose	Hélianthème	Sonnenröschen	415	X2	X	X	.	X	.	415	
416 Helianthus L.*	Sunflower	Héianthus	Sonnenblume	416	X1	X	.	.	.	X5	.	.	X	.	X	.	416
417 *Helianthus annuus L.*	Common Sunflower	Tournesol, Soleil	Sonnenblume	417	.	.	X*	X	.	X	X	.	X	.	X	X	+	.	X	X1	X	X	417
418 *Helianthus tuberosus L.	Jerusalem Artichoke	Topinambour	Topinambur	418	.	.	.	X	.	.	.	X	.	.	+	.	.	X	.	X	.	418	
419 Helichrysum Mill. corr. Pers.*	Everlasting	Immortelle	Strohblume	419	X	.	.	.	X5	.	.	X	.	X	.	419	
420 Heliopsis Pers.	Heliopsis, North American Ox-eye	Héliopsis	Sonnenauge	420	X1	X	.	.	.	X5	.	.	X	.	X	.	420
421 Helleborus L.	Hellebore, Christmas Rose, Lenten Rose	Hellebore, Rose de Noël	Nieswurz, Schneerose, Christusrose	421	X	.	.	X1	X	.	.	.	X	X	.	X	.	421	
422 Hemerocallis L.*	Day-lily	Hémérocalle	Taglilie	422	X1	X	.	.	.	X5	.	.	X	.	X	.	422
423 Heuchera L.*	Alum Root, Coral Flower	Heuchera	Purpurglöckchen	423	X1	X	X	.	X	.	423	
424 Hibiscus L.*	Rose-mallow	Hibiscus	Eibisch	424	X	.	.	.	X6	.	(X)	X	.	X	.	424	
425 *Hibiscus cannabinus L.*	Kenaf	Kénaf, Chanvre de Guinée	Ambari, Dekkan-Hanf	425	X	(+)	X	.	X	X	425		
426 Hibiscus sinosyriacus Bailey	-	Hibiscus	Eibisch	426	X2	X	.	.	.	+	.	(+)	X	.	X	.	426
427 Hibiscus syriacus L.*	Tree Mallow	Hibiscus	Roseneibisch	427	X2	X	.	.	.	+	.	(+)	X	.	X	.	427

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>		BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA	
428 <i>Hippeastrum</i> Herb.* [<i>H.-Hybridii</i>]	Amaryllis	Amaryllis	Ritterstern, Amaryllis	428	X	.	.	.	X	.	.	X	.	.	.	X5	.	X	X	.	X	.	428	
429 <i>Hoheria</i> A. Cunn. (<i>Plagianthus</i> ; <i>Gaya</i>)	Twinebark	Gaya	-	429	X2	X	X	.	X	.	429	
430 <i>Holcus</i> L.*	Yorkshire Fog	Houque, Houlque	Honiggras	430	X1	X	X	.	X	.	430	
431 * <i>Holcus lanatus</i> L.	Yorkshire Fog	Houque laineuse, Foin de mouton	Wolliges Honiggras	431	+	X	X	.	X	.	431	
432 * <i>Hordeum vulgare</i> L. sensu lato* [<i>H. vulgare</i> L.; <i>Hordeum</i> L.]	Barley	Orge	Gerste	432	X	.	X	X	X	X	X	X	X	X	X	X1	.	X	X	X1	X	X	432	
433 <i>Hosta</i> Tratt.*	Plantain Lily, Funkia, Hosta	Hémérocalle du Japon, Funkia	Funkie	433	X1	X	.	.	.	X5	.	X	.	X	.	433	
434 * <i>Humulus lupulus</i> L.	Hop	Houblon	Hopfen	434	X	.	.	X	.	.	X	X	X	.	.	.	X1	.	.	X	.	X	X	434
435 * <i>Hyacinthus orientalis</i> L.	Common Hyacinth	Jacinthe	Hyazinthe	435	X	.	.	.	X	.	.	.	X	.	.	.	X5	.	X	X	.	X	.	435
436 <i>Hydrangea</i> L.	Hydrangea	Hortensia	Hortensie	436	X	.	X	X	.	.	X	X2	X	.	.	(X)	X6	.	.	X	.	X	.	436
437 <i>Hypericum</i> L.*	Rose of Sharon, Saint John's Wort	Millepertuis	Johanniskraut	437	X2	X	.	.	.	X6	.	.	X	.	X	.	437
438 <i>Iberis</i> L.*	Candytuft	Ibéris, Thlaspi	Schleifenblume	438	X	.	.	.	X5	.	.	X	.	X	.	438	
439 <i>Ilex</i> L.*	Holly	Houx	Ilex, Stechpalme	439	.	.	.	X	.	.	.	X	.	.	.	X6	.	(X)	X	.	X	.	439	
440 <i>Ilex</i> X <i>altaclarensis</i> (Loud.) Dallim.*	Holly	Houx	Ilex, Stechpalme	440	.	.	.	+	.	.	+	X2	X	.	.	+	.	(+)	X	.	X	.	440	
441 * <i>Ilex aquifolium</i> L.	Common Holly	Houx	Ilex, Stechpalme	441	.	.	.	+	.	.	+	X2	X	.	.	+	.	(+)	X	.	X	.	441	
442 <i>Ilex-Aquifolium-Hybridii</i>	Holly	Houx	Ilex, Stechpalme	442	.	.	.	+	.	.	X	.	X	.	.	+	.	(+)	X	.	X	.	442	
443 <i>Impatiens</i> L.*	Balsam, Busy Lizzie, Touch-me-not	Balsamine, Impatiante	Springkraut, Balsamine	443	X	.	.	X	.	X	(X)	X5	.	X	X	.	X	.	443	
444 Impatiens-Neu-Guinea-Hybriden*	New Guinea Impatiens	Impatiente de Nouvelle-Guinée	Neu-Guinea-Impatiens	444	X	.	(X)	X	+	.	.	X	.	+	(+)	+	.	+	X	.	X	.	444	
445 <i>Indigofera amblyantha</i> Craib, <i>I. gerardiana</i> (Wall.) Bak.*., <i>I. hebetepetala</i> Benth. ex Bak., <i>I. incarnata</i> (Willd.) Nakai*, <i>I. kirilowii</i> Maxim. ex Palib., <i>I. potanini</i> Craib, <i>I. pseudotinctoria</i> Matsum.	Indigo	Indigo	Indigostrauch	445	X2	X	X	.	X	.	445	
446 <i>Ipomoea batatas</i> (L.) Poir.*	Sweet Potato	Patate	Süßkartoffel, Batate	446	X	.	.	.	X1	.	.	X	.	X	.	446	
447 * <i>Ipomoea tricolor</i> Cav.*	Tricolor Ipomoea	Ipomée volubilis	Prunkwinde	447	X	.	.	.	X5	.	.	X	.	X	.	447	
448 <i>Iris</i> L.*	Iris	Iris	Iris, Schwertlilie	448	X	.	.	X	.	.	X	.	X	.	X	X5	.	X	X	.	X	.	448	
449 <i>Iris</i> L. partim	Iris (excluding bulbous varieties)	Iris (sauf variétés à bulbes)	Iris (ausser zwiebelbildende Sorten)	449	+	.	.	+	.	.	+	X1	X	.	+	+	.	+	X	.	X	.	449	
450 <i>Ixia</i> L. 1762, non 1753*	African Cornlily, Ixia	Ixia	Ixia, Klebschwertel	450	X	.	.	.	(X)	X5	.	(X)	X	.	X	.	450
451 <i>Ixora</i> L.	Ixora	Ixora	Ixora	451	X	.	.	.	X6	.	.	X	.	X	.	451	
					BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA	

Latine	English	Français	Deutsch	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA			
452 <i>Jasminum beesianum</i> Forr. et Diels, J. X <i>Stephanense</i> Lemoine*	Jasmine	Jasmin	Jasmin	452	X2	X	X	.	X	.	452				
453 <i>Jasminum grandiflorum</i> L.*	Spanish Jasmine	Jasmin d'Espagne, Jasmin d'Italie	Malabarjasmin	453	X2	X	X	.	X	.	453				
454 <i>Jasminum humile</i> L.* (incl. <i>J. wallichianum</i> Lindl.)	Italian Jasmine	Jasmin	Jasmin	454	X2	X	X	.	X	.	454				
455 <i>Jasminum nudiflorum</i> Lindl.	Winter Jasmine	Jasmin d'hiver	Winterjasmin	455	X2	X	X	.	X	.	455				
456 <i>Jasminum officinale</i> L.*	Common Jasmine	Jasmin blanc, Jasmin commun	Jasmin	456	X2	X	X	.	X	.	456				
457 <i>Juglans</i> L.*	Walnut	Noyer	Walnuss	457	(X)	X	.	.	.	X3	.	X	.	X	.	457			
458 * <i>Juglans regia</i> L.*	Walnut	Noyer	Walnuss	458	(+)	X	.	.	X	+	.	X	.	X	.	458			
459 <i>Juncus decipiens</i> Nakai	Rush	Jonc	Binse	459	X	.	.	X1	.	X	.	X	.	X	.	459			
460 <i>Juniperus</i> L.*	Juniper	Genévrier	Wacholder	460	X	.	.	X	X	.	X	+	X	.	.	X6	.	X	.	X	.	460			
461 <i>Kalanchoë</i> Adans.*	Kalanchoë	Kalanchoë	Kalanchoë	461	X	.	X	X	X	.	X	.	X	.	X	X5	.	X	X	.	X	.	461		
462 <i>Kalmia</i> L.*	Calico Bush, Mountain Laurel, American Laurel	Kalmia	Kalmie, Berglorbeer, Lorbeerrose	462	X2	X	.	.	X6	.	X	.	X	.	X	.	462		
463 <i>Kerria</i> DC. [* <i>K. japonica</i> (L.) DC.]*	Jew's Mallow, <i>Kerria</i>	Corète du Japon	Kerrie, Ranunkelstrauch	463	X2	X	.	.	X6	.	X	.	X	.	X	.	463		
464 <i>Kniphofia</i> Moench*	Red Hot Poker, Torch-lily	Tritoma, Faux- aloès	Fackellilie, Tritome	464	X1	X	.	.	X5	.	X	.	X	.	X	.	464		
465 <i>Kolkwitzia</i> Graebn.	Kolkwitzia	Kolkwitzia	Kolkwitzie	465	X2	X	X	.	X	.	X	.	465		
466 <i>Laburnum</i> Fabr.*	Laburnum, Golden Chain	Cytise	Goldregen	466	X2	X	X	.	X	.	X	.	466		
467 <i>Lachenalia</i> Jacq. f. ex Murr.*	Lachenalia, Cape Cowslip	Lachenalia, Coucou du Cap	Lachenalia	467	X	.	.	.	X5	.	(X)	X	.	X	X	.	467		
468 * <i>Lactuca sativa</i> L.*	Lettuce	Laitue	Salat	468	X	.	X	X	X	X	X	X	X	X	X2	.	X	X	X2	X	X	.	468		
469 <i>Laelia</i> Lindl.*	Laelia	Laelia	Laelia	469	+	.	+	+	.	+	X	.	+	(+)	X5	.	+	X	.	X	.	X	.	469	
470 * <i>Lagenaria siceraria</i> (Mol.) Standl. var. <i>hispida</i> Hara*	Bottle Gourd, Calabash Cucumber	Courge calebasse, Calebasse du pèlerin	Flaschenkürbis, Kalebasse	470	X	.	.	.	X2	.	X	.	X	.	X	.	470		
471 <i>Lagerstroemia</i> L.	Crape Myrtle	Lagerstroemia	Lagerstroemia	471	X	.	X	.	.	X6	.	X	.	X	.	X	.	471		
472 <i>Lantana</i> L.*	Lantana	Lantana	Wandelröschchen	472	X	.	.	.	X6	.	X	.	X	.	X	.	472		
473 <i>Larix</i> Mill.	Larch	Mélèze	Lärche	473	X	.	.	X	.	.	+	X	.	+	X	.	.	X	.	X	.	X	.	473	
474 * <i>Larix kaempferi</i> (Lamb.) Carr.*	Japanese Larch	Mélèze du Japon	Japanische Lärche	474	.	.	.	+	.	.	+	X	.	.	X6	.	X	.	X	.	X	.	474		
475 * <i>Lathyrus cicera</i> L.	Dwarf Chickling Vetch	Gesse chiche, Jarrosse	Rotblühende Platterbse	475	.	.	.	X	.	.	+	X	.	+	X	.	.	X	.	X	.	X	.	475	
476 * <i>Lathyrus odoratus</i> L.	Sweet Pea	Pois de senteur, Gesse odorante	Wohlriechende Wicke	476	X	.	.	.	X5	.	X	.	X	.	X	.	476		
477 * <i>Lathyrus sativus</i> L.	Grass Pea Vine	Gesse cultivée	Gewöhnliche Platterbse	477	.	.	.	X	.	.	.	X	.	.	.	X	.	.	X	.	X	.	X	.	477

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
478 * <i>Lathyrus tingitanus</i> L.	Tangier Pea	Gesse du Maroc	Purpurblühende Platterbse	478	.	.	.	X	.	.	.	X	X	.	X	.	478		
479 * <i>Lavandula angustifolia</i> Mill.*	Lavender	Lavande vraie	Echter Lavendel	479	X	.	X	X	.	X	.	479		
480 <i>Lavandula X burnatii</i> Briq.*	Lavender	Lavandins	Lavendel	480	X	.	X	X	.	X	.	480		
481 <i>Lavandula latifolia</i> Medik.*	Lavender	Lavande spic, Aspic	Lavendel, Grosser Speik	481	X	.	X	X	.	X	.	481		
482 <i>Lavandula officinalis</i> Chaix ex Villars*	Lavender	Lavande vraie	Echter Lavendel	482	+	X2	X	X	.	X	.	482		
483 <i>Lavandula spica</i> Cav.*	Lavender	Lavande spic, Aspic	Lavendel, Grosser Speik	483	+	X2	X	X	.	X	.	483		
484 <i>Ledebouriella seselooides</i> Woll.	Ledebouriella	Ledebouriella	Ledebouriella	484	X	.	.	.	X1	.	.	X	.	X	.	484	
485 * <i>Lens culinaris</i> Medik.*	Lentil	Lentille	Linse	485	.	.	.	X	.	.	.	X	X	.	X	.	485			
486 <i>Lentinus elodes</i> (Berk.) Sing.	Shiitake	Shiitake	Korkschwamm	486	X	.	.	.	X8	.	.	.	X	.	486		
487 * <i>Lepidium sativum</i> L.*	Cress	Cresson alénois	Gartenkresse	487	X	.	.	X	X	X	.	X	.	487		
488 <i>Leptospermum</i> J.R. et G. Forst.	Leptospermum	Leptospermum	Südseemyrte	488	X	.	.	.	X6	.	(X)	X	.	X	.	488	
489 <i>Leptospermum scoparium</i> J.R. et G. Forst.*	Tea Tree, Manuka	-	Südseemyrte	489	.	.	.	X	.	.	.	X2	X	.	.	+	.	(+)	X	.	X	.	489	
490 <i>Leucadendron</i> R. Br.	Leucadendron, Protea	Leucadendron, Protea	Leucadendron, Protea	490	X	.	X	.	.	.	X	.	X	X	490		
491 <i>Leucocoryne</i> Lindl.*	Leucocoryne	Leucocoryne	Leucocoryne	491	X	(X)	X	.	X	.	491		
492 <i>Leucospermum</i> R. Br.*	Leucospermum, Protea	Leucospermum, Protea	Leucospermum, Protea	492	X	.	X	.	.	.	X	.	X	X	492		
493 <i>Leucothoë</i> D. Don*	Leucothoë	Leucothoë	Traubenheide	493	X2	X	(X)	X	.	X	.	493	
494 <i>Liatris</i> Gaertn. ex Schreb.	Liatris, Blazing Star, Gayfeather	Liatris	Prachtscharte	494	X1	X	.	X	.	X5	.	X	X	.	X	.	494
495 <i>Ligularia</i> Cass.*	Golden Ray	Ligulaire	Goldkolben	495	X1	X	X	.	X	.	495		
496 <i>Ligustrum</i> L.	Privet	Troène	Liguster	496	X2	X	X	.	X	.	496		
497 <i>Lilium</i> L.*	Lily	Lis	Lilie	497	X	.	(X)	.	.	X	X	X	.	X	X	X5	.	X	X	.	X	.	497	
498 <i>Limnanthes</i> R. Br.	Meadow Foam	Limnanthe	Sumpfblume	498	(X)	X	X	.	X	.	498		
499 <i>Limonium</i> Mill.* (<i>Statice</i>)	Sea Lavender, Statice	Limonium, Statice	Widerstoss, Meerlavendel	499	X1	X	.	X	.	X5	.	X	.	X	.	499	
500 <i>Linaria</i> Mill.*	Toadflax	Linaire	Leinkraut	500	X	.	.	.	X5	.	X	.	X	.	500		
501 * <i>Linum usitatissimum</i> L.*	Flax, Linseed	Lin	Lein	501	X	.	.	X	X	.	X	X	X	.	.	.	X	X	X1	X	.	501		
502 <i>Liquidambar</i> L.	Sweet Gum	Liquidambar, Copalme	Amberbaum	502	X2	X	X	.	X	.	502		
503 <i>Liriodendron</i> L.	Tulip Tree	Tulipier	Tulpenbaum	503	X2	X	X	.	X	.	503		
504 * <i>Litchi chinensis</i> Sonn.*	Litchi	Litschi	Litschi	504	X	.	X	.	.	.	X	.	X	X	504		
505 <i>Lithospermum</i> L.*	Gromwell	Grémil	Steinsame	505	X2	X	X	.	X	.	505		

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
506 <i>Lithospermum erythrorhizon</i> Sieb. et Zucc.*	Gromwell	Grémil	Steinsame	506	X	.	.	.	X1	.	.	X	.	X	.	506		
507 <i>Lobelia</i> L.*	Lobelia, Cardinal Flower	Lobélie	Lobelie	507	X1	X	.	.	.	X5	.	X	.	X	.	507		
508 <i>Lolium</i> L.	Ryegrass	Ray-grass	Weidelgras	508	.	.	X	X	X	(X)	X	.	X	X	X1	X	X	508		
509 * <i>Lolium X boucheanum</i> Kunth* [<i>L. X hybridum</i> Hausskn.]	Hybrid Ryegrass	Ray-grass hybride	Bastardweidelgras, 509 Oldenburgisches Weidelgras	X	.	+	+	+	(+)	+	X	X	X	.	.	.	X1	X	+	X	+	509		
510 * <i>Lolium multiflorum</i> Lam.*	Italian Ryegrass, Westerwold Ryegrass	Ray-grass d'Italie	Welsches Weidelgras, Italienische Raygras	510	X	.	+	+	+	(+)	+	X	X	X	.	X	X4	.	X	X	+	X	+	510
511 * <i>Lolium perenne</i> L.	Perennial Ryegrass	Ray-grass anglais	Deutsches Weidelgras	511	X	.	+	+	+	(+)	+	X	X	X	.	.	X4	.	X	X	+	X	+	511
512 <i>Lonicera</i> L.	Honeysuckle, Lonicera	Lonicéra, Chèvrefeuille	Heckenkirsche, Geissblatt	512	X2	X	.	.	.	X6	.	.	X	.	X	.	512	
513 <i>Lotus</i> spp.*	Lotus	Lotier	Hornklee	513	X	X	.	X	.	513		
514 * <i>Lotus corniculatus</i> L.	Bird's Foot Trefoil	Lotier corniculé	Hornschatenklee	514	.	.	.	X	.	.	X	X	.	X	.	514		
515 * <i>Lotus uliginosus</i> Schkuhr*	Major Bird's Foot Trefoil	Lotier velu, Lotier des marais	Sumpfschatenklee	515	.	.	.	X	.	.	X	X	.	X	.	515		
516 <i>Luffa cylindrica</i> M.J. Roem.*	Sponge Gourd, Dishcloth Gourd	Courge torchon	Schwammgurke	516	.	.	.	+	+	+	.	.	X	.	.	.	X2	.	.	X	.	X	.	516
517 <i>Lupinus</i> L.	Lupin	Lupin	Lupine	517	X*	X	.	.	.	X5	.	.	X	.	X	X	517	
518 * <i>Lupinus albus</i> L.*	White Lupin	Lupin blanc	Weisslupine	518	X	.	.	X	X	.	X	X	X	.	.	+	.	X	X	.	X	+	518	
519 * <i>Lupinus angustifolius</i> L.*	Blue Lupin	Lupin bleu	Blaue Lupine	519	X	.	.	X	X	.	X	X	X	.	.	+	.	X	X	X1	X	+	519	
520 * <i>Lupinus luteus</i> L.	Yellow Lupin	Lupin jaune	Gelbe Lupine	520	X	.	.	X	X	.	X	X	X	.	.	+	.	X	X	X1	X	+	520	
521 <i>Lycaste</i> Lindl.*	Lycaste	Lycaste	Lycaste	521	+	.	.	+	.	.	+	.	X	.	.	(+)	X5	.	+	X	.	X	.	521
522 <i>Lychnis</i> L.*	Campion	Lychnis	Lichtnelke	522	X1	X	X	.	X	.	X	.	522	
523 * <i>Lychnis coronaria</i> (L.) Desr.*	Mullein Pink, Rose Campion	Coquelourde des jardins	Vexiernelke	523	X	X5	.	.	X	.	X	.	523	
524 * <i>Lycopersicon lycopersicum</i> (L.) Karst. Tomato ex Farwell* [<i>L. esculentum</i> P. Mill.; <i>Solanum lycopersicum</i> L.]	Tomato	Tomate	Tomate	524	X	.	(X)	X	X	.	X	.	X	X	X	X2	.	X	X	X2	X	X	524	
525 <i>Lycoris</i> Herb.*	Lycoris, Cluster-amaryllis	Lycoride	Lycoris	525	X	X5	.	.	X	.	X	.	525	
526 <i>Lyophyllum ulmarium</i> (Fr.) Kühn	Shirotamogitake	-	-	526	X	X8	.	.	.	X	.	526		
527 <i>Lythrum</i> L.	Loosestrife	Lythrum	Weiderich	527	X1	X	X	.	X	.	527		
528 Macadamia spec.	Macadamia, Queensland Nut	Macadamia	Macadamia	528	X	X	.	X	X	X	528		
529 <i>Magnolia</i> L.*	Magnolia	Magnolia	Magnolie	529	X2	X	.	.	.	X6	.	.	X	.	X	.	529	
530 X <i>Mahoberberis</i> C.K. Schneid.	Mahoberberis	Mahoberberis	Mahoberberis	530	X2	X	X	.	X	.	X	.	530	
531 <i>Mahonia</i> Nutt.*	Mahonia	Mahonia	Mahonie	531	X	X6	.	X	X	.	X	.	531	

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
532 Mahonia acanthifolia G. Don, M. bealei (Fort.) Carr.*, M. japonica (Thunb.) DC.*, M. lomariifolia Takeda, M. pumila (Greene) Fedde, M. repens (Lindl.) G. Don*	Mahonia	Mahonia	Mahonie	532	X2	X	.	.	+	.	+	X	.	X	.	532		
533 Mahonia aquifolium (Pursh) Nutt.*	Oregon Grape	Mahonia commun, Mahonia à feuilles de houx	Mahonie	533	X2	X	.	.	+	.	+	X	.	X	.	533		
MALUS																								
<u>Fruit Crops/Plantes fruitières/Obstpflanzen</u>																								
534 Malus Mill.*	Apple	Pommier	Apfel	534	X	.	X	X	.	.	X	.	X	.	.	X3	.	X	X	X3	X	X	534	
535 Malus domestica Borkh.* [M. communis L.; M. sylvestris Mill.]	Apple	Pommier	Apfel	535	+	.	+	+	X1	X*	+	X3	X	.	X	X	+	.	+	X	+	X	+	535
<u>Ornamental Plants/Plantes ornementales/Zierpflanzen</u>																								
536 Malus Mill.*	Crab Apple, Flowering Crab	Pommier ornemental	Zierapfel	536	.	.	.	X	.	.	X	X2	X	.	.	+	.	.	X	.	X	.	536	
537 Malva L.* [Malvaceae]	Mallow	Mauve	Malve	537	X	.	.	X1	X	X	.	X	.	537	
538 *Mangifera indica L.	Mango	Manguier	Mango	538	X	.	X	.	.	.	X	.	X	X	538		
539 Maranta L.*	Maranta	Maranta, Dormeuse	Maranta, Pfeilwurz	539	X	.	.	.	X5	.	(+)	X	.	X	.	539	
540 Marantaceae Petersen	Marantaceae	Marantacées	Marantazeen	540	X	.	.	.	(X)	X	.	.	(X)	X	.	X	540
541 Matthiola spec.	Stock	Giroflée	Levkaje	541	X	.	.	(X)	X	X	.	X	.	X	541	
542 *Matthiola incana (L.) R. Br.*	Common Stock	Giroflée d'hiver	Levkaje	542	+	.	.	(+)	X	.	.	(X)	X5	.	.	X	.	X	.	542
543 Medicago L.	Alfalfa, Lucerne	Lucerne	Schneckenklee	543	X	.	.	X	X4	.	.	X	X1	X	.	543	
544 *Medicago falcata L.*	Yellow Lucerne (Sickle Medick), Variegated Lucerne	Luzerne (en faucille)	Sichel Luzerne	544	.	.	.	X	.	.	.	X	.	.	+	+	.	.	X	+	X	.	544	
545 Medicago hispida Gaertn.*	Hairy Medick	Luzerne hérissée	Steifhaariger Schneckenklee, Gezähnelter Schneckenklee	545	X	.	X	+	+	.	.	X	+	X	.	545	
546 *Medicago lupulina L.*	Black Medick, Yellow Trefoil	Luzerne lupuline, Minette	Gelbklee (Hopfenklee)	546	X	.	.	X	X	.	.	X	.	.	+	+	.	.	X	+	X	.	546	
547 *Medicago sativa L.*	Lucerne, Alfalfa	Luzerne (cultivée)	Blaue Luzerne	547	X	.	(X)	X	X	X	X	X	.	X	+	+	.	X1	X	+	X	X	547	
548 *Medicago X varia Martyn*	(Hybrid) Lucerne	Luzerne hybride	Bastardluzerne	548	X	.	.	X	X	.	X	X	X	.	+	+	.	X1	X	+	X	.	548	
549 Mentha L.*	Mint	Menthe	Minze	549	X	.	.	.	X1	.	.	X	.	X	.	549	
550 Menziesia Sm.	Skunkbush	Menziesia	Menziesia	550	X2	X	X	.	X	.	X	.	550
551 Meratia [Chimonanthus Lindl.*]	Winter Sweet, Japanese Allspice	Chimonanthe	Winterblüte	551	X2	X	.	.	X6	.	.	X	.	X	.	551	
552 Miltonia Lindl.*	Pansy-orchid	Miltonia	Miltonia	552	+	.	.	+	.	.	+	.	X	.	+	(+)	X5	.	+	X	.	X	.	552
553 Mimetes spec.*	Mimetes, Protea	Mimetes, Protea	Mimetes, Protea	553	X	X	.	.	X	.	X	X	553

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
554 * <i>Mirabilis jalapa</i> L.	Marvel of Peru, Common Four O'clock	Belle de nuit	Wunderblume	554	X	.	.	.	X5	.	X	.	X	.	554		
555 * <i>Momordica charantia</i> L.*	Balsam Pear	Momordique à feuille de vigne, Margose	Balsambirne	555	X	.	.	.	X2	.	X	.	X	.	555		
556 <i>Monarda</i> L.	Bergamot, Bee Balm, Horsemint	Monarde	Monarde, Bienenbalsam, Pferdeminze	556	X1	X	X	.	X	.	556		
557 <i>Monstera</i> Adans.*	<i>Monstera</i>	Monstera, Ananas du pauvre	Monstera	557	X	.	.	.	X5	.	(+)	X	.	X	.	557	
558 <i>Morus</i> L.*	Mulberry	Mûrier	Maulbeerbaum	558	X	.	.	.	X1	.	X	.	X	.	558		
559 <i>Musa cavendishii</i> Lamb.* [<i>Musa</i> L.*]	Banana	Bananier	Banane	559	X	.	X	.	.	.	X	.	X	X	559		
560 <i>Myosotis</i> L.	Forget-me-not	Myosotis	Vergissmeinnicht	560	X	.	.	.	X5	.	X	.	X	.	560		
561 <i>Myrica rubra</i> Sieb. et Zucc.*	"Arbutus"	-	-	561	X	.	.	.	X3	.	X	.	X	.	561		
562 <i>Naematomma sublateritium</i> (Fr.) Karst. Kuritake	-	-	-	562	X	.	.	.	X8	.	.	.	X	.	562		
563 * <i>Nandina domestica</i> Thunb. ex Murray	Nandina, Sacred Bamboo	Nandine fruitière	Nandina	563	X	.	.	.	X6	.	X	.	X	.	563		
564 <i>Narcissus</i> L.*	Narcissus, Daffo- dil, Jonquil	Narcisse, Jonquille	Narzisse	564	X	.	.	X	X	.	X	.	X5	.	X	X	.	X	.	564
565 * <i>Nelumbo nucifera</i> Gaertn.*	East Indian Lotus	Fleur de lotus	Indische Lotusblume	565	X	.	.	.	X2	.	X	.	X	.	565		
566 <i>Neoregelia</i> L.B. Sm.*	<i>Neoregelia</i>	<i>Neoregelia</i>	<i>Neoregelia</i>	566	+*	X	.	.	.	X5	.	+*	X	.	X	.	566	
567 <i>Nepeta</i> L.*	Cat Mint	Népeta, Herbe- aux-chats	Katzenminze	567	X1	X	X	.	X	.	567		
568 <i>Nephrolepis</i> Schott*	Sword-fern, Ladder Fern	Nephrolepis	Nephrolepis	568	X	.	.	.	X5	.	.	X	.	X	.	568	
569 <i>Nerine</i> Herb.*	<i>Nerine</i>	<i>Nerine</i>	<i>Nerine</i>	569	X	X	.	.	X5	.	X	X	.	X	.	569	
570 <i>Nerium</i> L.	Oleander, Rose Bay	Laurier rose	Oleander	570	X	.	.	.	X6	.	X	.	X	.	570		
571 <i>Nerium oleander</i> L.	Oleander, Rose Bay	Laurier rose, <i>Nerium oleander</i>	Oleander	571	X	.	X	.	.	+	.	X	.	X	.	571		
572 <i>Nicotiana</i> L.	Tobacco	Tabac	Tabak	572	X	.	.	.	X1	.	.	X	.	X	.	572	
573 * <i>Nicotiana rustica</i> L.	Syrian Tobacco	Nicotiane rustique	Bauerntabak	573	.	.	.	X	.	.	.	X	.	.	.	+	.	.	X	.	X	.	573	
574 * <i>Nicotiana tabacum</i> L.	Tobacco (common)	Tabac	Tabak	574	.	.	.	X	.	.	.	X	.	X	X	+	.	X	.	X	.	574		
575 * <i>Nigella damascena</i> L.	Love-in-a-mist, Devil-in-a-bush	Nigelle de Damas, Cheveux de Vénus	Braut in Haaren, Jungfer im Grünen	575	X	.	.	.	X5	.	X	.	X	.	575		
576 <i>Nopalxochia</i> Britt. et Rose*	<i>Nopalxochia</i>	<i>Nopalxochia</i>	<i>Nopalxochia</i>	576	X	.	.	.	X5	.	.	X	.	X	.	576	
577 <i>Nothofagus</i> Bl.*	Southern Beech	Hêtre antarctique	Scheinbuche	577	X2	X	X	.	X	.	577		
578 <i>Nymphaea</i> L.*	Water-lily	Nénuphar	Seerose	578	X	.	.	.	X5	.	.	X	.	X	.	578	
579 <i>Odontoglossum</i> H. B. K.*	<i>Odontoglossum</i>	Odontoglossum, Orchidée muguet	Odontoglossum	579	+	.	.	+	.	+	.	X	.	+	(+)	X5	.	+	X	.	X	.	579	

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA	
580 <i>Oenanthe javanica</i> (Bl.) DC.*	Water Dropwort	Oenanthe	Rebendolde	580	X	.	.	.	X2	.	X	.	X	.	580	
581 <i>Oenothera</i> L.*	<i>Oenothera</i> , Evening Primrose	Onagre	Nachtkerze	581	X*	X	(X)	X	.	X	.	581
582 * <i>Olea europaea</i> L.*	Olive	Olivier	Oelbaum, Olive	582	X	.	X	X	X3	.	X	.	X	.	582	
583 <i>Olearia albida</i> (Hook. f.) Hook. f., O. <i>X haastii</i> Hook. f.*, O. <i>ilicifolia</i> Hook. f., O. <i>macrodonta</i> Bak., O. <i>moschata</i> Hook. f., O. <i>nummulariifolia</i> (Hook. f.) Hook. f.	Daisy Bush, Tree Daisy	Olearia	Baumaster	583	X2	X	X	.	X	.	583	
584 <i>Oncidium</i> Sw.*	Oncidium	Oncidium, Orchidée Oncidium danseuse	Oncidium	584	+	.	.	+	.	.	+	X	.	+	(+)	X5	.	+	X	.	X	.	584
585 * <i>Onobrychis viciifolia</i> Scop.*	Sainfoin	Sainfoin, Esparsette	Esparsette	585	.	.	.	X	.	.	.	X	X	.	X	.	585	
586 <i>Ophiopogon</i> Ker-Gawl.*	Snake's Beard	Barbe de serpent	Schlangenbart	586	X	.	.	.	X5	.	X	.	X	.	586	
587 <i>Orchidaceae</i> Juss.*	Orchids	Orchidées	Orchideen	587	X	.	.	X	.	.	X	.	X	.	X	(X)	.	X	X	.	X	.	587
588 <i>Origanum</i> L.*	Sweet Marjoram	Origan	Dost	588	X1	X	X	.	X	.	588	
589 <i>Ornithogalum</i> spec.*	Chinkerinchee, Star of Bethlehem	Ornithogale, Dame d'onze heures	Milchstern, Vogelmilch, Stern von Bethlehem	589	X	.	(X)	.	.	(X)	X	.	X	X	589	
590 * <i>Ornithopus sativus</i> Brot.*	Serradella	Serradelle	Serradelle	590	.	.	.	X	.	.	.	X	X1	X	X1	X	.	590	
591 <i>Orothamnus</i> spec.*	Orothamnus, Protea	Orothamnus, Protea	Orothamnus, Protea	591	X	X	.	X	X	591	
592 * <i>Oryza sativa</i> L.	Rice	Riz	Reis	592	X	X	.	X	.	X	X1	.	.	X	.	X	X	592	
593 <i>Oryzopsis holciformis</i> (N. B.) Hack.	Oryzopsis	Petit millet, <i>Oryzopsis</i> , Faux-millet	Grannenhirse	593	X	.	X	.	.	.	X	.	X	.	593	
594 <i>Osmanthus</i> Lour.*	Osmanthus	Osmanthus	Duftblüte	594	X	.	.	.	X6	.	X	.	X	.	594	
595 <i>Osmanthus heterophyllus</i> (G. Don) P.S. Green* (<i>O. aquifolium</i> Sieb., <i>O. ilicifolius</i> Mouillef.)	Osmanthus	Osmanthus	Duftblüte	595	X2	X	.	.	+	.	X	.	X	.	595	
596 <i>Oxalis</i> L.*	Oxalis, Wood-sorrel	Oxalis	Sauerklee	596	X	.	.	.	X5	.	X	.	X	.	596	
597 <i>Paeonia</i> L.	Paeony	Pivoine	Päonie, Pfingstrose	597	X*	X	X	.	X	.	597	
598 <i>Paeonia albiflora</i> Pall.*	Chinese Paeony	Pivoine de Chine	Chinesische Päonie	598	+ X	.	.	.	X5	.	X	.	X	.	598	
599 <i>Paeonia officinalis</i> L.*	Common Paeony	Pivoine des Jardins	Korallenpäonie	599	+ X	.	.	.	X5	.	X	.	X	.	599	
600 * <i>Paeonia suffruticosa</i> Andr.*	Tree Paeony, Moutan Paeony	Pivoine en arbre	Strauchpäonie	600	+ X	.	.	.	X6	.	X	.	X	.	600	
601 <i>Panax ginseng</i> C.A. Mey.*	Ginseng	Ginseng	Ginseng	601	X	.	.	.	X1	.	X	.	X	.	601	
602 <i>Panellus serotinus</i> (Fr.) Kühn	Mukitake	-	-	602	X	.	.	.	X8	.	.	.	X	.	602	
603 <i>Panicum</i> L.*	Panicum	Panic	Hirse	603	X	.	.	.	X1	.	X	.	X	.	603	
					BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	ZA		

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
604 * <i>Panicum miliaceum</i> L.	Common Millet	Millet commun, <i>Panic millet</i> , <i>Panic faux millet</i>	Rispenhirse	604	.	.	.	X	.	.	.	X	.	.	.	+	.	.	X	.	X	.	604	
605 <i>Papaver</i> L.	Poppy, Oriental Poppy	Pavot	Mohn	605	X1	X	.	.	.	X5	.	.	X	.	X	.	605
606 * <i>Papaver somniferum</i> L.	Opium Poppy	Oeillette, Pavot	Mohn	606	.	.	.	X	X	.	.	X	X	X	X1	X	.	606		
607 <i>Paphiopedilum Pfitz.</i> *	Lady's Slipper	Sabot de Vénus	Venusschuh	607	+	.	.	+	.	.	+	.	X	.	+	(+)	X5	.	+	X	.	X	.	607
608 <i>Paranomus spec.</i> *	<i>Paranomus</i> , <i>Protea</i>	<i>Paranomus</i> , <i>Protea</i>	<i>Paranomus</i> , <i>Protea</i>	608	X	X	.	X	X	608		
609 <i>Parrotia</i> C.A. Mey.*	Parrotia	Parrotia	Parrotzie, Eisenholz	609	X2	X	X	.	X	.	609	
610 <i>Parthenocissus</i> Planch.*	Virginia Creeper	Vigne vierge	Jungfernrebe, Wilder Wein	610	X2	X	X	.	X	.	610	
611 * <i>Paspalum dilatatum</i> Poir.	Dallisgrass *	Herbe de Dallis, <i>Paspale dilaté</i>	"Dallis grass", Brasilianische Futterhirse	611	X	.	.	.	X4	.	.	X	.	X	.	611	
612 * <i>Paspalum notatum</i> Fluegge	Bahia Grass	Herbe de Bahia	Bahiagrass	612	X	.	.	.	X4	.	.	X	.	X	.	612	
613 <i>Passiflora caerulea</i> L.	Passion Flower	Passiflore, Fleur de la Passion	Passionsblume	613	X2	X	X	.	X	.	613	
614 * <i>Passiflora edulis</i> Sims*	Granadilla	Barbadine	Purpurgranadilla, Passionsfrucht	614	X	.	.	(X)	.	.	X	.	X	X	614		
615 * <i>Pastinaca sativa</i> L.*	Parsnip	Panaïs	Pastinak	615	.	.	.	X	.	.	.	X	X	X2	X	.	615		
616 <i>Paulownia</i> Sieb. et Zucc.	Royal Paulownia	Paulownia	Paulownia	616	X	.	.	X6	.	.	X	.	X	.	616		
617 <i>Pelargonium</i> L'Hér. ex Ait.*	Geranium, <i>Pelargonium</i> , Stork's Bill	Géranium, <i>Pelargonium</i>	Pelargonie	617	.	.	.	X*	X*	.	.	X	X	.	X	X	X5	.	(X)	X	.	X	X	617
618 Pelargonium-Grandiflorum-Hybrid*	Show and Fancy Pelargoniums	Pelargonium des fleuristes	Edelpelargonie	618	X	.	.	+	+	.	.	(X)	+ X	.	+	+	+	.	(+)	X	.	X	+	618
619 Pelargonium-Peltatum-Hybrid*	Ivy-leaved Pelargonium	Géranium-lierre	Efeupelargonie	619	X	.	X	+	+	.	X	+	X	.	+	+	+	.	(+)	X	X4	X	+	619
620 Pelargonium-Peltatum X P.-Zonale-Hybrid	-	-	Halbpeltaten	620	X	.	X	+	+	.	X	+	X	.	+	+	+	.	(+)	X	X4	X	+	620
621 Pelargonium-Zonale-Hybrid*	Zonal Pelargonium	Géranium, Pelargonium zonale	Zonalpelargonie	621	X	.	X	+	+	.	X	+	X	.	+	+	+	.	(+)	X	X4	X	+	621
622 <i>Pennisetum typhoides</i> (Burm. f.) Stapf* et C.E. Hubb.*	Pearl Millet	Pénicillaire, Mil à chandelle	Federborstengras	622	X	X	.	X	X	622		
623 <i>Penstemon Schmidel</i> *	Beard Tongue	Penstemon, Galane barbue	Bartfaden	623	X1	X	.	.	.	X5	.	.	X	.	X	.	623
624 <i>Peperomia Ruiz et Pav.</i>	Peperomia	Peperomia	Peperomie, Zwergpfeffer	624	X	.	.	.	X5	.	.	X	.	X	.	624	
625 <i>Perilla</i> L.*	Perilla, Beefsteak Plant	Périlla, Plante-beefsteak	Schwarznessel	625	X	.	.	.	X2	.	.	X	.	X	.	625	
626 <i>Pernettya Gaudich.</i> *	Arrayan	Pernettya	Torfmyrte	626	X2	X	X	.	X	.	626	
627 <i>Perovskia</i> Kar.	Russian Sage	Perovskia	Perovskia	627	X2	X	X	.	X	.	627	

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
628 * <i>Persea americana</i> P. Mill.*	Avocado	Avocatier	Avocado	628	X	.	X	.	.	.	X	.	X	X	628		
629 <i>Petasites japonicus</i> (Sieb. et Zucc.) Fr. Schmidt*	Japanese Butter Bur	Pétasite du Japon	Japanische Pestwurz	629	X	.	.	(X)	X2	.	.	X	.	X	.	629	
630 * <i>Petroselinum crispum</i> (Mill.) Nym. ex A.W. Hill*	Parsley	Persil	Petersilie	630	.	.	.	X	.	.	.	X	.	.	.	X2	.	X	X	X2	X	.	630	
631 * <i>Petroselinum crispum</i> (P. Mill.) Nym. ex A.W. Hill ssp. <i>crispum</i>	Parsley	Persil	Blattpetersilie	631	.	.	.	+	X	.	.	X	.	.	.	+	.	+	X	+	X	.	631	
632 * <i>Petroselinum crispum</i> (P. Mill.) Nym. ex A.W. Hill ssp. <i>tuberosum</i> (Bernh. ex Rchb.) Soo.*	Turnip-rooted Parsley	Persil à grosse racine	Wurzelpetersilie	632	.	.	.	+	X	.	.	X	.	.	.	+	.	+	X	.	X	.	632	
633 <i>Petunia</i> Juss.	Petunia	Pétunia	Petunie	633	(X)	X	.	X	X	X5	.	.	X	.	X	.	633
634 * <i>Phacelia tanacetifolia</i> Benth.	Scorpion Weed	Phacélie à feuilles de tanaisie	Phazelia	634	.	.	.	X	.	.	.	X	X	.	X	.	634		
635 <i>Phalaenopsis</i> Bl.*	Moth Orchid	Orchidée papillon	Phalaenopsis	635	+	.	.	+	.	.	+	.	X	.	+	(+)	X5	.	+	X	.	X	.	635
636 <i>Phalaris</i> L.	Phalaris	Alpiste, Phalaris	Glanzgras	636	X	.	.	.	X4	.	.	X	.	X	.	636	
637 * <i>Phalaris arundinacea</i> L.*	Reed Canary Grass	Alpiste roseau	Rohrglanzgras	637	.	.	.	X	.	.	.	X	.	.	.	+	.	.	X	X1	X	.	637	
638 * <i>Phalaris canariensis</i> L.	Canary Grass, Canary Seed	Alpiste des Canaries, Phalaris	Kanariengras	638	X	.	.	.	+	.	X1	X	.	X	.	638	
639 <i>Phalaris tuberosa</i> L.*	Hardings Grass	Herbe de Harding, Alpiste tubéreux	Knolliges Glanzgras	639	X	.	X	.	+	.	.	X	.	X	.	639	
640 <i>Pharbitis nil</i> Chois.*	Morning Glory	Volubilis	Japanische Kaiserwinde	640	X	.	.	.	X5	.	.	X	.	X	.	640	
641 * <i>Phaseolus angularis</i> (Willd.) W.F. Wight*	Azuki Red Bean	Haricot Adzuki	Adzukibohne	641	X	.	.	.	X1	.	.	X	.	X	.	641	
642 * <i>Phaseolus coccineus</i> L.*	Runner Bean, Kidney Bean	Haricot d'Espagne	Prunkbohne	642	X	.	.	X	X	X	X	X	X	.	.	.	X1	.	X	X	X4	X	X	642
643 * <i>Phaseolus vulgaris</i> L.	French Bean	Haricot	Gartenbohne	643	X	.	+	X	X	X	X	X	X	.	X	X	X1	.	X	X	X*	X	X	643
644 * <i>Phaseolus vulgaris</i> L. var. <i>nanus</i> (L.) Aschers.	Dwarf French Bean	Haricot nain	Buschbohne	644	+	.	X	+	+	+	+	+	X	.	+	+	+	.	+	X	+	X	+	644
645 * <i>Phaseolus vulgaris</i> L. var. <i>vulgaris</i>	Climbing French Bean	Haricot à rames	Stangenbohne	645	+	.	X	+	+	+	+	+	X	.	+	+	+	.	+	X	+	X	+	645
646 <i>Phellodendron</i> Rupr.	Cork Tree	Phellodendron	Korkbaum	646	X	.	.	.	X6	.	.	X	.	X	.	646	
647 <i>Philadelphus</i> L.	Mock Orange	Seringa	Pfeifenstrauch, Falscher Jasmin	647	X2	X	.	.	X6	.	.	X	.	X	.	647	
648 <i>Phillyrea</i> L.	Mock Privet	Philaria	Steinlinde	648	X2	X	X	.	X	.	648	
649 <i>Philodendron</i> Schott corr. Schott*	Philodendron	Philodendron	Philodendron	649	X	.	.	.	X5	.	(+)	X	.	X	.	649	
650 <i>Phleum</i> spec.	Timothy	Fléole	Lieschgras	650	.	.	(X)	X	X	X	X	X	.	650	
651 * <i>Phleum bertolonii</i> DC. [<i>P. nodosum</i> L.]*	Timothy	Fléole diploïde, Petite fléole	Zwiebellieschgras	651	X	.	(+)	X	X	.	.	X	X	X	X	+	X	.	651	
652 * <i>Phleum pratense</i> L.	Timothy	Fléole des prés	Wiesenlieschgras	652	X	.	(+)	X	X	.	.	X	X	X	.	.	X4	.	X	X	+	X	.	652
				BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	ZA			

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA
653 <i>Phlomis fruticosa</i> L.	Common Jerusalem Sage	Phlomis ligneux	Brandkraut	653	X2	X	X	.	X	.	653	
654 <i>Phlox</i> L.	Phlox	Phlox	Phlox, Flammenblume	654	X1	X	.	.	.	X5	.	X	.	X	.	654
655 * <i>Phoenix dactylifera</i> L.	Date, Date Palm	Palmier dattier	Dattelpalme	655	X	.	.	X	.	.	X	.	X	.	655	
656 <i>Pholiota nameko</i> (T. Ito) S. Ito et Imai	Nameko	Pholiote du peuplier	Nameko	656	X	.	.	X8	.	.	X	.	X	.	656	
657 <i>Phormium</i> J.R. et G. Forst.*	New Zealand Flax	Lin de Nouvelle-Zélande	Neuseeländer Flachs	657	X2	X	X	.	X	.	657	
658 * <i>Phormium tenax</i> J.R. et G. Forst.	New Zealand Flax	Lin de Nouvelle-Zélande	Neuseeländer Flachs	658	+	X	.	.	.	X6	.	X	.	X	.	658
659 <i>Photinia</i> Lindl.*	Photinia	Photinia	Glanzmispel	659	X2	X	.	.	.	X6	.	X	.	X	.	659
660 <i>Phygelius</i> E. Mey.	Cape Figwort	Phygelius	Phygelius	660	X1	X	X	.	X	.	660	
661 <i>Phyllostachys</i> Sieb. et Zucc.*	Phyllostachys	Phyllostachys	Blattähre	661	X	.	.	X6	.	X	.	X	.	661		
662 <i>Physalis</i> L.	Husk-tomato, Chinese Lantern Plant, Cape Gooseberry, Tomatillo	Coqueret, Amour en cage, Alkekengi	Lampionblume, Blasenkirsche	662	X	.	.	X5	.	X	.	X	.	662		
663 <i>Physostegia</i> Benth.	Obedient Plant, Lion's Heart	Physostégie	Gelenkblume	663	X1	X	X	.	X	.	663	
664 <i>Physostegia virginiana</i> (L.) Benth.*	Obedient Plant	Physostégie de Virginie	Gelenkblume	664	+	X	.	.	.	X5	.	X	.	X	.	664
665 <i>Picea A. Dietr.</i> *	Spruce	Épicéa	Fichte	665	X	.	.	X	.	.	+	X	X	.	X	.	665	
666 * <i>Picea glehnii</i> (Fr. Schmidt) Mast.*	Sachalen Spruce	Pin de Sakhaline, Épicéa de Glehn	Japanische Sachalinfichte, Glehns Fichte	666	+	.	.	+	.	.	+	X	.	.	.	X6	.	X	.	X	.	666
667 * <i>Picea jezoensis</i> (Sieb. et Zucc.) Carr.*	Yezo Spruce, Hondo Spruce	Pin de Hondo, Epicea de Yeso	Yedofichte	667	+	.	.	+	.	.	+	X	.	.	.	X6	.	X	.	X	.	667
668 <i>Pieris</i> D. Don*	Pieris	Andromède	Lavendelheide	668	X2	X	X	.	X	.	668	
669 <i>Pieris japonica</i> (Thunb.) D. Don ex G. Don*	Japanese Andromeda	Andromède du Japon	Japanisches Bitterkraut	669	+	X	.	.	.	X6	.	X	.	X	.	669
670 <i>Pinellia ternata</i> (Thunb.) Breit.*	Jack-in-the-culprit	Pinellia	Pinellia	670	X	.	.	X1	.	(+)	X	.	X	.	670	
671 <i>Pinus</i> L.*	Pine	Pin	Kiefer	671	.	.	.	X	.	.	+	X	X	.	X	.	671	
672 * <i>Pinus densiflora</i> Sieb. et Zucc.	Japanese Red Pine	Pin rouge du Japon	Japanische Rotkiefer	672	.	.	.	+	.	.	+	X	.	.	.	X6	.	X	.	X	.	672
673 <i>Pinus luchuensis</i> Mayr	-	-	-	673	.	.	.	+	.	.	+	X	.	.	.	X6	.	X	.	X	.	673
674 * <i>Pinus thunbergii</i> Parl.*	Japanese Black Pine	Pin noir du Japon, Pin des temples	Japanische Schwarzkiefer	674	.	.	.	+	.	.	+	X	.	.	.	X6	.	X	.	X	.	674
675 * <i>Pistacia vera</i> L.*	Pistache	Pistachier	Echte Pistazie	675	X	.	.	X	.	.	X	.	X	.	675	
676 <i>Pisum</i> spec.	Pea	Pois	Erbse	676	X	X	.	X	X	676	
677 * <i>Pisum sativum</i> L. sensu lato*	Pea	Pois	Erbse	677	X	.	X	X	X	X	X	X	X	.	.	X1	.	X	X	X*	X	677
					BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	ZA	

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA	
678 <i>Pisum sativum</i> L.*	Garden Pea	Petit pois	Gemüseerbse	678	+	.	+	+	+	+	+	X	.	.	X	+	.	+	X	+	X	+	
679 <i>Pisum sativum</i> L. partim	Field Pea	Pois fourrager	Futtererbse	679	+	.	+	+	+	+	+	X	X	.	.	+	.	+	X	+	X	+	
680 <i>Pittosporum</i> Banks et Soland. ex Gaertn.	<i>Pittosporum</i>	<i>Pittosporum</i>	Klebsame	680	X2	X	.	.	.	X6	.	X	.	X	.	
681 <i>Plagianthus</i> (Gaya; Hoheria)	Twinebark	Gaya	-	681	X2	X	X	.	X	.		
682 <i>Platanus</i> L.	Plane	Platane	Platane	682	X2	X	X	.	X	.		
683 <i>Platycodon grandiflorus</i> (Jacq.) A. DC.*	Balloon Flower, Chinese Bell-flower	Platycodon, Campanule à grandes fleurs bleues	Ballonblume	683	X	.	.	.	X5	.	X	.	X	.		
684 <i>Pleurotus cornucopiae</i> (Pers.) Rolland. Tamagitarake	Pleurote corne d'abondance, Pleurote de l'orme, Oreille d'orme	-	Pleurote corne d'abondance, Pleurote de l'orme, Oreille d'orme	684	X	.	.	.	X8	.	.	.	X	.		
685 <i>Pleurotus ostreatus</i> (Fr.) Quel.	Hiratake, Oyster Mushroom	Pleurote en forme d'huître, Pleurote écailléux, Pleurote en coquille	Austernseitling	685	X	.	.	.	X8	.	.	.	X	.		
686 <i>Poa</i> L.*	Meadow-grass	Pâturin	Rispengras	686	.	.	(X)	X	X	.	.	X	.	.	X	.	.	X	X1	X	.		
687 * <i>Poa annua</i> L.	Annual Meadow-grass	Pâturin annuel	Einjähriges Rispengras	687	X	.	(+)	+	+	.	.	X	.	.	+	.	.	X	X	+	X	.	
688 * <i>Poa compressa</i> L.	Canada Bluegrass, Flattened Meadow-grass	Pâturin comprimé	Flaches Rispengras	688	X	.	(+)	+	+	.	.	X	.	.	+	.	.	X	X	+	X	.	
689 * <i>Poa nemoralis</i> L.	Wood Meadow-grass	Pâturin des bois	Hainrispengras	689	X	.	(+)	+	+	.	.	X	X	.	.	+	.	.	X	X	+	X	.
690 * <i>Poa palustris</i> L.	Swamp Meadow-grass	Pâturin des marais	Sumpfrispengras	690	X	.	(+)	+	+	.	.	X	X	.	.	+	.	.	X	X	+	X	.
691 * <i>Poa pratensis</i> L.	Kentucky Bluegrass, Smooth Stalked Meadow-grass	Pâturin des prés	Wiesenrispengras	691	X	.	(+)	+	+	.	X	X	.	.	+	X4	.	X	X	+	X	.	
692 * <i>Poa trivialis</i> L.	Rough Stalked Meadow-grass	Pâturin commun	Gemeines Rispengras	692	X	.	(+)	+	+	.	.	X	X	.	.	+	.	.	X	X	+	X	.
693 <i>Polemonium</i> L.*	Jacob's Ladder	Polemoine	Jakobsleiter, Sperrkraut	693	X1	X	X	.	X	.	
694 <i>Polygonatum</i> Mill.*	Solomon's Seal	Sceau de Salomon	Salomons Siegel	694	X1	X	X	.	X	.	
695 <i>Polygonum</i> L.*	Knotweed, Knotgrass	Renouée	Knöterich	695	X1	X	X	.	X	.	
696 <i>Poncirus</i> Raf.*	Trifoliate Orange, Oranger trifolié Golden Apple	Bitterorange	Bitterorange	696	X	.	.	.	X6	.	X	.	X	.		
697 <i>Populus</i> L.	Poplar	Peuplier	Pappel	697	X	.	.	X	.	.	X	X2	X	.	.	X	X6	.	X	X	.		
698 <i>Porphyra tenera</i> Kjellmann	Purple Laver	Porphyre	Purpurtang	698	X	.	.	.	X7	.	.	.	X	.		
699 <i>Porphyra yezoensis</i> Ueda	Purple Laver	Porphyre	Purpurtang	699	X	.	.	.	X7	.	.	.	X	.		

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>		<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
700	* <i>Portulaca grandiflora</i> Hook.	Rose-moss, Sun Plant	Pourpier à grande fleur, Chevalier d'onze heures	Grossblumiger Portulak	700	X	.	.	X5	.	X	.	X	.	700			
701	<i>Potentilla L.*</i>	Cinquefoil	Potentille	Fingerkraut	701	X1	X	.	.	.	X	X	.	X	.	701		
702	<i>Potentilla fruticosa L.*</i>	Shrubby Cinquefoil	Potentille ligneuse	Fingerstrauch	702	.	.	.	X	X	.	.	X2	X	.	.	.	+	X	X4	X	.	702		
703	<i>Potentilla fruticosa L. var. davarica</i> (Nestl.) Ser. (<i>P. glabra</i> Lodd.)	Shrubby Cinquefoil	Potentille ligneuse	Fingerstrauch	703	+	.	.	X2	X	.	.	.	+	X	+	X	.	703		
704	<i>Potentilla fruticosa L. var. rigida</i> (Wall. ex Lehm.) T.H. Wolf (<i>P. arbuscula</i> D. Don)	Shrubby Cinquefoil	Potentille ligneuse	Fingerstrauch	704	.	.	.	+	+	.	.	X2	X	.	.	.	+	X	+	X	.	704		
705	<i>Primula L.</i>	Auricula, Oxlip, Cowslip, Primrose	Primevère	Primel, Schlüsselblume	705	.	.	(X)	X1	X	.	.	X5	.	X	.	X	.	705		
706	<i>Protea spec.*</i>	Protea	Protea	Protea	706	X	X	.	X	X	.	706		
<hr/>																									
<u>PRUNUS*</u>																									
707	<i>Prunus L.</i>	-	-	-	707	X	.	.	X3	.	X	.	X	.	707			
Fruit Crops/Plantes fruitières/Obstpflanzen																									
- subg. <u>Amygdalus</u>																									
708	<i>Prunus amygdalus</i> Bartock* [<i>P. dulcis</i> (Mill.) D.A. Webb; <i>Amygdalus spec.</i> ; <i>A. communis</i> L.]	Almond	Amandier	Mandel	708	X	.	X	.	X	X	+	.	X	.	X	X	708	
- subg. <u>Armeniaca</u>																									
709	<i>Prunus armeniaca L.*</i> [<i>Prunus L.</i>]	Apricot	Abricotier	Aprikose	709	X	.	(X)	.	.	X	.	X	.	X	X	+	.	X	X3	X	X	709		
- subg. <u>Cerasus</u>																									
710	<i>Prunus L.</i>	Cherry	Cerisier	Kirsche	710	X	.	X	X*	.	.	X	.	X	.	.	+	.	X	X	X3	X	.	710	
711	* <i>Prunus avium</i> (L.) L.*	Sweet Cherry	Cerisier (cerises douces: guignes, bigarreaux)	Süßkirsche	711	+	.	+	+	X1	.	+	X3	X	.	.	X	+	.	+	X	+	X	711	
712	<i>Prunus cerasus L.*</i>	Morello, Sour Cherry	Cerisier (cerises acides: griottes, amarelles)	Sauerkirsche	712	+	.	+	+	X1	.	+	X3	X	.	.	X	+	.	+	X	+	X	712	
713	<i>Prunus fruticosa Pall.*</i>	Dwarf Cherry, Ground Cherry	Cerisier nain de Russie	Steppenkirsche, Zwergkirsche	713	+	.	+	+	.	.	+	X3	X	.	.	+	.	+	.	+	X	+	X	713
- subg. <u>Prunus</u>																									
714	<i>Prunus L.</i>	Plum	Prunier	Pflaume	714	X	.	X*	X*	.	.	X	.	X	.	.	+	.	X	X	X3	X	.	714	
715	<i>Prunus cerasifera</i> Ehrh.* [<i>Prunus L.</i>]	Myrobalan, Cherry-plum	Myrobalan	Kirschpflaume, Myrobalane	715	X	.	+	+	.	.	+	+	X	.	.	+	.	+	.	+	X	.	X	.
716	* <i>Prunus domestica L.*</i>	Plum	Prunier	Pflaume	716	+	.	+	+	X1	.	+	+	X	.	X	X	+	.	+	X	+	X	716	
717	* <i>Prunus domestica L. et P. cerasifera</i> Ehrh.	Plum	Prunier	Pflaume	717	+	.	+	+	.	.	+	X3	X	.	.	+	.	+	.	+	X	.	X	.
718	<i>Prunus insititia L.*</i>	Damson, Bullace, Mirabelle	Prunier de Damas, -, Mirabelle	-, Haferpflaume, Mirabelle	718	+	.	+	+	.	.	+	X3	X	.	.	+	.	+	.	+	X	+	X	718

C/XX/6
page 35/Seite 35

四百二十一

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
719 Prunus salicina Lindl.*	Plum; Japanese Plum	Prunier du Japon; Prunier japonais	Japanische Pflaume	719	+	.	+	.	.	+	.	X	.	X	X*	+	.	+	X	+	X	X	719	
- subg. <u>Persica</u>																								
720 Prunus persica (L.) Batsch* [Prunus L.]	Peach	Pêcher	Pfirsich	720	X	.	(X)	.	.	X	X	.	X	.	X	X	+	.	.	X	X3	X	X	720
- <u>Hybridae</u>																								
721 Amygdalus communis L. X genus Prunus	Peach X Plum	Pêcher X prunier	Pfirsich X Pflaume	721	X	.	.	X	+	.	.	X	.	X	.	721	
722 Prunus X amygdalo-persica (Weston) Rehd. [Prunus persica X Amygdalus communis L.]	Peach X Almond	Pêcher X amandier	Pfirsich X Mandel	722	X	.	.	X	.	.	X	+	.	.	X	.	X	.	722
<u>Ornamental Plants/Plantes ornementales/Zierpflanzen</u>																								
723 Prunus L.	-	-	-	723	.	.	.	X*	.	.	.	X2	X	.	.	.	+	.	.	X	.	X	.	723
724 Prunus X amygdalo-persica (Weston) Rehd.	-	Amandier-pêcher	-	724	.	.	.	+	.	.	.	X2	X	.	.	.	+	.	.	X	.	X	.	724
725 Prunus X cistena N.E. Hansen	-	-	-	725	.	.	.	+	.	.	.	X2	X	.	.	.	+	.	.	X	.	X	.	725
726 Prunus concinna Koehne	-	-	-	726	.	.	.	+	.	.	.	X2	X	.	.	.	+	.	.	X	.	X	.	726
727 Prunus glandulosa Thunb.*	Almond Cherry	Amandier à fleurs du Japon	-	727	.	.	.	+	.	.	.	X2	X	.	.	.	+	.	.	X	.	X	.	727
728 Prunus laurocerasus L.*	Cherry-laurel	Laurier-cerise	Kirschlorbeer	728	.	.	.	+	.	.	.	X2	X	.	.	.	+	.	.	X	.	X	.	728
729 Prunus lusitanica L.*	Portugal Laurel	Laurier du Portugal	Portugiesischer Kirschlorbeer	729	.	.	.	+	.	.	.	X2	X	.	.	.	+	.	.	X	.	X	.	729
730 Prunus maritima Wangenh.	Beach-plum	Prunier des grèves	Strandpflaume	730	.	.	.	+	.	.	.	X2	X	.	.	.	+	.	.	X	.	X	.	730
731 Prunus prostrata Labill.*	Rock Cherry	-	-	731	.	.	.	+	.	.	.	X2	X	.	.	.	+	.	.	X	.	X	.	731
732 Prunus tenella Batsch*	Russian Almond	Amandier nain de Russie	Zwergmandel	732	.	.	.	+	.	.	.	X2	X	.	.	.	+	.	.	X	.	X	.	732
733 Prunus triloba Lindl.*	-	Prunier à trois lobes	Mandelröschen	733	.	.	.	+	.	.	.	X2	X	.	.	.	+	.	.	X	.	X	.	733
734 Pseudocydonia sinensis Schneid.*	Chinese Quince	Cognassier de Chine	Chinesische Quitte	734	X	.	.	.	X6	.	.	X	.	X	.	734	
735 Pseudotsuga Carr.*	Douglas Fir	Sapin de Douglas	Douglasie	735	X	.	.	X	.	.	.	+	X	X	.	X	.	735
736 *Psidium guajava L.*	Guava	Goyavier	Guayave	736	X	X	.	X	X	736	
737 *Psophocarpus tetragonolobus (L.) DC.* Winged Bean	Pois aîlé	Goabohne	737	X	.	.	.	X1	.	.	X	.	X	.	737		
738 Pulmonaria L.*	Lungwort	Pulmonaire	Lungenkraut	738	X1	X	X	.	X	.	738	
739 Pulsatilla Mill. (Anemone pulsatilla L. and allies)	Pasque Flower	Anémone pulsatille	Gemeine Küchenschelle	739	X1	X	X	.	X	.	739	
740 *Punica granatum L.	Pomegranate	Grenadier	Granatapfel, Granatbaum	740	X	.	.	.	X3	.	.	X	.	X	.	740	
741 Pyracantha M.J. Roem.*	Firethorn	Pyracantha, Buisson ardent	Feuerdorn	741	X	.	.	X	.	.	X	X2	X	.	.	X6	.	.	X	.	X	.	741	

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
PYRUS																								
<u>Fruit Crops/Plantes fruitières/Obstpflanzen</u>																								
742 Pyrus L.*	Pear	Poirier	Birne	742	X	.	(X)	X	.	.	X	.	X	.	.	X3	.	.	X	X3	X	.	742	
743 Pyrus communis L.*	Pear	Poirier	Birne	743	+	.	(+)	+	X2	.	+	X3	X	.	X	X	+	.	X	X	+	X	X	743
<u>Ornamental Plants/Plantes ornementales/Zierpflanzen</u>																								
744 Pyrus L.*	Ornamental Pear	Poirier ornemental	Zierbirne	744	X2	X	.	.	.	+	.	.	X	.	X	.	744	
745 Quamoclit Mill.*	Star-glory, Star Ipomoea, Cypress Vine	Quamoclit	Sternwinde	745	X	.	.	.	X5	.	.	X	.	X	.	745		
746 Quercus L.*	Oak	Chêne	Eiche	746	X2	X	.	.	.	X6	.	.	X	.	X	X	746	
747 Ranunculus L.*	Ranunculus, Buttercup	Renoncule	Hahnenfuss	747	X	.	X	.	X5	.	.	X	.	X	.	747		
748 *Ranunculus asiaticus L.*	Garden Ranunculus	Renoncule des jardins	Ranunkel	748	X	.	+	X	+	.	.	X	.	X	.	748		
749 *Raphanus sativus L.	Japanese Radish	Radis japonais	Japanischer Rettich	749	X	.	.	.	X2	.	.	X	.	X	.	749		
750 *Raphanus sativus L. var. niger (Mill.) S. Kerner	Black Radish	Radis d'été, d'automne et d'hiver	Rettich	750	X	.	.	X	X	.	.	X	.	.	+	.	X	X	X2	X	.	750		
751 *Raphanus sativus L. var. oleiformis Pers. [ssp. oleifera (DC.) Metzg.]	Fodder Radish	Radis oléifère, Radis chinois	Oelrettich	751	X	.	.	X	X	.	.	X	.	.	+	.	X	X	.	X	.	751		
752 *Raphanus sativus L. var. sativus [var. radicula Pers.]	Radish	Radis de tous les mois	Radieschen	752	X	.	.	X	X	.	.	X	.	X	.	+	.	X	X	X2	X	.	752	
753 Renanthera Lour.*	Renanthera	Renanthera	Renanthera	753	+	.	.	+	.	.	+	X	.	+	(+)	X5	.	+	X	.	X	.	753	
754 Rhamnus L.*	Buckthorn	Nerprun	Kreuzdorn	754	X2	X	X	.	X	.	X	.	754	
755 Rhapis L. f.	Lady Palm	Rhapis	Steckpalme, Rutengpalme	755	X	.	.	.	X6	.	.	X	.	X	.	755		
756 Rehmannia glutinosa (Gaertn.) Libosch	Rehmannia	Rehmannia	Rehmannia	756	X	.	.	.	X1	.	(+)	X	.	X	.	756		
757 Rheum L.	Rhubarb	Rhubarbe	Rhabarber	757	.	.	(X)	.	.	.	X	X	.	.	X1	.	.	X	.	X	.	757		
758 *Rheum rhabarbarum L.*	Rhubarb	Rhubarbe	Krauser Rhabarber	758	.	.	(+)	.	X	.	+	X	.	.	+	.	X	X	.	X	.	758		
759 Rhipsalidopsis Britt. et Rose*	Easter Cactus	Cactus de Pâques	Osterkaktus	759	X*	.	.	X	X*	.	.	X*	X	X*	X	.	X	.	759	
760 Rhododendron L.*	Rhododendron, Azalea, Azaleodendron	Rhododendron, Azalee	Rhododendron, Azalee	760	X	.	X	X	X	.	X	X	X	.	.	.	X6	.	X	X	.	X	.	760
761 Rhodohypoxis baurii (Bak.) Nel*	Rhodohypoxis	Rhodohypoxis	Rhodohypoxis	761	X	.	.	.	X5	.	.	X	.	X	.	761		
762 Rhus L.*	Sumach	Sumac	Sumach, Essigbaum	762	X2	X	X	.	X	.	X	.	762	
763 Rhynchosystylis Bl.*	Fox Tail Orchid	Rhynchosystylis	Rhynchosystylis	763	+	.	.	+	.	.	+	.	X	.	+	(+)	X5	.	+	X	.	X	.	763
				BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA
---------------	----------------	-----------------	----------------	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----

RIBESFruit Crops/Plantes fruitières/Obstpflanzen

764	Ribes L.	Currants, Gooseberry	Cassis, Groseilliers	Johannisbeeren, Stachelbeere	764	X*	.	X*	X*	X	X	X	X3	X	.	764
765	*Ribes nigrum L.	Black Currant	Cassis	Schwarze Johannisbeere	765	+	.	+	+	X2	.	X	+	X	+	X	+	X	.	765
766	*Ribes nigrum L., R. dikuscha Fisch. ex Turcz., R. ussuriente Jancz.	Black Currant	Cassis	Schwarze Johannisbeere	766	+	.	+	+	.	.	X3	X	+	X	+	X	.	766
767	Ribes niveum Lindl.*	White Currant	Groseillier blanc	Weisse Johannisbeere	767	+	.	+	+	X2	.	X	.	X	+	X	+	X	.	767
768	Ribes sylvestre (Lam.) Mert. et W. Koch* [Ribes L.]	Red Currant	Groseillier rouge	Rote Johannisbeere	768	+	.	+	+	X2	.	X	X3	X	+	X	+	X	.	768
769	Ribes uva-crispa L.* [R. grossularia; R. uva-crispa]	Gooseberry	Groseillier à maquereau	Stachelbeere	769	+	.	+	+	X2	.	X	X3	X	+	X	+	X	.	769

Ornamental Plants/Plantes ornementales/Zierpflanzen

770	Ribes L.	Ornamental Currant	Groseillier ornamental	Zierjohannisbeere	770	X2	X	X	.	X	.	770		
771	*Ricinus communis L.	Castorbean	Ricin	Wunderbaum, Palma Christi	771	X	.	X	.	X5	.	X	.	X	X	771	
772	Robinia L.*	False Acacia	Robinier	Robinie	772	X2	X	X	.	X	.	X	.	772
773	*Robinia pseudoacacia L.	False Acacia	Robinier faux-acacia	Gemeine Robinie, Scheinakazie	773	+	X	X	X	.	X	.	773	
774	Rohdea japonica (Thunb.) Roth*	Rohdea	Rohdea	Rohdea	774	X	.	.	.	X5	.	X	.	X	.	774	
775	Romneya Harv.	Romneya	Rdmneya	Romneya	775	X2	X	X	.	X	.	X	.	775
776	Rosa L.	Rose	Rosier	Rose	776	X	.	X*	X	X	X	X	X	X	X	X	X6	.	X	X	X	X	776	
777	*Rosmarinus officinalis L.	Rosemary	Romarin officinal	Rosmarin	777	X2	X	X	.	X	.	X	.	777

RUBUSFruit Crops/Plantes fruitières/Obstpflanzen

778	Rubus L.	Raspberry, Bramble	Framboisier, Ronce	Himbeere, Brombeere	778	X*	.	X*	X*	.	.	X3	X	X	X3	X	.	778		
779	Rubus subg. Eubatus Focke [R. fruticosus L.*]	Blackberry	Ronce fruitière	Brombeere	779	+	.	+	+	X2	.	X	+	X	X	+	X	.	779	
780	*Rubus idaeus L.	Raspberry	Framboisier	Himbeere	780	+	.	+	+	X2	.	X	+	X	(X)	X	+	X	.	780

Ornamental Plants/Plantes ornementales/Zierpflanzen

781	Rubus L.	Ornamental Bramble	Ronce ornementale	Zierbrombeere	781	X2	X	X	.	X	.	781		
782	Rudbeckia L.*	Cone Flower	Rudbeckia	Sonnenhut	782	X1	X	.	.	.	X5	.	X	.	X	.	782	
783	Ruta L.*	Rue	Rue	Raute	783	X2	X	X	.	X	.	X	.	783

BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA
784 <i>Saccharum</i> L.*	Sugar Cane	Canne à sucre	Zuckerrohr	784	X	.	.	.	X1	.	.	X	.	X	.
785 <i>Saintpaulia</i> H. Wendl.	Saintpaulia, African Violet	Saintpaulia	Usambaraveilchen	785	.	.	.	X	.	.	.	X	.	.	.	X5	.	X	X	.	X	.
786 * <i>Saintpaulia ionantha</i> H. Wendl.	African Violet	Saintpaulia	Usambaraveilchen	786	X	.	X	+	X	.	X	X	.	X	X	+	.	+	X	X4	X	X
787 <i>Salix</i> L.	Willow	Saule	Weide	787	X	.	X	.	.	.	X2	X	.	.	X6	.	X	X	X	X	.	787
788 <i>Salvia</i> L.*	Sage	Sauge	Salbei	788	X1	X	.	.	X5	.	X	.	X	.	788
789 * <i>Salvia officinalis</i> L.*	Common Sage	Sauge	Echter Salbei	789	X2	X	.	.	+	.	.	X	.	X	.
790 <i>Sambucus</i> L.	Elder	Sureau	Holunder	790	X2	X	X	.	X	.
791 <i>Sansevieria</i> Thunb.*	Bowstring Hemp	Sansevierie	Bogenhanf	791	X	.	.	.	X5	.	X	.	X	.	791
792 <i>Saponaria</i> L.*	Saponaria	Saponaire	Seifenkraut	792	X1	X	X	.	X	.
793 <i>Sarcococca</i> Lindl. (excl. <i>S. saligna</i> Muell.)	Sarcococca	Sarcococca	Sarcococca	793	X2	X	X	.	X	.
794 <i>Sarracenia</i> L.	Pitcher Plant, Side-saddle Flower	Sarracenia	Schlauchpflanze, Krugblatt	794	X	.	.	.	X5	.	X	.	X	.	794
795 <i>Saxifraga</i> L.*	Saxifrage	Saxifrage	Steinbrech	795	X	.	.	.	X5	.	X	.	X	.	795
796 <i>Scabiosa</i> L.*	Scabious	Scabieuse	Grindkraut, Skabiose	796	X1	X	.	.	X5	.	X	.	X	.	796
797 <i>Schefflera</i> J.R. et G. Forst.*	Schefflera	Schefflera	Schefflera	797	X	(X)	X	.	X	.
798 * <i>Schizanthus pinnatus</i> Ruiz et Pav.	Wingleaf Butterfly Flower	Schizanthe papill- ton	Spaltblume, Schlitzblume	798	X	.	.	.	X5	.	X	.	X	.	798
799 <i>Schizostylis</i> Backh. et Harv.	Crimson Flag	Schizostylis	Spaltgriffel	799	X1	X	X	.	X	.
800 <i>Schlumbergera</i> Lem.*	Christmas Cactus	Cactus de Noël	Weihnachtskaktus	800	X*	.	X	X*	.	.	X*	X	X*	X	.	X	.	800
801 <i>Scilla</i> L.*	Squill, Wild Hyacinth	Scille	Blaustern	801	X	.	.	.	X5	.	X	.	X	.	801
802 <i>Scindapsus</i> Schott*	Ivy- arum, Silver Vine	Pothos	Scindapsus	802	X	.	.	.	X5	.	(+)	X	.	X	.
803 * <i>Scorzonera hispanica</i> L.	Black Salsify	Scorsonière, Salsifis noir	Schwarzwurzel	803	X	.	X	X	.	.	X	X	X	.	X	.	803
804 * <i>Secale cereale</i> L.	Rye	Seigle	Roggen	804	X	.	X	X	X	.	(X)	X	X	.	X	X1	.	X1	X	X1	X	.
805 <i>Sedum</i> L.*	Stonecrop, Ice Plant	Sédum	Fetthenne	805	X1	X	X	.	X	.	805
806 <i>Selaginella</i> P. Beauv.*	Club Moss	Sélaginelle	Mooskraut	806	X	.	.	.	X5	.	X	.	X	.	806
807 * <i>Senecio cruentus</i> (Masson ex L'Hér.) DC.*	Florists' Cine- raria	Cinénaire hybride	Kreuzkraut	807	X	.	.	.	X5	.	X	.	X	.	807
808 <i>Senecio laxifolius</i> J. Buchan.	-	-	Kreuzkraut	808	X2	X	X	.	X	.	808
809 <i>Serruria</i> spec.*	Serruria, Protea	Serruria, Protea	Serruria, Protea	809	X	X	.	X	X	809
810 * <i>Sesamum indicum</i> L.*	Sesame	Sésame	Sesam	810	X	.	X	.	.	.	X	.	X	.	810
811 * <i>Setaria italica</i> (L.) P. Beauv.*	Foxtail Millet, Italian Millet	Millet d'Italie, Millet des oiseaux	Kolbenhirse	811	.	.	.	X	.	.	.	X	X	.	X	.	811

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
812 <i>Sidalcea</i> A. Gray*	Prairie Mallow	Sidalcea	Präriemalve	812	X1	X	X	.	X	.	812		
813 <i>Silene</i> L.*	Catchfly	Silène	Leimkraut	813	X1	X	.	.	.	X5	.	X	.	X	.	813		
814 <i>Simmondsia chinensis</i> (Link) Schneid.*	Jojoba	-	-	814	X	.	X	.	.	.	X	.	X	.	814			
815 * <i>Sinapis alba</i> L.	White Mustard	Moutarde blanche	Weisser Senf	815	X	.	.	X	X	.	X	X	X	X	X1	X	.	815		
816 <i>Sinningia</i> Nees*	Gloxinia	Gloxinia	Gloxinie	816	X	.	.	.	X5	.	(+)	X	.	X	.	816		
817 <i>Sinningia speciosa</i> (Lodd.) Hiern.*	Gloxinia	Gloxinia	Gloxinie	817	X	.	.	(X)	+	.	(+)	X	.	X	.	817		
818 <i>Sisyrinchium</i> L.*	Satin Flower, Blue Eyed Grass	Sisyrinchium, Bermudienne	Grassschwerte, Binsenlilie	818	X1	X	X	.	X	.	818			
819 <i>Skimmia</i> Thunb.	Skimmia	Skimmia	Skimmia	819	X2	X	X	.	X	.	819		
820 <i>Solanum</i> L.*	Solanum	Solanum	Nachtschatten	820	X	.	.	.	X2	.	.	X	.	X	.	820		
821 <i>Solanum lycopersicum</i> L. [* <i>Lycopersicon</i> Tomato <i>lycopersicum</i> (L.) Karst. ex Farwell; L. <i>esculentum</i> P. Mill.]	Tomato	Tomate	Tomate	821	X	.	.	X	X	.	X	.	X	X	X2	.	X	X	X2	X	X	821		
822 * <i>Solanum melongena</i> L.* [S. <i>melongena</i> var. <i>esculentum</i> Nees]	Eggplant, Aubergine	Aubergine	Eierfrucht, Aubergine	822	X	.	X	.	X	X	+	.	X	X	.	X	X	822	
823 * <i>Solanum tuberosum</i> L.* [S. <i>tuberousum</i> L. <i>sensu lato</i>]	Potato	Pomme de terre	Kartoffel	823	X	.	X	X	X	X	X	X	X	X	X	+	.	X	X	X1	X	X	823	
824 <i>Solidago</i> L.*	Golden Rod	Verge d'or	Goldrute	824	X1	X	(X)	X	.	X	.	824		
825 <i>Sophora</i> L.*	Sophora, Pagoda Tree	Sophora	Schnurrrbaum	825	X2	X	.	.	X6	.	.	X	.	X	.	825		
826 <i>Sophronitis</i> Lindl.*	Sophronitis	Sophronitis	Sophronitis	826	+	.	.	+	.	.	+	.	X	.	+	(+)	X5	.	+	X	.	X	.	826
827 <i>Sorbus</i> L.*	Mountain Ash, Rowan, Whitebeam	Sorbier	Eberesche, Mehl- beere, Eilsbeere	827	X2	X	X	.	X	.	827		
828 <i>Sorghum</i> Moench*	Grain and Fodder Sorghum	Sorgho	Mohrenhirse	828	X	.	.	.	X1	.	.	X	.	X	X	828		
829 * <i>Sorghum bicolor</i> (L.) Moench* [S. <i>vulgare</i> Pers.]	Sorghum	Sorgho	Mohrenhirse	829	X*	.	X	.	X	X	+	.	X	.	X	+	829		
830 <i>Sorghum dochna</i> (Forssk.) Snowden*	Sweet Sorghum, Broom Corn	Sorgho sucré, Sorgho à balai	Zuckerhirse, Besenhirse	830	.	.	.	X	.	.	X	.	+	+	+	.	.	X	.	X	+	830		
831 <i>Spartium</i> L.*	Spanish Broom	Genêt d'Espagne	Binsenginster	831	X2	X	X	.	X	.	831		
832 <i>Spathiphyllum</i> Schott*	Spathiphyllum	Spathiphyllum	Spathiphyllum	832	.	.	.	X	X	.	.	X	(+)	X	.	X	.	832		
833 * <i>Spergula arvensis</i> L.	Corn Spurry	Spergule des champs, Spargoute, Espargoute, Fourrage de disette	Ackerspörgel, Ackerspark	833	X	.	.	.	X1	X	.	X	.	X	.	833		
834 * <i>Spinacia oleracea</i> L.	Spinach	Epinard	Spinat	834	X	.	.	X	X	.	.	X	.	.	X	X2	.	X	X	X2	X	.	834	
835 <i>Spiraea</i> L.*	Bridal Wreath, Spirea	Spirée	Spierstrauch	835	X2	X	.	.	X6	.	.	X	.	X	.	835		
836 <i>Stachys</i> L.*	Woundwort	Epiaire	Ziest	836	X1	X	X	.	X	.	836		
837 <i>Stachyurus</i> Sieb. et Zucc.	Stachyurus	Stachyurus	Stachyurus	837	X2	X	X	.	X	.	837		

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
838 <i>Staphylea</i> L.	Bladder Nut	Staphylier	Pimpernuss	838	X2	X	X	.	X	.	838		
839 <i>Stephanandra</i> Sieb. et Zucc.	Stephanandra	Stephanandra	Kranzspiere	839	X2	X	X	.	X	.	839		
840 <i>Stevia rebaudiana</i> (Bertoni) Hemsl.*	"Caa-ehe," "Azuca-caa"	Stevia	Stevia	840	X	.	.	.	X1	.	X	.	X	.	840			
841 <i>Stewartia</i> L.*	Stewartia	Stewartia	Scheinkamelie	841	X2	X	X	.	X	.	841			
842 <i>Stokesia</i> L'Hér.	Stocke's Aster	Stokesia	Stokesia	842	X1	X	X	.	X	.	842			
843 <i>Stranvaesia</i> Lindl.*	Stranvaesia	Stranvaesia	Stranvaesie	843	X2	X	X	.	X	.	843			
844 <i>Strelitzia</i> Ait.	Bird of Paradise Flower	Strelitzia, Oiseau du paradis	Strelitzie, Paradiesvogelblume	844	X	.	.	.	X5	.	X	.	X	.	844			
845 <i>Streptocarpus</i> Lindl. [* <i>S.</i> X <i>hybridus</i> Voss]	Streptocarpus, Cape Primrose	Streptocarpus	Streptocarpus, Drehfrucht	845	X	.	X	X	X	.	X	X	X	.	.	X5	.	X	X	X4	X	.	845	
846 <i>Styrax</i> L.	Styrax, Storax, Snowbell	Aliboufier	Storaxbaum	846	X2	X	X	.	X	.	X	.	846	
847 <i>Syphoricarpos</i> Duham.*	Snowberry	Syphorine	Schneebere	847	X2	X	X	.	X	.	X	.	847	
848 <i>Syringa</i> L.*	Lilac	Lilas	Flieder	848	X2	X	X	X	.	X	.	X	.	848
849 <i>Syringa vulgaris</i> L.	Common Lilac	Lilas	Flieder	849	+	X	.	.	.	X6	.	+	X	.	X	.	849	
850 <i>Tagetes</i> L.	Marigold	Tagète, Oeillet d'Inde, Rose d'Inde	Sammetblume	850	(X)	X	.	.	.	X5	.	X	.	X	.	850		
851 <i>Tamarix</i> L.*	Tamarisk	Tamaris	Tamariske	851	X2	X	X	.	X	.	X	.	851	
852 <i>Taxales</i>	Taxads	Taxales	Eibengewächse	852	X	X	X	.	X	.	X	.	852	
853 <i>Taxus</i> L.	Yew	If	Eibe	853	+	X	.	.	.	X6	.	X	.	X	.	853		
854 <i>Tecoma</i> * (<i>Campsis</i> Lour.)	Trumpet Flower	Bignonia, Jasmin de Virginie	Trompetenblume, Trompetenwinde	854	X2	X	X	.	X	.	X	.	854	
855 <i>Teucrium chamaedrys</i> L.*	Wall Germander	Germandrée petit-chêne	Edelgamander	855	X1	X	X	.	X	.	X	.	855	
856 <i>Teucrium fruticans</i> L.*	Tree Germander	Germandrée ligneuse	-	856	X2	X	X	.	X	.	X	.	856	
857 <i>Thalictrum</i> L.*	Meadow Rue	Pigamon	Wiesenraute	857	X1	X	X	.	X	.	X	.	857	
858 <i>Thea sinensis</i> L.*	Tea	Théier	Tee	858	X	.	.	.	+	.	X	.	X	X	.	858		
859 <i>Thuja</i> L.*	Thuya	Thuya	Lebensbaum	859	X	.	(X)	X	X	.	X	+	X	.	.	.	X	.	X	.	X	.	859	
860 * <i>Thuja orientalis</i> L.*	Chinese Arborvitae	Thuya d'Orient	Orientalischer Lebensbaum	860	+	.	(+)	+	+	.	+	X	.	.	.	X6	.	X	.	X	.	860		
861 <i>Thymus</i> L.	Thyme	Thym	Thymian	861	X	.	X	.	.	.	X	.	X	.	X	.	861	
862 <i>Tiarella</i> L.*	Foam Flower	Tiarella	Schaumblüte	862	X1	X	X	.	X	.	X	.	862	
863 <i>Tilia</i> L.	Lime	Tilleul	Linde	863	X2	X	X	.	X	.	X	.	863	
864 <i>Tillandsia</i> L.*	Tillandsia	Tillandsia, Fille de l'air	Tillandsia	864	+*	X	.	.	.	X5	.	+*	X	.	X	.	864		
865 <i>Trachelium caeruleum</i> L.	Throatwort	Trachélie bleue	Blaues Halskraut	865	X	.	.	.	X5	.	X	.	X	.	X	.	865	
					BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	ZA		

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA	
866 <i>Tradescantia</i> L.*	Spider Wort	Tradescantia, Misère	Dreimasterblume	866	X1	X	X	.	X	.	866	
867 <i>Tricyrtis</i> Wall.	Toad-lily	Tricyrtis	Krötenlilie	867	X	.	.	.	X5	.	.	X	.	X	.	867	
868 <i>Trifolium</i> L.	Clover	Trèfle	Klee	868	X	.	.	X	.	.	X	.	X	.	868		
869 * <i>Trifolium alexandrinum</i> L.	Berseem Clover	Trèfle d'Alexandrie	Alexandriner Klee	869	.	.	.	X	.	.	X	.	X	+	.	X1	X	.	X	.	869		
870 <i>Trifolium berytheum</i> Boiss.	-	-	-	870	X	.	X	+	.	.	X	.	X	.	870		
871 * <i>Trifolium hybridum</i> L.	Alsike Clover	Trèfle hybride	Schwedenklee	871	X	.	.	X	X	.	.	X	.	.	+	.	.	X	X1	X	X	871	
872 * <i>Trifolium incarnatum</i> L.	Crimson Clover	Trèfle incarnat	Inkarnatklee	872	.	.	.	X	.	.	X	.	.	+	.	.	X	.	X	.	872		
873 * <i>Trifolium pratense</i> L.	Red Clover	Trèfle violet	Rotklee	873	X	.	X	X	X	(X)	X	X	X	.	+	X4	.	X1	X	X1	X	873	
874 * <i>Trifolium repens</i> L.*	White Clover	Trèfle blanc	Weissklee	874	X	.	X	X	X	.	X	X	X	+	X4	.	X1	X	X1	X	X	874	
875 * <i>Trifolium resupinatum</i> L.*	Persian Clover	Trèfle de Perse	Persischer Klee	875	.	.	.	X	.	.	X	.	.	+	.	.	X	.	X	X	875		
876 * <i>Trifolium subterraneum</i> L.	Subterranean Clover	Trèfle souterrain	Bodenfrüchtiger Klee	876	.	.	.	X	.	.	X	.	X	+	.	.	X	.	X	X	876		
877 * <i>Trigonella foenum-graecum</i> L.	Fenugreek	Fenugrec	Bockshorn Klee, Griechisch-Heu	877	X	X	X	.	X	.	877		
878 * <i>Trisetum flavescens</i> (L.) Beauv.*	Golden Oatgrass	Avoine jaunâtre	Goldhafer	878	.	.	.	X	.	.	.	X	X	.	X	.	878	
879 X <i>triticosecale</i> Wittmack [X <i>Triticale</i> ; <i>Triticale</i> <i>Triticum turgidosecale</i>]		Triticale	Triticale	879	X	.	X	X	X	(X)	X	X	X	.	X	.	(X1)	X	X1	X	X	879	
880 <i>Triticum</i> L.*	Wheat	Blé	Weizen	880	X	X	.	.	X	.	.	X	.	X	X	880	
881 * <i>Triticum aestivum</i> L. emend. Fiori et Paol. [<i>T. aestivum</i> L. ssp. <i>vulgare</i> (Vill., Host) Mac Kay]*	Wheat, Soft Wheat, Bread Wheat	Blé tendre, Froment	Weichweizen	881	X	.	X	X	X	X	X	+	X	X	X	+	X1	.	X	X	X1	X	881
882 * <i>Triticum durum</i> Desf.*	Durum Wheat, Macaroni Wheat, Hard Wheat	Blé dur	Hartweizen	882	X	.	.	X	X	X	X	+	X	.	X	+	.	X	X	X1	X	+	882
883 <i>Triticum spelta</i> L.*	Spelt	Epeautre	Spelz	883	X	.	X	X	.	.	+	X	.	.	+	.	.	X	.	X	.	883	
884 <i>Tritonia Ker-Gawl.</i> *	Tritonia, Montbretia	Monbretia	Tritonia, Montbretie	884	X	.	.	.	X5	.	.	X	.	X	.	884	
885 <i>Trollius</i> L.*	Globe Flower	Trolle	Trollblume	885	X1	X	X	.	X	.	885	
886 * <i>Tropaeolum majus</i> L.	Garden Nasturtium, Grande capucine Indian Cress		Grosse Garten- kresse	886	X	.	.	.	X5	.	.	X	.	X	.	886	
887 <i>Tulipa</i> L.	Tulip	Tulipe	Tulpe	887	X	.	.	X	.	X	.	X	.	.	X5	.	X	X	.	X	.	887	
888 <i>Ulex</i> L.	Gorse	Ajonc	Stechginster	888	X2	X	X	.	X	.	X	.	888
889 <i>Ulmus</i> L.	Elm	Orme	Ulme	889	.	.	.	X	.	.	X2	X	X	X	.	X	.	889	
890 <i>Ulmus campestris</i> L.*	Elm	Orme	Ulme	890	.	.	.	+	.	.	+	X	.	.	(X)	.	.	+	X	.	X	.	890
					BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	ZA	

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
VACCINUM*																								
Fruit Crops/Plantes fruitières/Obstpflanzen																								
891 Vaccinium L.	Bilberry, Whortle- berry, Cranberry Cowberry	Airelle, Myrtille	Heidelbeere, Preiselbeere, Moosbeere	891	X	.	.	X3	.	.	X	X3	X	.	891		
892 Vaccinium-Corymbosum-Hybridi	Blueberry	Myrtille	Kulturheidelbeere	892	.	.	.	X	X2	.	.	X	.	.	+	.	.	X	+	X	.	892		
893 Vaccinium myrtillus L.	Bilberry, Whortle- berry, Blueberry	Myrtille	Heidelbeere	893	X2	.	.	X	.	.	+	.	.	X	+	X	.	893		
894 Vaccinium vitis-idaea L.*	Cowberry, Mountain Cranberry	Airelle rouge	Preiselbeere	894	.	.	.	X	.	.	.	X	.	.	+	.	.	X	+	X	.	894		
Ornamental Plants/Plantes ornementales/Zierpflanzen																								
895 Vaccinium L.	-	-	-	895	X2	X	.	.	+	.	.	X	.	X	.	895	
896 Valeriana L.	Valerian	Valériane, Herbe aux chats	Baldrian	896	X	.	.	X1	.	.	X	.	X	.	896		
897 *Valerianella locusta (L.) Laterrade* [V. locusta et eriocarpa]	Cornsalad, Lamb's Lettuce	Mâche, Doucette	Feldsalat	897	X	.	X	X	.	.	X	.	X	X	X	.	X	.	897	
898 Vanda Jones*	Vanda	Vanda	Vanda	898	+	.	.	+	.	.	+	X	.	+	(+)	X5	.	+	X	.	X	.	898	
899 Veratrum L.*	False Hellebore	Véritable	Germer, Nieswurz	899	X1	X	X	.	X	.	899		
900 Verbascum L.	Mullein	Molène	Königskerze	900	X1	X	X	.	X	.	900		
901 Verbena L.*	Vervain	Verveine	Verbene, Eisenkraut	901	X	.	.	X5	.	.	X	.	X	.	901		
902 Veronica L.*	Speedwell	Véronique	Ehrenpreis	902	X1	X	.	.	.	X5	.	.	X	.	X	.	902
903 Viburnum L.*	Snowball Tree	Viorne	Schneeball	903	X2	X	X	.	X	.	903		
904 *Vicia articulata Hornem.*	One-flowered Vetch	Vesce	Wicklinse	904	.	.	.	X	.	.	.	X	X	.	X	.	904		
905 *Vicia faba L.* [V. faba L. sensu lato]	Broad Bean, Horse Bean, Field Bean, Tick Bean	Fève, Féverole	Ackerbohne, Dicke Bohne (Puffbohne)	905	+	.	(+)	X	+	X	.	X	X	.	.	X	X1	.	X	X	+	X	.	905
906 *Vicia faba L. var. major Harz	Broad Bean, Horse Bean	Fève	Dicke Bohne (Puffbohne)	906	X	.	(X)	+	X	+	.	+	X	.	X	+	+	.	+	X	X2	X	.	906
907 *Vicia faba L. var. minor Harz	Field Bean, Tick Bean	Féverole	Ackerbohne	907	X	.	(X)	+	X	+	.	+	X	X	.	+	+	.	+	X	X1	X	.	907
908 *Vicia pannonica Crantz	Hungarian Vetch	Vesce de Pannonie	Pannonische Wicke	908	.	.	.	X	.	.	.	X	X	.	X	.	908		
909 *Vicia sativa L.*	Common Vetch	Vesce commune	Saatwicke	909	.	.	.	X	X	X	.	X	.	X	.	.	X	X	X1	X	.	909		
910 *Vicia sepium L.	Bush Vetch, Hedge Vetch	Vesce des haies	Zaunwicke	910	.	.	.	X	.	.	.	X	X	.	X	.	X	.	910	
911 *Vicia villosa Roth*	Hairy Vetch	Vesce velue	Zottelwicke	911	.	.	.	X	.	.	.	X	X	X1	X	.	911		
912 *Vigna unguiculata (L.) Walp.* [V. sinensis (L.) Savi ex Hassk.]	Cowpea	Dolique de Chine	Catjangbohne, Spargelbohne, Augenbohne	912	X	.	.	.	X1	.	.	X	.	X	X	912	

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>		BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA			
913 <i>Vinca L.*</i>	Periwinkle	Pervenche	Immergrün	913	X	.	.	.	X5	.	.	X	.	X	.	913			
914 <i>Vinca major L.</i>	Larger Periwinkle	Grande pervenche	Immergrün, Singrün	914	X2	X	.	.	+	.	.	X	.	X	.	914			
915 <i>*Vinca minor L.</i>	Lesser Periwinkle	Petite pervenche	Immergrün	915	X2	X	.	.	+	.	.	X	.	X	.	915			
916 <i>Viola L.*</i>	Violet, Pansy	Violette, Pensée	Veilchen, Stiefmütterchen	916	.	.	(X)	X1	X	.	.	.	X5	.	.	X	.	X	.	916		
917 <i>Vitis L.*</i>	Vine	Vigne	Rebe	917	.	.	X*	X*	.	.	X	X2	X	.	.	X	X3	.	(X)	X	.	X	X	917		
918 <i>Vitis vinifera L.</i>	Vine	Vigne	Rebe	918	.	.	+	+	.	.	+	+	X	.	X	+	+	.	(+)	X	.	X	+	918		
919 <i>Vriesea Lindl. corr. Beer*</i>	Vriesea	Vriesea	Vriesea	919	+	*	X	.	.	.	X5	.	+	*	X	.	X	.	919	
920 <i>*Vriesea splendens (Brongn.) Lem.*</i>	Vriesea	Vriesea	Vriesea	920	+	.	.	X	.	.	.	X	.	.	.	+	.	+	X	.	X	.	X	.	920	
921 <i>Wasabia japonica Matsum.</i>	Wasabia	Wasabia	Wasabia	921	X	.	.	.	X2	.	.	X	.	X	.	X	.	921	
922 <i>Weigela Thunb.* (Diervilla Mill.)</i>	Diervilla	Weigela	Weigelie	922	X	X2	X	.	.	.	X6	.	.	X	.	X	.	922		
923 <i>Wisteria Nutt.*</i>	Wisteria	Glycine	Glyzine, Wistarie	923	X2	X	.	.	.	X6	.	.	X	.	X	.	923		
924 <i>Yucca L.*</i>	Yucca	Yucca	Palmlilie	924	X	.	.	.	X6	.	.	X	.	X	.	924			
925 <i>Yucca L.* (excl. Y. aloifolia L.*, Y. baccata Torr.*, Y. whipplei Torr.*)</i>	Yucca	Yucca	Palmlilie	925	X2	X	.	.	+	.	.	X	.	X	.	925			
926 <i>Zantedeschia Spreng.*</i>	Calla, Arum-lily	Calla	Zantedeschia, Kalla	926	X	.	.	(X)	X5	.	(+)	X	.	X	.	926			
927 <i>*Zea mays L.</i>	Maize	Maïs	Mais	927	X	.	X	X	X	X*	X	X*	X	.	X	X	X1	.	X	X	X*	X	X	927		
928 <i>Zelkova Spach*</i>	Zelkova	Orme du Caucase	Zelkove	928	X2	X	X	.	X	.	X	.	928	
929 <i>Zelkova serrata (Thunb. ex Murr.) Makino*</i>	Zelkova	Orme du Caucase	Zelkove	929	+	X	.	.	.	X6	.	.	X	.	X	.	929		
930 <i>Zingiber officinale Rosc.</i>	Ginger	Gingembre	Ingwer	930	X	.	.	.	X2	.	.	X	.	X	.	930			
931 <i>*Zinnia elegans Jacq.</i>	Youth-and-old-age, Zinnia élégant Youth and Age	Zinnie	Zinnie	931	X	.	.	.	X5	.	.	X	.	X	.	931			
932 <i>Zoysia Willd.</i>	Lawn Grass	Zoysia	Zoysia	932	X	.	.	.	X4	.	.	X	.	X	.	932			
933 <i>Zygocactus K. Schum.*</i>	Crab Cactus, Christmas Cactus	Cactus de Noël	Weihnachtskaktus	933	X*	.	.	+	*	+	*	.	.	+	*	X	.	.	X5	.	X*	X	.	X	.	933

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

NOTES CLASSIFIED BY STATES

BE/BELGIUM¹Special Notes

Bromeliaceae, Aechmea, Cryptanthus, Guzmania, Neoregelia, Tillandsia, Vriesea: the definition of the protected entities is the following: "Bromeliaceae belonging to the genera and to their mutual hybrids: Bromeliaceae: Aechmea Ruiz et Pav., Cryptanthus Otto et A. Dietr., Guzmania Ruiz et Pav., Neoregelia L.B. Sm., Tillandsia L., Vriesea Lindl."

Epiphyllopsis Berger, Rhipsalidopsis Britt. et Rose, Schlumbergera Lem., Zygocactus K. Schum.: the definition of the protected entities is the following: "Cacti with jointed stems belonging to the genera and to their mutual hybrids: Zygocactus K. Schum., Schlumbergera Lem., Epiphyllopsis Berger, Rhipsalidopsis Britt. et Rose."

Ribes L.: the definition of the protected entities is the following: "Currants, gooseberry and hybrids of those species."

Rubus L.: the definition of the protected entities is the following: "Raspberry, blackberry."

CH/SWITZERLAND²Special Notes

Allium cepa L.: protection is limited to long-day varieties.

Dianthus L.: protection is limited to vegetatively propagated varieties.

Gerbera Cass.: protection is limited to vegetatively propagated varieties.

Helianthus annuus L.: ornamental varieties are excluded from protection.

Prunus L. subg. Prunus: the definition of the protected entities is the following: "Prunus (excluding ornamental varieties, including rootstocks) - Plum, quetsch, Japanese plum and other diploid plum varieties."

Ribes L.: the definition of the protected entities is the following: "Ribes (excluding ornamental varieties) - Black currant, red currant, gooseberry and hybrids."

¹ Source: Royal Decree of May 21, 1985, Fixing the Plant Species for Which a New Plant Variety Certificate may be Delivered and Fixing the Duration of Protection for Those Species.

² Source: Ordinance of May 11, 1977, on Plant Variety Protection - Amendment of February 28, 1983.

Rosa L.: protection is limited to ornamental varieties.

Rubus L.: the definition of the protected entities is the following: "Rubus (excluding ornamental varieties) - Raspberry, blackberry and hybrids."

Vitis L.: ornamental varieties are excluded from protection.

DE/GERMANY (FEDERAL REPUBLIC OF)¹

Special Notes

Epiphyllopsis Berger, Zygocactus K. Schum.: these genera are considered as included in Rhipsalidopsis Britt. et Rose and Schlumbergera Lem., respectively.

Pelargonium L'Hér. ex Ait.: the definition of the protected entities is the following: "Pelargonium L'Hér. ex Ait. - Show and fancy pelargoniums, ivy-leaved pelargonium, zonal pelargonium."

Prunus L.: the definition of the protected entities is the following: "Prunus L. - Cherry, plum, quetsch."

Ribes L.: the definition of the protected entities is the following: "Currants [Johannisbeere], gooseberry [Stachelbeere], excluding ornamental varieties."

Rubus L.: the definition of the protected entities is the following: "Blackberry, raspberry, excluding ornamental varieties."

Vitis L.: ornamental varieties are excluded from protection.

DK/DENMARK²

General Notes

Rootstocks of fruit crops: rootstocks may be protected in the case of the following fruit crops, identified by the figure 1 in the main table: Malus, Prunus avium, P. cerasus, P. domestica. Their protection is not provided for in the case of the following woody fruit crops, identified by the figure 2 (it being understood that grafting is not in use for some of them): Cydonia, Pyrus, Ribes, Rubus, Vaccinium.

Special Notes

Brassica rapa L. var. rapa (L.) Thell.: the definition of the protected entities is the following:

¹ Source: Order, of December 18, 1985, Concerning the List of Species Under the Plant Variety Protection Law.

² Source: Order of the Ministry of Agriculture No. 179 of March 26, 1986, on Plant Variety Protection (List of Species).

(i) *Brassica rapa* L. var. *rapa* - Majroe (common name more particularly applicable to early garden turnips);

(ii) *Brassica rapa* L. var. *rapa* - Turnips (common name more particularly applicable to fodder turnips).

Epiphyllopsis Berger, Rhipsalidopsis Britt. et Rose, Schlumbergera Lem., Zygocactus K. Schum.: the definition of the protected entities is the following:

i) "Rhipsalidopsis Britt. et Rose and hybrids - Cactus with jointed stems, including Easter and Whitsun cactus";

ii) "Schlumbergera Lem. and hybrids - Cactus with jointed stems, including November and Christmas cactus."

The genera *Epiphyllopsis* Berger and *Zygocactus* K. Schum. are considered as included in *Rhipsalidopsis* Britt. et Rose and *Schlumbergera* Lem., respectively.

Pelargonium L'Hér. ex Ait.: the definition of the protected taxon is the following: "Pelargonium L'Hér. (including P.-Grandiflorum-Hybridae; P.-Zonale-Hybridae and P.-Peltatum-Hybridae) - Pelargonium."

ES/SPAIN¹

Special Notes

Malus domestica Borkh.: protection is limited to fruiting varieties.

Zea mays L.: protection is limited to pure lines.

FR/FRANCE²

Special Notes

Bromus L.: protection is limited to *Bromus carinatus* Hook. et Arn., *Bromus sitchensis* Trin., *Bromus stamineus* Desv. incl. *B. valdivianus* Phil., *Bromus willdenowii* Kunth, *B. unioloides* H.B.K., *Catharticus* auct.

Sorghum bicolor (L.) Moench: protection is limited to inbred lines.

¹ Source: Order No. 6125 of April 16, 1985, Establishing Protection for New Varieties of Lucerne, Maize, Soya Bean, Lettuce, Apple and Hybrids Between Almond and Peach.

² Source: Decree No. 71-765 of September 9, 1971, Fixing the List of Plant Species for Which New Plant Variety Certificates may be Issued, and the Scope and Duration of the Breeder's Right in the Case of each Plant Species, as last amended by Decree No. 85-1452 of December 26, 1985.

GB/UNITED KINGDOMGeneral Notes

Legal form of the extension of protection: protection is extended to a taxon by means of statutory instruments entitled "The Plant Breeders' Rights ([designation of the purpose of the instrument]) Scheme [year]" (example: "The Plant Breeders' Rights (Barley) Scheme 1965"). There is now a tendency to establish instruments relating to groups of plants. Thus, the aforementioned instrument has been repealed by "The Plant Breeders' Rights (Cereals) Scheme 1980," which states by name the protected cereals.

Definition of the protected entity: the precise definition of what may be protected is in general the following:

- in the case of Schemes for individual taxa: "all plant varieties of [common name of the taxon] which conform with the characteristics of cultivated plant varieties of [designation of the rank of the taxon and Latin name thereof]."
- in the case of collective Schemes: "all plant varieties of [collective designation of the group of taxa] which conform with the characteristics of cultivated plant varieties of [designation of the ranks of the taxa concerned and reference to a table containing the list of the Latin names of those taxa and the corresponding common names, if any]."

Herbaceous perennial plants and trees, shrubs and woody climbers: the technique of the collective statutory instruments has been used in particular for two groups of taxa which are identified in the main table because of the limitation of the scope of the Latin names of the taxa deriving from the collective designation:

(i) the taxa protected under "The Plant Breeders' Rights (Herbaceous Perennials) Scheme 1969" - figure 1: the only varieties which may be protected under that instrument are those which are herbaceous and hardy under the climate of the United Kingdom;

(ii) the taxa protected under "The Plant Breeders' Rights (Trees, Shrubs and Woody Climbers) Scheme 1969" as amended in 1971 - figure 2: the only varieties which may be protected within a taxon specified under that instrument are varieties of trees, shrubs and woody climbers. Concerning the following species, protection under that instrument has been limited to ornamental varieties by the amendment of 1971: Prunus L., Pyrus L., Ribes L., Rubus L., Vaccinium L.

Rootstocks of fruit crops: in the case of woody fruit crops, account is taken of the fact that fruiting varieties and rootstock varieties do not always belong to the same species. In the main table, the "X" indicating that the taxon is protected is placed alongside the fruiting species and is accompanied by the figure 3. The scope of protection of each fruit crop is specified in the table appearing on the next page.

Special Notes

Brassica rapa L. var. rapa (L.) Thell.: protection has been extended to this taxon under "The Plant Breeders' Rights (Vegetables) (including Field Beans and Field Peas) Scheme 1980," but it is to be noted that turnip is often grouped with the vegetables.

Common names (fruit crops)	Protected taxa FV = Fruiting varieties; R = Rootstocks
-------------------------------	---

Apple	<u>FV</u> Species <i>Malus domestica</i> Borkh. <u>R</u> <i>Malus</i> spp.
Cherry	<u>FV</u> Species <i>Prunus avium</i> L., <i>Prunus cerasus</i> L. and <i>Prunus fruticosa</i> Pall. <u>R</u> <i>Prunus</i> species or varieties of species belonging to the subgenus <i>Cerasus</i> Pers. (genus <i>Cerasus</i> Mill.) and hybrids between any of these, or between species or varieties or hybrids belonging to the subgenus <i>Cerasus</i> Pers. and species or varieties or hybrids belonging to other subgenera, subdivisions or segregates of the genus <i>Prunus</i> L.
Plum	<u>FV</u> Species <i>Prunus domestica</i> or <i>Prunus cerasifera</i>
Damson, Bullace and Mirabelle	<u>FV</u> Species <i>Prunus insititia</i> <u>R</u> Species <i>Prunus domestica</i> , <i>Prunus cerasifera</i> or <i>Prunus insititia</i> , including hybrids derived from any two or all of these species.
Pear	<u>FV</u> Species <i>Pyrus communis</i> <u>R</u> <i>Pyrus</i> spp.
Red Currants	<u>FV</u> <i>Ribes</i>
Gooseberry	<u>FV</u> <i>Ribes grossularia</i> , <i>Ribes uva-crispa</i>
Black Currants	<u>FV</u> <i>Ribes nigrum</i> , <i>Ribes ussuriense</i> , <i>Ribes dikuscha</i>
Rubus, Rubus Hybrids	<u>FV</u> <i>Rubus</i>

Chrysanthemum L. partim: the definition of the protected taxa is the following (The Plant Breeders' Rights (Compositae) Scheme 1985): "all plant varieties of [Compositae] which conform with the characteristics of cultivated plant varieties of [the following] genera or species:

Chrysanthemum morifolium Ramatuelle; *C. indicum* auct. non L.; *C. sinense* Sabine; *C. chinense* hort.; *C. hortorum* W. Miller; *C. japonense* (Makino) Nakai; *C. vestitum* (Hemsley) Stapf; *C. makinoi* Matsumura and Nakai; *C. sibiricum* (DC.) Fischer ex Turcz.; *C. zawadskii* Herbich and varieties; *C. rubellum* Sealy (*C. erubescens* hort. non Stapf); *C. cuneifolium* Kitamura; *C. okiense* Kitamura; *C. boreale* (Makino) Makino; *C. aphrodite* (Kitamura); *C. arcticum* auct. non L.; *C. yezoense* Maekawa; Korean chrysanthemums; Konji chrysanthemums; Cascade chrysanthemums; *C. ornatum* Hemsley; *C. koreanum* (*coreanum*) hort."

Epiphyllopsis Berger, Rhipsalidopsis Britt. et Rose, Schlumbergera Lem., Zygocactus K. Schum.: the definition of the protected taxa is the following: (The Plant Breeders' Rights (Cactaceae) Scheme 1985) : "all plant varieties of cacti which conform with the characteristics of cultivated plant varieties of [the following] taxa or of cultivated plant varieties which are the products of hybridization between members of any of those taxa: Epiphyllopsis (Berger) Backeb. et Knuth; Rhipsalidopsis Britt. et Rose; Schlumbergera Lem. (Zygocactus K. Schum.)."

Fragaria L.: this taxon is protected under "The Plant Breeders' Rights (Strawberries) Scheme 1966" and, through a variation of 1985, under "The Plant Breeders' Rights (Herbaceous Perennials) Scheme 1969."

Lupinus L.: this taxon is protected under both statutory instruments mentioned in the paragraph "Herbaceous perennial plants and trees, shrubs and woody climbers."

Oenothera L.: this taxon is protected under "The Plant Breeders' Rights (Herbaceous Perennials) Scheme 1969" and under "The Plant Breeders' Rights (Oil and Fibre Plants) Scheme 1980," the latter not applying to ornamental varieties.

Paeonia L.: this taxon is protected under both statutory instruments mentioned in the paragraph "Herbaceous perennial plants and trees, shrubs and woody climbers."

Zea mays L.: protection does not extend to varieties of sweetcorn and popcorn.

HU/HUNGARY

General Notes

Protection is provided for in respect of all genera and species (Article 6(2) of the Law No. II of 1969 on the Protection of Inventions by Patents).

IT/ITALY

Spécial Notes

Prunus salicina Lindl.: the definition of the protected entities is the following (Ministerial Decree of August 6, 1983, Concerning the Implementation of Presidential Decree No. 974 of August 12, 1975, Containing the Standards for the Protection of New Plant Varieties) : "Interspecific hybrids between Japanese types and American types from the genus Prunus."

JP/JAPAN

General Notes

The list of protected taxa appears in the implementing regulations to the revised Seeds and Seedlings Law (Cabinet Order No. 391 of December 22, 1978). That list was extended by virtue of a Cabinet Order of October 16, 1981. It is divided into eight groups, identified by the figures 1 to 8 in the main table. The groups bear no titles, but the following may be given:

- Group 1: "agricultural" plants
- Group 2: vegetables
- Group 3: fruit crops
- Group 4: fodder plants
- Group 5: herbaceous ornamental plants
- Group 6: woody ornamental plants
- Group 7: aquatic plants
- Group 8: mushrooms.

Each group is subdivided into genera, species and sub-species. The subdivisions are not identified at all in the main table, because they are readily recognizable in most cases from the Latin names.

The inclusion of the name of a taxon in one of the eight groups has no limitative effect on the scope of the name (for example, the fact that *Camellia L.* is listed in Group 6 does not exclude tea (*Camellia sinensis (L.) O. Kuntze*) from protection). The inclusion in a subdivision of a name denoting a taxon of a lower rank than that of the subdivision concerned also has no limitative effect (for example, the Japanese name equivalent to "cherry, flowering cherry" is mentioned in the subdivision "Genera" of Group 3, but the whole genus *Prunus* --and not the subgenus *Cerasus* only--is covered).

Special Notes

Brassica napus L., Brassica rapa L.: Protection is provided for in respect of Rape (*Brassica napus L. partim*; oilseed rape) and Japanese local types (*Brassica campestris L.*--synonymous with *B. rapa L.*--*partim*; leaf vegetable varieties), and also turnip (*Brassica rapa L.*--including fodder varieties).

NL/NETHERLANDS

General Notes

A special protection regime is provided for in respect of certain taxa--identified by the figure 1 in the main table--by Section 85 of the Seeds and Planting Materials Act: pursuant to that section, reproductive material of a registered variety may only be commercialized, offered for sale or exported by the breeder and by any person who has obtained from the breeder foundation stock suitable for the production of reproductive material.

Special Notes

Bromeliaceae, Aechmea, Cryptanthus, Guzmania, Neoregelia, Tillandsia, Vriesea: the definition of the protected entities is the following (Order of December 15, 1980 (Staatsblad 773) Amending the Plant Breeders' Rights Order of 1975): "Plants of the *Bromelia* type, provided that they belong to one of the genera mentioned [above] or to a hybrid between them."

Epiphyllopsis Berger, Rhipsalidopsis Britt. et Rose, Schlumbergera Lem., Zygocactus K. Schum.: the definition of the protected entities is the following (Order of March 19, 1984 (Staatsblad 102) Amending the Plant Breeders' Rights Order of 1975): "Rhipsalidopsis Britt. et Rose (including *Epiphyllopsis Berger*), *Schlumbergera Lem.*, *Zygocactus K. Schum.* - [literally: cactus with jointed stems]."

NZ/NEW ZEALANDGeneral Notes

New Zealand protects the following (Plant Varieties Act Extension Order 1981 (No. 297)):

"All varieties and species of plants other than fungi, algae, and bacteria."

SE/SWEDENGeneral Notes

The list of protected taxa is divided into two chapters, of which the second is subdivided into three groups, as follows:

A. Agricultural Crops (figure 1 in the main table)

B. Horticultural Crops

1 - Vegetables (figure 2)

2 - Fruit Crops (figure 3)

3 - Ornamental Plants (figure 4)

Concerning the fruit crops, protection of rootstocks is provided for in respect of *Malus*, *Prunus*, *Pyrus* and *Ribes*, but not in respect of *Rubus* and *Vaccinium*.

Special Notes

Brassica napus L. var. *rapa* (L.) Thell.: the protected taxon appears in the group of agricultural crops under the name of "*Brassica rapa* L. var. *rapifera* Metzg. - Rova."

Brassica napus L. var. *napobrassica* (L.) Rchb.: this taxon appears both in the agricultural crops group and in the vegetables group.

Phaseolus vulgaris L.: this taxon appears both in the agricultural crops group and in the vegetables group.

Pisum sativum L.: this taxon appears both in the agricultural crops group and in the vegetables group.

Zea mays L.: this taxon appears both in the agricultural crops group and in the vegetables group.

US/UNITED STATES OF AMERICAGeneral Notes

The United States of America protects:

- (i) under the Plant Variety Protection Act: all sexually reproduced plant varieties excluding fungi, bacteria and first generation hybrids (Section 42(a) of the Act);

(ii) under the law commonly known as Plant Patent Law, introduced into the General Patent Law: all vegetatively propagated plant varieties, including cultivated sports, mutants, hybrids, and newly found seedlings, other than tuber propagated plants [in practice, Irish potato and Jerusalem artichoke] and plants found in an uncultivated state (Section 161 of the General Patent Law);

(iii) under the General (Utility) Patent Law: all varieties (on the basis of the decision in *in re Hibberd* of the US Board of Patent Appeals and Interferences of the Patent and Trademark Office).

ZA/SOUTH AFRICA¹

Special Notes

Citrus L.: the definition of the protected entities is the following: Citrus spp. - Sweet orange, lemon, grapefruit, loose skin types, other (bitter seville, lime, kumquat).

Fortunella Swingle: this genus is considered as included in Citrus spp.

¹ Source: Regulations Relating to Plant Breeders' Rights.

NOTES CLASSIFIED BY TAXA

A botanical nomenclature is not an absolute system, mainly because nature cannot be reduced to such a system. Determining the taxonomic rank which should be given to a certain type of plant, defining the borders of a genus or a species, classifying a species within a genus, all these involve some degree of arbitrary judgement, and thus a risk that different decisions may be taken. This arbitrary element is a source of synonymies, as also is the progress of knowledge when it results in a critical re-examination of earlier decisions.

A list is given below of taxa mentioned in the main table and of their synonyms found mainly in the Diccionario de Plantas Agricolas, in the Dictionary of Gardening, in Mansfeld and in Zander (see the introduction to this document). Although certain of these synonyms are today no more than curiosities, having fallen into disuse, others still have a definite importance, being used in scientific works and in practice, notably in commerce. Where relevant, the problems arising from nomenclature are briefly explained. Attention is drawn to the fact that it is the responsibility of the competent authorities of States to define with precision what is covered by a particular denomination for the purposes of plant variety protection.

Abelia R. Br.: synonymies with* Linnaea.

Abelmoschus esculentus (L.) Moench: syn.: Hibiscus esculentus L., the latter being stabilized by ISTA.

Abies Mill.: synonymies with Keteleeria, Larix, Picea, Pinus, Pseudolarix, Pseudotsuga, Tsuga.

Abies sachalinensis (Fr. Schmidt) Mast.: the variety nemorensis has the synonyms A. nemorensis, A. wilsonii.

Abutilon megapotamicum St.-Hil. et Naud.: syn.: A. vexillarium E. Morr.

Abutilon X milleri hort. = A. megapotamicum X A. pictum.

Acacia Mill.: synonymies with Albizia, Leucaena, Mimosa.

Acer L.: certain species have also been grouped into a genus Negundo. A. septemlobum Thunb. is a synonym of Kalopanax septemlobus (Thunb.) Koidz. (K. pictus (Thunb. ex Murray) Nakai (name stabilized by ISTA), Acanthopanax ricinifolius (Sieb. et Zucc.) Seem.).

Achillea L.: synonymies with Anthemis, Tanacetum.

* The expression "synonymies with" means that subdivisions of the taxon concerned have synonyms in the taxa indicated, and vice versa. In the case of the genus Abelia, for instance, a number of species thereof have also been described under the name Linnaea.

Achimenes-Hybridi: synonymies in the case of the genus *Achimenes* Pers. with *Dicyrta*, *Dolichoderia*, *Eucodonia*, *Gloxinia*, *Isoloma*, *Koellikeria*, *Mandriola*, *Plectopoma*, *Scheeria*, *Trevirana*.

Achyranthes L.: synonymies with *Iresine* P. Br.

Adiantum L.: *A. adiantoides* (*A. hewardia*) has the synonym *Hewardia adiantoides*.

Aechmea Ruiz et Pav.: numerous synonymies, notably with *Androlepis*, *Billbergia*, *Bromelia*, *Canistrum*, *Chevaliera*, *Echinostachys*, *Gravisia*, *Hohenbergia*, *Hoplophytum*, *Lamprococcus*, *Macrochordium*, *Nidularium*, *Ortgiesia*, *Pironneava*, *Portea*, *Pothuava*, *Quesnelia*, *Streptocalyx*, *Wittmackia*.

Aerides Lour.: see under *Orchidaceae*. Synonymies with *Ascocentrum*, *Ornithochilus*, *Rhynchostylis*, *Saccolabium*, *Sarcanthus*, *Vanda*.

Aeschynanthus Jack: synonymies with *Lysionotus*, *Trichosporum*.

Aesculus L.: synonymies with *Pavia*.

Agaricus L.: synonymies with *Pratella*, *Psalliota*.

Ageratum L.: *A. corymbosum* has the synonym *Caelestina ageratoides* and *A. lasseauxii* has the synonym *Eupatorium lasseauxii*.

Agrostis L.: synonymies with *Achnatherum*, *Aira*, *Apera*, *Oryzopsis*, *Zoysia*.

Agrostis gigantea Roth: syn.: *A. alba* auct. p.p. non L.

Agrostis stolonifera L.: syn.: *A. alba* auct. p.p. non L. According to ISTA, this species includes *A. palustris* Huds.

Agrostis tenuis Sibth.: syn.: *A. capillaris* L. (name stabilized by ISTA), *A. vulgaris* Willd.

Albizia julibrissin Durazz.: syn.: *A. nemu*.

Allamanda cathartica L.: syn.: *A. aubletii*, *A. linnaei*, *Orelia grandiflora*. Certain botanical varieties have also been made into species (*A. grandiflora* Hook., *A. hendersonii* Bull (*A. wardleyana*), *A. nobilis* T. Moore, *A. schottii* Pohl, *A. williamsii*).

Allium L.: *A. fragrans* is a synonym of *Nothoscordon inodorum*.

Allium ascalonicum L.: *A. ascalonicum* Lour. is a synonym of *A. fistulosum* L.

Allium bakeri Regel: *A. bakeri* Hoop. is a synonym of *A. fistulosum* L.

Allium cepa L.: *A. cepa* Lour. is a synonym of *A. fistulosum* L.

Allium fistulosum L.: syn.: *A. ascalonicum* Lour., *A. bakeri* Hoop., *A. cepa* Lour., *A. porrum* Debeaux.

Allium porrum L.: syn.: *A. ampeloprasum* porrum. *A. porrum* Debeaux is a synonym of *A. fistulosum* L.

Allium sativum L.: A. sativum L. var. ophioscorodon (Link) Döll has the synonyms A. controversum Schrad., A. ophioscorodon Link, A. scorodoprasum Lam.

Allium schoenoprasum L.: syn.: A. sibiricum L. (according to the Diccionario de Plantas Agricolas). The variety sibiricum has also been made into a species under the name A. sibiricum (according to the Dictionary of Gardening).

Allium tuberosum Rottl. ex Spreng.: syn.: A. angulosum Lour. non L., A. chinense Maxim., A. senescens Miq. non L., A. odorum partim (according to the Dictionary of Gardening), A. odorum L. (according to the Diccionario de Plantas Agricolas), A. tuberosum Roxb.

Alnus Mill.: certain species have also been classified in the genus Betula.

Alocasia (Schott) G. Don: synonymies with Arum, Caladium, Colocasia, Cyrto-sperma, Schizocasia.

Aloe spec.: synonymies with Apicra, Astroloba, Gasteria, Haworthia, Sansevieria.

Althaea rosea (L.) Cav.: syn.: Alcea rosea L. (name stabilized by ISTA).

Amaranthus tricolor L.: syn.: A. melancholicus L., A. gangeticus L. (according to Zander), A. gangeticus L., A. mangostanus L. (according to the Diccionario de Plantas Agricolas). According to the Dictionary of Gardening, A. tricolor is a botanical variety of A. melancholicus.

Amelanchier Medik.: A. canadensis (L.) Medik. has the synonym Mespilus canadensis L.

Amorphophallus rivieri Durieu: syn.: Hydrosme rivieri (Durieu) Engl., Proteinophallus rivieri.

Ampelopsis hort.: synonymies with Cissus, Parthenocissus, Vitis.

Ananas comosus (L.) Merr.: syn.: Bromelia ananas L., B. comosa L., B. comosa Stickm., A. sativus (Lindl.) Schult. f., Ananassa sativa Lindl.

Anchusa angustissima K. Koch: syn.: A. caespitosa hort. non Lam.

Anchusa italicica Retz.: syn.: A. azurea auct. non Mill. according to the tenth edition of Zander, A. azurea Mill. (name stabilized by ISTA) according to the twelfth edition of Zander and ISTA.

Andromeda L.: many species now classified in the genera Arcterica, Cassiope, Chamaedaphne, Enkianthus, Gaultheria, Leucothoë, Lyonia, Oxydendrum, Pernettya, Pieris, Phyllodoce, Vaccinium and Zenobia are still listed and commercialized under the name Andromeda.

Anemone L.: synonymies with Anemonella, Hepatica and Pulsatilla.

Anemone hupehensis Lemoine: A. hupehensis (Lemoine) Lemoine has the synonym A. japonica (Thunb.) Sieb. et Zucc. var. hupehensis Lemoine. Its botanical variety japonica (Thunb.) Bowles et Stearn has the synonyms A. japonica (Thunb.) Sieb. et Zucc. non Houtt. and A. nipponica Merr. A. hupehensis var. tomentosa (Maxim.) Hyl. is a synonym of A. tomentosa (Maxim.) Pe'i (A. vitifolia Buch.-Ham. var. tomentosa (Maxim.) Ulbr.). A.-Japonica-Hybrids is a

denomination which according to Zander covers the hybrids of *A. hupehensis* var. *japonica* and of *A. vitifolia* and which has notably the synonym *A. X elegans* Decne. Concerning *A. elegans*, the Dictionary of Gardening refers to *A. hupehensis*.

Anethum graveolens L.: syn.: *A. sowa* Roxb., *Peucedanum graveolens*.

Angraecum Bory: see under Orchidaceae. This genus comprises the following sections, which have also been made into genera by certain authors: *Aerangis*, *Angraecum* (in the restricted sense), *Caliptrochilum*, *Cyrtorchis*, *Diaphananthe*, *Eurychone*, *Jumellea*, *Leptocentrum*, *Microcoelia*, *Mystacidium*, *Neofinetia*, *Tridactyle*. In Zander and "Orchid care - A guide to cultivation and breeding" (Walter Richter - Studio Vista, London), *Angraecum* is considered in the restricted sense. In the Dictionary of Gardening, it is considered in the wide sense. The latter records further synonymies with: *Aeonia* (*Oeonias*), *Aeranthus*, *Angraecopsis*, *Dendrophylax*, *Listrostachis*, *Saccolabium*.

Annona squamosa L.: syn.: *A. asiatica* L.

Anthemis L.: synonymies with *Achillea*, *Anacyclus*, *Chrysanthemum*, *Cladanthus*.

Anthriscus cerefolium (L.) Hoffm.: syn.: *Chaerophyllum sativum*, *Scandix cerefolium* L.

Anthurium Schott: synonymies with *Philodendron*, *Pothos*, *Spathiphyllum*.

Aquilegia L.: *A. ecalcarata* Maxim. is a synonym of *Semiaquilegia ecalcarata* (Maxim.) Sprague et Hutchins.

Arachis hypogaea L.: syn.: *A. nambyquarae* Hoehne.

Aralia cordata Thunb.: syn.: *A. edulis* Sieb. et Zucc.

Aralia elata (Miq.) Seem.: syn.: *Dimorphanthus elatus* Miq., *D. mandshuricus* (Maxim.) Maxim. et Rupr., *A. mandshurica* Maxim., *A. chinensis* L. var. *mandshurica* (Maxim.) Rehd.

Arbutus L.: synonymies with *Arctostaphylos* (*Arbutus uva-ursi* L. and *Arctostaphylos uva-ursi* (L.) Spreng.) and *Pernettya* (*A. furiens* and *P. furiens*).

Arctium lappa L.: syn.: *Lappa major* Gaertn.

Arctostaphylos Adans.: synonymies with *Arbutus*, *Arctous*, *Mairrania*, *Uva-ursi*.

Ardisia crispa A. DC.: syn.: *Bladhia crispa* Thunb. According to the Dictionary of Gardening, *A. crispa* has the synonyms *A. crenata*, *A. crenulata*, *A. elegans*. According to Zander, *A. crenata* Sims (*A. crenulata* Lodd.) is not *A. crispa* (Thunb.) A. DC. *A. crenata* Sims has been stabilized by ISTA.

Armeria (DC.) Willd.: synonymies with *Statice*.

Armoracia rusticana Gaertn., Mey. et Scherb.: syn.: *A. lapathifolia* Gilib., *A. sativa* Bernh., *Cochlearia armoracia* L., *Raphanus magna* Moench.

Aronia Medik.: synonymies with *Mespilus*, *Pyrus*, *Sorbus*.

Arrhenatherum elatius (L.) P. Beauv. ex J. et C. Presl: syn.: A. avenaceum Beauv., Avena elatior L.

Artemisia L.: A. laxa (Lam.) Fritsch has the synonym Absinthium laxum Lam.

Asclepias L.: synonymies with Cynanchum, Gomphocarpus, Hoya, Xysmalobium.

Ascocentrum Schlechter: see under Orchidaceae. Synonymies with Saccolabium, a genus of which Ascocentrum is a section when it is taken in the wide sense.

Asparagus setaceus (Kunth) Jessop: syn.: A. plumosus Bak., Asparagopsis setacea Kunth.

Aspidistra elatior Bl.: syn.: A. lurida hort. non Ker-Gawl., A. punctata.

Aster L.: synonymies recorded in Zander with Bellidiastrum, Calimeris (Kalimeris), Callistephus, Crinitaria, Felicia, Lynosyris, Microglossa. According to the Dictionary of Gardening, "many attempts have been made to separate groups of this large genus as distinct genera and some have gained a recognized place, but the following seems scarcely distinct enough to warrant separation and are here regarded as forming part of the genus Aster: Bellidiastrum, Calimeris, Doellingeria, Eucephalus, Galatella, Ionactis, Leucelene, Machaeranthera, Oreostemma, Xylorrhiza." Synonymies with the following genera have also been recorded in the Dictionary of Gardening: Biota, Boltonia, Diplopappus, Erigeron, Inula.

Astilbe Buch.-Ham. ex D. Don: synonymies with Hoteia, Spiraea.

Aulax spec.: synonymies with Protea.

Avena L.: synonymies with Arrhenatherum, Avenula, Helictotrichon, Trisetum.

Avena nuda L.: A. strigosa Schreb. is a synonym of A. nuda L. ssp. nuda (A. strigosa Schreb. ssp. strigosa (Schreb.) Mansf.).

Babiana stricta (Ait.) Ker-Gawl.: the botanical variety sulphurea has also been named Gladiolus sulphureus and G. plicatus.

Belamcanda chinensis (L.) DC.: syn.: Pardanthus chinensis (L.) Ker-Gawl., Gemmungia chinensis (L.) O. Kuntze, B. punctata Moench, Ixia chinensis L.

Benincasa hispida (Thunb.) Cogn.: syn.: B. cerifera Savi, Cucurbita hispida Thunb., C. pepo Lour. and, according to Zander, Lagenaria siceraria (Mol.) Standl. var. hispida (Thunb.) Hara.

Berberis L.: The mahonias, with pinnate leaves, have been separated from berberis, with entire leaves, but can still be found under the name berberis.

Bergenia Moench: synonymies with Megasea, Saxifraga.

Beta vulgaris L. ssp. vulgaris var. vulgaris: syn.: B. cyclo L.

Betula L.: certain species now form the genus Alnus.

Bletilla Rchb. f.: see under Orchidaceae. Synonymies with Arethusa, Bletia. B. striata has also been named Cymbidium hyacinthinum.

Boltonia asteroides (L.) L'Hér.: syn. B. glastifolia (Hill) L'Hér. B. latisquama A. Gray is a synonym of B. asteroides var. latisquama (A. Gray) Cronq.

Bougainvillea spectabilis Willd.: syn.: Josepha augusta. According to the Dictionary of Gardening, forms of this species have also been named B. bracteata, B. brasiliensis, B. peruviana, B. splendens. In Zander, B. peruviana Humb. et Bonpl. is considered a species. The variety 'Mrs Butt' has also been classified in a species B. buttiana (cf. Encyclopédie des plantes d'appartement - M. Schubert and R. Herwig - Denoël).

Bouvardia Salisb.: B. longiflora has the synonym Aeginetia longiflora and B. triphylla (B. jacquinii), Houstonia coccinea.

Brassavola R. Br.: see under Orchidaceae. Synonymies with Epidendrum, Laelia, Rhyncholaelia.

Brassica juncea (L.) Czern. et Coss. in Czern.: syn.: B. besseriana Andr., B. integrifolia (West.) Rupr., B. japonica Sieb., Sinapis integrifolia West., Sinapis juncea L.

Brassica napus L. var. napobrassica (L.) Rchb.: syn.: B. campestris L. var napobrassica DC., B. napo-brassica Mill.

Brassica napus L. ssp. oleifera (Metzg.) Sinsk: further synonym: B. napus L. var. napus.

Brassica nigra (L.) W. Koch: syn.: B. juncea Sickenb., Sinapis nigra L.

Brassica pekinensis (Lour.) Rupr.: syn.: B. cernua (Thunb. ex Murray) Forb. et Hemsl., B. pétsei L.H. Bail., Sinapis pekinensis Lour. According to the Dictionary of Gardening, this is perhaps a cultivated form of B. integrifolia. The common name "Chinese cabbage" and its equivalents in the other languages are also used for B. chinensis L.

Brassica rapa L.: syn.: B. campestris L.

Bromus L.: synonymies with Agropyron, Brachypodium, Zerna.

Bromus arvensis L.: B. arvensis Poll. non L. is a synonym of B. erectus Huds.

Buddleja L.: B. indica Lam. is a synonym of Nicodemia diversifolia Ten.

Buddleja madagascariensis Lam.: syn.: B. heterophylla Lindl.

Caladium bicolor (Ait.) Vent.: syn.: Arum bicolor Ait. The botanical varieties have also been made into species (C. argyrospilum, C. baraguinii, C. brongniartii, C. chantinii, C. devosianum, C. leopoldii, C. macrophyllum, C. neumannii, C. regale, C. rubrivenium).

Calanthe R. Br.: see under Orchidaceae. Synonymies with Bletia, Limatodes.

Calathea G.F.W. Mey.: synonymies with Maranta, name under which many Calatheas are commercialized, Phrynum, Thalia. C. allouia is known in certain languages as Topinambour.

Calceolaria L.: the species of the genus Jovellana are frequently included in the genus Calceolaria.

Callicarpa purpurea Juss.: syn.: C. dichotoma (Lour.) K. Koch, C. japonica Thunb. var. angustifolia Sav., C. gracilis, C. koreana.

Callistemon R. Br.: synonymies with Metrosideros.

Callistephus chinensis (L.) Nees: syn.: Aster chinensis L.

Calluna vulgaris (L.) Hull: syn.: Erica vulgaris L.

Camelina sativa (L.) Crantz: syn.: Myagrum sativum L.

Camellia L.: Thea sinensis is frequently included in the genus Camellia under the names Camellia sinensis (L.) O. Kuntze (name stabilized by ISTA), C. thea Link, C. theifera Griff., C. bohea.

Camellia japonica L.: syn.: Thea japonica Baill.

Camellia sasanqua Thunb.: syn.: Thea sasanqua Nois.

Campanula L.: synonymies with Adenophora, Asyneuma, Azorina, Canarina, Edraianthus, Legousia, Phyteuma, Platycodon, Symphyandra, Wahlenbergia.

Campsis Lour.: synonymies with Bignonia, Tecoma.

Cannabis sativa L.: according to Zander the form 'Gigantea' (var. chinensis (Del.) A. DC.) has the synonym C. gigantea hort. According to the Dictionary of Gardening, C. gigantea and C. sativa are synonyms.

Carica papaya L.: syn.: Papaya carica.

Carpinus L.: two species have been separated by certain botanists from the genus Carpinus to form the genus Distegocarpus (C. cordata (D. cordata) and C. japonica (D. carpinus)).

Carya illinoiensis (Wangenh.) C. Koch: syn.: C. oliviformis (Michx.) Nutt., Hicoria pecan (Marsh.) Britt., C. pecan (Marsh.) Engl. et Graebn. non (Walt.) Nutt., Juglans illinoiensis Wangenh.

Caryopteris incana (Thunb. ex Houtt.) Miq.: syn.: C. mastacanthus Schau., C. sinensis (Lour.) Dipp., C. tangutica Maxim., Mastacanthus sinensis.

Cassiope D. Don: synonymies with Harrimanella. The species of this genus have also been classified in Andromeda and may still be commercialized under that name.

Castanea Mill.: synonymies with Castanopsis, Fagus, Fagus-castanea.

Castanea sativa Mill.: syn.: C. vera Gaertn., C. vulgaris Lam., Fagus castanea L.

Cataranthus roseus (L.) G. Don: syn.: Vinca rosea L., Lochnera rosea (L.) Rchb.

Cattleya Lindl.: see under Orchidaceae. Synonymies with Encyclia, Epidendrum, Laelia, Schomburgkia, Sobralia, Sophronitis.

Ceanothus L.: C. asiaticus L. is a synonym of Colubrina asiatica (L.) Brongn.

Cenchrus ciliaris L.: syn.: Pennisetum ciliare (L.) Link.

Centaurea L.: synonymies with Aetheopappus, Amberboa, Cnicus, Rhaponticum.

Ceratostigma plumbaginoides Bunge: syn.: Plumbago larpentae Lindl., Valoradia plumbaginoides.

Chaenomeles Lindl.: the species of this genus have also been classified in the genera Cydonia and Pyrus. Pseudocydonia sinensis Schneid. has the synonyms Chaenomeles sinensis and Cydonia sinensis (Dum.-Cours.) Schneid.

Chamaecyparis Spach: synonymies with Cupressus, Retinispora, Thuyopsis.

Chamaecyparis obtusa (Sieb. et Zucc.) Sieb. et Zucc. ex Endl.: syn.: Retinispora obtusa Sieb. et Zucc., Cupressus obtusa (Sieb. et Zucc.) K. Koch. The botanical variety ericoides also has the synonym Retinispora sanderi.

Cheiranthus cheiri L.: syn.: Erysimum cheiri (L.) Crantz. The botanical variety senonieri also has the synonym C. senonieri.

Chimonanthus Lindl.: synonymies with Calycanthus.

Chrysanthemum L.: synonymies with Anthemis, Balsamita, Chrysoboltonia, Leucanthemum, Matricaria, Parthenium, Plagius, Pyrethrum, Tanacetum. In the stabilization of certain species names, ISTA divided the genus into Chrysanthemum (in the restricted sense), Dentranthema, Leucanthemum, Tanacetum. Dendranthema comprises in particular D. indicum (L.) Desm. and D. morifolium (Ramat.) Tzvelev.

Chrysanthemum cinerariaefolium Bocq.: syn.: C. cinerariifolium (Trev.) Vis., Pyrethrum cinerariifolium Trev., Tanacetum cinerariifolium (Trev.) Schultz Bip. (name stabilized by ISTA).

Chrysanthemum coccineum Willd.: syn.: C. roseum Adam, Pyrethrum roseum (Adam) M.B., P. carneum M.B., Tanacetum coccineum (Willd.) Grierson (name stabilized by ISTA).

Chrysanthemum coronarium L.: syn.: C. segetum Hemsl.

Chrysanthemum leucanthemum L.: syn.: Leucanthemum vulgare Lam. (name stabilized by ISTA).

Chrysanthemum maximum Ram.: syn.: Leucanthemum maximum (Ram.) DC. (name stabilized by ISTA). C. maximum hort. is a synonym of C. lacustre Brot. (C. superbum Bergm.).

Chrysanthemum morifolium Ramat.: syn.: C. sinense Sabine, C. vestitum Stapf, Dendranthema morifolium (Ramat.) Tzvelev (name stabilized by ISTA).

Cimicifuga Wernischek: synonymies with *Actaea*, *Ptyrosperma*.

Cinnamomum camphora (L.) Sieb. var. *glaucescens* Kamikoti: Synonyms for the species: *C. camphora* Th. Nees et Eberm., *Camphora officinarum*, *Laurus camphora* L.

Cirsium Mill. emend. Scop.: synonymies with *Carduus*, *Cnicus*, *Ptilostemon*.

Cistus L.: synonymies with *Fumana*, *Halimium*.

Citrullus lanatus (Thunb.) Matsum. et Nakai: syn.: *Cucurbita citrullus* L., *Momordica lanata* Thunb., *Citrullus vulgaris* Schrad., *Cucumis citrullus*.

Citrus L.: synonymies with *Aurantium*, *Fortunella*, *Limonia*, *Poncirus*.

Citrus limon (L.) Burm. f.: syn.: *C. limonum* Risso, *C. medica* var. *limon* L., *C. medica* var. *limonum* (Risso) Wight et Arn.

Citrus X paradisi Macfad. = *C. maxima* X *C. sinensis*. Syn.: *C. decumana* var. *racemosa* (Risso et Poit.) Roem., *C. racemosa* (Risso et Poit.) Marcov. ex Tanaka.

Citrus reticulata Blanco: syn.: *C. nobilis* Andr. non Lour., *C. deliciosa* Ten.

Citrus sinensis (L.) Pers.: syn.: *C. sinensis* (L.) Osbeck, *C. aurantium* Lour., *C. aurantium* var. *sinensis* L., *C. aurantium* ssp. *sinensis* (L.) Engl.

Clematis L.: synonymies with *Atragene*, *Clematopsis*.

Clematis heracleifolia DC.: syn.: *C. tubulosa* Turcz. *C. davidiana* Decne. ex Verlot is a synonym of *C. heracleifolia* DC. var. *davidiana* (Decne. ex Verlot) Hemsl.

Cleome L.: synonymies with *Gynandropsis*, *Peritoma*.

Clethra alnifolia L.: the botanical varieties have also been made into species (*C. paniculata*, *C. tomentosa*).

Clethra barbinervis Sieb. et Zucc.: syn.: *C. canescens*.

Clethra tomentosa Lam.: syn.: *C. alnifolia pubescens*, *C. alnifolia tomentosa*.

Clivia Lindl.: synonymies with *Imantophyllum*.

Codiaeum variegatum (L.) A. Juss.: syn.: *Croton variegatus* L. *C. pictum* (Lodd.) Hook. is a synonym of *C. variegatum* (L.) A. Juss. var. *pictum* (Lodd.) Muell. Arg.

Colchicum L.: synonymies with *Bulbocodium*, *Merendera*.

Coleus Lour.: synonymies with *Germanea*, *Neomuellera*, *Plectranthus*.

Colocasia Schott: synonymies with *Alocasia*, *Arum*, *Caladium*.

Convallaria L.: certain species of the genera *Liriope*, *Maianthemum*, *Ophiopogon* and *Polygonatum* have also been classified in the genus *Convallaria*. *C. fruticosa* Stickm. is a synonym of *Cordyline fruticosa* (Stickm.) Chev.

Cordyline Comm.: synonymies with Dracaena. C. fruticosa (Stickm.) Chev. has the synonym Convallaria Stickm.

Coreopsis L.: synonymies with Bidens, Calliopsis, Chrysostemma, Cosmos, Leptosyne.

Cornus L.: in view of variations recorded on the inflorescence, certain botanists have divided the genus Cornus into Afrocania, Chamaepericlymenum, Cornus (in the restricted sense), Cynoxylon, Dendrobenthamia, Macrocarpium. In addition, synonymies with Benthamia.

Cornus alba L.: syn.: C. tatarica Mill. C. sibirica is a synonym of C. alba L. var. sibirica. C. alba Wangenh. non L. is a synonym of C. stolonifera Michx.

Cornus controversa Hemsl.: syn.: C. brachipoda K. Koch non C.A. Mey.

Cornus florida L.: syn.: Cynoxylon floridum.

Cornus kousa (Buerger ex Miq.) Hance: syn.: Dendrobenthamia japonica.

Cornus mas L.: syn.: Macrocarpium mas.

Cornus nuttallii Audub.: syn.: Cynoxylon nuttallii.

Cortaderia Stapf: synonymies with Arundo, Gynerium.

Cosmos Cav.: synonymies with Bidens, Coreopsis, Dahlia.

Cotoneaster (B. Ehrh.) Med.: synonymies with Mespilus (C. acuminata and M. acuminata), Pyracantha (C. pyracantha and P. coccinea).

Crataegus L.: synonymies with Malus and Pyrus (C. trilobata), Mespilus (C. orientalis and M. odoratissima), Sorbus.

Crocosmia Planch. : synonymies with Montbretia, Tritonia.

Cryptanthus Otto et A. Dietr.: synonymies with Billbergia, Catopsis, Tillandsia.

Cryptomeria japonica Hassk.: the botanical varieties of this species, the only one of its genus, have also been made into species in their own right.

Cryptotaenia japonica Hassk.: syn.: C. canadensis Sieb. et Zucc.

Cucumis L.: synonymies with Citrullus, Cucurbita, Luffa.

Cucurbita L.: synonymies with Benincasa, Citrullus, Cucumis (Cucurbita foetidissima and Cucumis perennis - ornamental species), Lagenaria, Sicana.

Cucurbita maxima Duch.: C. maxima Wight et Arn. is a synonym of C. moschata Duch.

Cucurbita pepo L.: syn.: C. melopepo L., C. ovifera L., C. verrucosa L. C. pepo Lour. is a synonym of Benincasa hispida (Thunb.) Cogn.

X Cupressocyparis Dallim. = Chamaecyparis X Cupressus. The main species is X Cupressocyparis leylandii (Jacks. et Dallim.) Dallim., which is a cross between Chamaecyparis nootkatensis and Cupressus macrocarpa and has the synonym Cupressus leylandii Jacks. et Dallim.

Cupressus L.: synonymies with Chamaecyparis, X Cupressocyparis, Fokienia, Taxodium.

Cupressus arizonica E. Greene : The variety bonita has also been made into a species under the name C. glabra.

Cupressus sempervirens L. : the varieties horizontalis, indica and stricta (or fastigiata) have also been made into species under the names C. horizontalis Mill., C. roylei and C. fastigiata, respectively.

Curtonus H.B.K. : monotypic genus whose species, C. paniculatus (Klatt) N.E. Br., has the synonym Antholyza paniculata Klatt.

Cyclamen persicum Mill.: syn.: C. latifolium Sibth. et Sm., C. aleppicum Fisch., C. puniceum Pomel, C. aleppicum ssp. puniceum (Pomel) Glasau, C. tomentosum, C. albidum.

Cymbidium Sw.: see under Orchidaceae. Synonymies with Cymbidiella, Cyperorchis, Epidendrum, Grammangis, Grammatophyllum, Iridorchis.

Cyphomandra betacea (Cav.) Sendtn.: syn.: Solanum betaceum Cav.

Cyrtanthus L. f.: C. clavatus has also been named Gastronema clavatum.

Cytisus L.: synonymies with Cajanus, Chamaecytisus, Corothamnus, Genista, Laburnum, Lembotropis, Petteria, Sarothamnus, Spartium, Spartocytisus, Teline.

Cytisus fragrans Lam.: syn.: C. supranubius, C. nubigenus, Genista fragrans, G. nubigenus, Spartocytisus supranubius.

Daboecia D. Don: synonymies with Boretta, Menziesia.

Dahlia Cav.: D. zimapanii is a synonym of Cosmos diversifolius.

Daphne L.: synonymies with Funifera, Mezereon, Thymelaea.

Daphne odora Thunb.: syn.: D. japonica Paxt., D. sinensis, D. indica hort.

Delphinium L.: synonymies with Consolida.

Dendrobium Sw.: see under Orchidaceae. Synonymies with Aporum, Callista, Dipodium, Epigeneium, Genyorchis, Latouria.

Dianthus L.: D. noeanus is frequently commercialized under the name Acanthophyllum spinosum.

Dicentra Borkh. emend. Bernh.: synonymies with Diclythra, Diclytra, Dielytra, Fumaria.

Dieffenbachia Schott: synonymies with Caladium.

Diervilla Mill.: modern American authors group under the name Diervilla solely the species of American origin and under the name Weigela the Asiatic species (A. Belot. Dictionnaire des arbres et arbustes de jardin - Bordas). Others group all species under the name Diervilla.

Digitalis L.: D. chinensis is a synonym of Adenosma grandiflorum.

Dioscorea L.: synonymies with Bordera, Helmia, Oncos, Tamus, Testudinaria.

Doronicum L.: synonymies with Arnica, Aronicum.

Dracaena Vand. ex L.: syn.: Terminalis. Synonymies with Cordyline and subsidiarily Sansevieria.

Emilia Cass.: synonymies with Cacalia, Senecio.

Enkianthus Lour.: synonymies with Andromeda, Meisteria, Melidora, Rhodora.

Epidendrum L. 1763, non 1753: see under Orchidaceae. Synonymies with Barkeria, Broughtonia, Cattleya, Caularathron, Diacrium, Dinema, Encyclia, Iochilus, Nanodes, Schomburgkia, Seraphyta, Sobralia.

Epiphyllopsis Berger, Rhipsalidopsis Britt. et Rose, Schlumbergera Lem., Zygocactus K. Schum.: the majority of the species of these genera have been classified in the genus Epiphyllum and are still known under that name, which is the correct one for the plants formerly known as Phyllocactus. The genus Epiphyllopsis is not mentioned in the Dictionary of Gardening. Zander refers to Rhipsalidopsis gaertneri (Regel) Lindgr. (Epiphyllum russellianum Hook. var. gaertneri Regel, Schlumbergera gaertneri (Regel) Britt. et Rose, Epiphyllopsis gaertneri (Regel) Berger). The genus Rhipsalidopsis is monotypic according to the Dictionary of Gardening, the species being R. rosea (Lagerh.) Britt. et Rose and having the synonym Rhipsalis rosea Lagerh. According to Zander, this genus also comprises R. gaertneri (Regel) Lindgr. (see above) and R. X graeseri (Werderm.) Moran (R. gaertneri X R. rosea, Rhipsalis X graeseri Werderm., X Ripsaphyllum graeseri Werderm.). The genus Schlumbergera comprises according to the Dictionary of Gardening S. gaertneri (see above) and S. russelliana (Gardn.) Britt. et Rose (Epiphyllum russellianum Hook.) and according to Zander the latter only. Finally, the genus Zygocactus is monotypic according to the Dictionary of Gardening, the species being Z. truncatus (Haw.) K. Schum. and having the synonyms Epiphyllum truncatum Haw. and--according to Zander--Schlumbergera truncata (Haw.) Moran. In addition Zander has on the one hand separated the cultivated varieties under the name Z.-Hybridii and on the other hand distinguished the following two botanical varieties within the species Z. truncatus:

- var. altensteinii (Pfeiff.) Lem. (Z. altensteinii (Pfeiff.) K. Schum., Epiphyllum altensteinii Pfeiff., Schlumbergera truncata var. altensteinii (Pfeiff.) Moran)

- var. truncatus.

In the twelfth edition of Zander, *Zygocactus* has been included in *Schlumbergera*, the latter having been enriched by two further species: *S. opuntioides* and *S. orssichiana*. The botanical varieties of *Z. truncatus* are no longer mentioned therein.

Eragrostis curvula (Schrad.) Nees: syn.: *Poa curvula* Schrad.

Erica carnea L.: syn.: *E. herbacea* L. The latter name is frequently used for *E. carnea* var. *alba*.

Erica ciliaris L.: the variety *maweana* is also known as *E. maweana*.

Erica X darleyensis Bean = *E. carnea* X *E. mediterranea*. Syn.: *E. hybrida*, *E. mediterranea* *hybrida*.

Erica lusitanica Rud.: syn.: *E. coconodes*.

Erica mackiana Bab.: this is probably a hybrid *E. ciliaris* X *E. tetralix*.

Erica mediterranea hort.: syn.: *E. purpurascens* L. The Dictionary of Gardening gives also *E. carnea* *occidentalis* as a synonym of *E. mediterranea*.

Erica terminalis Salisb.: syn.: *E. stricta* Andr. non Donn ex Willd., *E. corsica*, *E. ramulosa*.

Erica X veitchii Bean = *E. arborea* X *E. lusitanica*.

Erica X watsonii Benth. = *E. ciliaris* X *E. tetralix*.

Erica X williamsii Druce = *E. tetralix* X *E. vagans*.

Erigeron L.: synonymies with *Aster*, *Stenactis*, *Vittadinia*.

Eriobotrya japonica (Thunb.) Lindl.: syn.: *Mespilus japonica*, *Photinia japonica*.

Eucryphia glutinosa (Poepp. et Endl.) Baill.: syn.: *E. pinnatifolia* Gay.

Eucryphia X intermedia Bausch: name proposed for hybrids between *E. glutinosa* and *E. lucida*.

Eucryphia X nymanensis Bausch: name proposed for hybrids between *E. cordifolia* and *E. glutinosa*.

Euphorbia L.: synonymies with *Monadenium*, *Pedilanthus*, *Poinsettia*, *Sarcostemma*.

Euphorbia fulgens Karw.: syn.: *E. jacquiniiflora* Hook.

Euphorbia milii Desmoulins: syn.: *E. splendens* Boj. ex Hook. Its botanical variety *milii* is also known as *E. bojeri* Hook. *E. hislopii* N.E. Br. has the synonym *E. milii* var. *hislopii* (N.E. Br.) Ursch et Leandri.

Euphorbia pulcherrima Willd. ex Klotzsch: syn.: *Poinsettia pulcherrima* (Willd. ex Klotzsch) Grah.

Eustoma russellianum (Hook.) G. Don: syn.: Lisianthus russelianus Hook.

Exochorda Lindl.: E. racemosa has also been named Spiraea grandiflora.

Fagopyrum esculentum Moench.: syn.: Polygonum fagopyrum L., F. sagittatum Gilib., F. vulgare Th. Nees.

Fagus L.: synonymies with Castanea, Nothofagus.

X Fatshedera Guillaum. = Fatsia X Hedera.

Feijoa sellowiana Berg: syn.: Acca sellowiana (Berg) Burret, Orthostemon sellowianus Berg.

Festuca L.: F. fluitans L. is a synonym of Glyceria fluitans (L.) R. Br. (name stabilized by ISTA) and F. spicata Pursh. a synonym of Agropyrum spicatum (Pursh.) Scribn. et Smith (name stabilized by ISTA).

Festuca arundinacea Schreb.: syn.: F. elatior L. (according to ISTA), F. elatior L. p.p. (according to Zander).

Festuca ovina L. sensu lato: according to ISTA, this species includes F. tenuifolia Sibth.

Festuca pratensis Huds.: syn.: F. elatior L. (according to the Diccionario de Plantas Agricolas), F. elatior auct. non L. (according to ISTA) and F. elatior L. p.p. (according to Zander).

Festuca rubra L.: syn.: F. heterophylla Lam.

Ficus benjamina L.: syn.: F. nitida Thunb.

Foeniculum vulgare P. Mill.: syn.: F. foeniculum Karst., F. officinale All. The botanical variety dulce Batt. et Trab. has the synonym F. dulce Mill.

Fortunella Swingle: synonymies with Citrus, Sclerostylis.

Fuchsia magellanica Lam.: syn.: F. macrostemma Ruiz et Pav. The botanical variety 'Riccartonii' has the synonyms F. riccartonii Lebas, F. riccartoniana hort.

Gaillardia Foug.: G. acaulis Pursh is a synonym of Hymenoxys (Pursh) Parker (Actinea acaulis (Pursh) Spreng., Tetraneuris acaulis (Pursh) Greene, Actinea herbacea A. Gray).

Galega L.: G. singapou Buchoz. is a synonym of Tephrosia singapou (Buchoz.) A. Cheval.

Gardenia Ellis: synonymies with Mitriostigma, Randia.

Garrya X thuretii Carr. = G. elliptica X G. pernettya.

X Gaulnettya W.J. Marchant = Gaultheria X Pernettya.

Gaultheria Kalm ex L.: synonymies with Andromeda, Arbutus, Brossaea, Diplycosia, Pernettya, Pieris, Vaccinium.

Genista L.: synonymies with Chamaespartium, Cytisanthus, Cytisus, Echinospartum, Genistella, Pterospartium, Retama, Scorpius, Spartium.

Genista monosperma (L.) Lam.: syn.: Retama monosperma (L.) Boiss., Lygos monosperma (L.) Heyw., Spartium monospermum.

Gentiana L.: synonymies with Crawfurdia, Gentianella, Golownina.

Geranium L.: synonymies with Erodium, Pelargonium.

Geum L.: synonymies with Parageum, Sieversia.

Ginkgo biloba L.: syn.: Salisburia adiantifolia Sm.

Gladiolus L.: synonymies with Homoglossum, Lapeirousia.

Glehnia littoralis Fr. Schmidt: syn.: Cymopterus littoralis A. Gray, Phellopteris littoralis (A. Gray) Benth.

Gloriosa L.: some botanical varieties of G. simplex have also been described under the name Methonica.

Glycine max (L.) Merrill: syn.: Dolichos soja L., Phaseolus max L., Soja hispida Moench, G. hispida (Moench) Maxim.

Godetia Spach: synonymies with Oenothera.

Gossypium hirsutum L.: the botanical variety punctatum has the synonyms G. religiosum L., G. punctatum Schumach.

Grifola frondosa (Fr.) S.F. Gray: syn.: Griphola frondosa, Polyporus frondosus.

Guzmania Ruiz et Pav.: synonymies with Caraguata, Massangea, Pitcairnia, Puya, Schlumbergia, Vriesea.

Gypsophila L.: synonymies with Banffya, Phrynia.

Halesia J. Ellis ex L.: H. corymbosa is a synonym of Pterostyrax corymbosa.

Hebe Comm. ex Juss.: syn.: Veronica L. sect. Hebe.

Hedera L.: synonymies with Acanthopanax, Kissodendron.

Helianthemum Mill.: synonymies with Fumana, Halimium.

Helianthus L.: synonymies with Harpalium, Rudbeckia.

Helianthus annuus L.: syn.: H. lenticularis Doug.

Helichrysum Mill. corr. Pers.: synonymies with Aphelexis, Gnaphalium, Leucogenes, Ozothamnus, Xeranthemum.

Hemerocallis L.: synonymies with Hosta.

Heuchera L.: synonymies with Heucherella (= Heuchera X Tiarella), Tiarella.

Hibiscus L.: synonymies with Abelmoschus, Althaea, Thespisia.

Hibiscus cannabinus L.: syn.: H. aspera Hook. f.

Hibiscus syriacus L.: syn.: Althaea fruticosa.

Hippeastrum Herb.: synonymies with Amaryllis, Griffinia, Habranthus, Phycelia, Sprekelia, Zephyranthes.

Holcus L.: H. odoratus L. is a synonym of Hierochloë odorata (L.) P. Beauv. The species of the genus Sorghum have also been classified in the genus Holcus.

Hordeum vulgare L. sensu lato: H. sativum Jess. is a synonym of H. vulgare L. The subdivisions of this species have also been made into species, as follows:

- Hordeum vulgare L. convar. distichon (L.) Alef.: syn.: H. distichon L., H. zeocriton L.

- Hordeum vulgare L. convar. vulgare: syn.: H. hexastichon L., H. polystichon Haller, H. polystichum Doell, H. tetrastichum Stokes.

Hosta Tratt.: syn.: Funckia Dumort. non Willd., Funkia Spreng. In addition, synonymies with Hemerocallis.

Hypericum L.: synonymies with Androsaemum, Helodes, Webbia.

Iberis L.: I. cappadocica is a synonym of Ptilotrichum cappadocicum.

Ilex L.: I. verticillata (L.) Gray has the synonym Prinos verticillatus L.

Ilex X altaclarensis (Loud.) Dallim. = I. aquifolium X I. perado.

Impatiens L.: synonymies with Balsamina.

Impatiens-Neu-Guinea-Hybriden = I. hawkeri X I. linearifolia.

Indigofera gerardiana (Wall.) Bak.: syn.: I. dosua Lindl. non D. Don.

Indigofera incarnata (Willd.) Nakai: syn.: I. decora Lindl.

Ipomoea batatas (L.) Poir.: syn.: Batatas edulis, Convolvulus batatas L., I. mammosa Choisy.

Ipomoea tricolor Cav.: syn.: I. violacea L., I. rubro-coerulea Hook., Pharbitis rubro-coerulea (Hook.) Choisy, P. tricolor.

Iris L.: synonymies with Dientes, Gynandriris, Hermodactylus, Moraea, Pardan-
thus, Xiphion.

Ixia L. 1762, non 1753: synonymies with Belamcanda, Lapeirousia, Morphixia,
Sparaxis, Tritonia, Wurmea.

Jasminum grandiflorum L.: syn.: J. officinale L. (according to the Diccionario de Plantas Agricolas), J. officinale f. grandiflorum (L.) Kobuski (according to Zander). J. grandiflorum hort. is a synonym of J. officinale L. f. affine Royle ex Lindl. (according to Zander).

Jasminum humile L.: the botanical variety revolutum has also been made into a species under the names J. revolutum Sims, J. reevesii, J. triumphans. J. wallichianum Lindl. has the synonyms J. humile L. f. wallichianum (Lindl.) P.S. Green, J. humile L. var. glabrum (DC.) Kobuski, J. pubigerum D. Don var. glabrum DC.

Jasminum officinale L.: the form affine has the synonyms J. affine Royle ex Lindl., J. grandiflorum hort. non L. J. grandiflorum L. has also been considered a form of J. officinale.

Jasminum X stephanense Lemoine = J. beesianum X J. officinale.

Juglans L.: synonymies with Carya.

Juglans regia L.: syn.: J. duclouxiana Dode.

Juniperus L.: J. drupacea Labill. has the synonym Arceuthos drupacea (Labill.) Ant. et Kotschy. J. ericoides has the synonym Callitris calcarata.

Kalanchoë Adans: synonymies with Bryophyllum, Cotyledon, Kitchingia.

Kalmia L.: K. hirsuta has the synonym Kalmiella hirsuta.

Kerria japonica (L.) DC.: syn.: K. lutea, Corchorus japonica.

Kniphofia Moench: synonymies with Tritonia.

Laburnum Fabr.: synonymies with Cytisus.

Lachenalia Jacq. ex Murr.: synonymies with Phormium, Scilla.

Lactuca sativa L.: The botanical varieties have also been made into species (L. angustana Host, L. capitata Gars., L. intybacea Jacq., L. romana Gars, and L. sativa DC.).

Laelia Lindl.: see under Orchidaceae. Synonymies with Bletia, Brassavola, Cattleya, Neocogniauxia, Schomburkia.

Lagenaria siceraria (Mol.) Standl. var. hispida Hara.: for the opinion of Zander, see Benincasa hispida (Thunb.) Cogn. The species L. siceraria (Mol.) Standl. also has the synonyms Cucurbita lagenaria L., C. siceraria Mol., L. leucantha Rusby, L. vulgaris Ser.

Lantana Mill.: L. selloviana has the synonym Lippia montevidensis.

Larix kaempferi (Lamb.) Carr.: syn.: L. leptolepis (Sieb. et Zucc.) Sieb. ex Gord. - according to Zander and ISTA - and Pseudolarix amabilis - according to the Dictionary of Gardening. According to the latter, it is the L. kaempferi of Sargent which is synonymous with L. leptolepis and with L. japonica.

Lavandula L.: synonymies according to the Diccionario de Plantas Agricolas and Zander:

- L. angustifolia Mill., L. spica L. p.p. [non Cav.], L. officinalis Chaix, L. vera DC.

- L. latifolia (L. f.) Medik., L. spica L. var. latifolia L. f.

Lens culinaris Medik.: syn.: L. esculenta Moench, Ervum lens L.

Lepidium sativum L.: syn.: Nasturtium sativum Medik.

Leptospermum J.R. et G. Forst.: synonymies with Fabricia, Kunzea, Metrosideros.

Leptospermum scoparium J.R. et G. Forst.: syn.: L. bullatum. L. baccatum is a synonym of L. scoparium or of L. arachnoideum.

Leucocoryne Lindl.: L. ixoides has the synonym Brodiaea ixoides.

Leucospermum R. Br.: L. ellipticum has the synonym Protea formosa.

Leucothoë D. Don: synonymies with Andromeda, Eubotrys, Lyonia, Oreocallis.

Ligularia Cass.: synonymies with Erythrochaete, Farfugium, Senecio, Tussilago.

Lilium L.: synonymies with Cardiocrinum, Fritillaria, Nomocharis, Notholirion.

Limonium Mill.: syn.: Statice L. p.p., the other part being Armeria.

Linaria Mill.: the genus Linaria is frequently divided into three genera, namely: Cymbalaria, Chaenorhinum, Linaria (in the restricted sense).

Linum usitatissimum L.: syn.: L. crepitans (Boenningh.) Dumort., L. humile Mill., L. humile Planch.

Litchi chinensis Sonn.: syn.: Nephelium litchi, Scytilia chinensis.

Lithospermum L.: synonymies with Buglossoides, Lithodora, Moltkia.

Lithospermum erythrorhizon Sieb. et Zucc.: syn.: L. officinale L. ssp. erythrorhizon (Sieb. et Zucc.) Hand.-Mazz.

Lobelia L.: synonymies with Haynalda, Isotoma, Monopsis, Pratia, Siphocampylus, Tupa.

Lolium X boucheanum Kunth. = L. multiflorum X L. perenne.

Lolium multiflorum Lam.: syn.: L. italicum A. Braun, L. multiflorum DC.

Lotus spp.: synonymies with Carmichaelia, Tetragonolobus.

Lotus uliginosus Schkuhr: syn.: L. pedunculatus auct. non Cav.

Luffa cylindrica M.J. Roem.: according to Zander, this species is not identical to L. aegyptiaca Mill. (Momordica luffa L., M. cylindrica L.). The Diccionario de Plantas Agricolas and the Dictionary of Gardening consider them to be synonyms.

Lupinus albus L.: syn.: L. hirsutus Eichw. non L. nec Forsk., L. sativus Gaertn., L. varius Gaertn. non L. nec Savi and, according to Zander, L. termis Forsk. The Diccionario de Plantas Agricolas considers the latter as a distinct species.

Lupinus angustifolius L.: syn.: L. varius Savi non L.

Lycaste Lindl.: see under Orchidaceae. Synonymies with Bifrenaria, Colax, Maxillaria, Paphinia.

Lychnis L.: synonymies with Agrostemma, Coronaria, Melandrium, Petrocoptis, Silene, Viscaria.

Lychnis coronaria (L.) Desr.: syn.: L. tomentosa, Coronaria tomentosa A. Br., C. coriacea Schischkin ex Gorschk., Agrostemma coronaria L.

Lycopersicon lycopersicum (L.) Karst, ex Farwell: other synonym: L. esculentum Dunal.

Lycoris Herb.: synonymies with Amaryllis, Nerine, Ungernia.

Magnolia L.: synonymies with Michelia, Talauma.

Mahonia Nutt.: see under Berberis.

Mahonia aquifolium (Pursh) Nutt.: syn.: Berberis aquifolium Pursh. M. pinnata (Lag.) Fedde (M. fascicularis DC.) is considered to be a distinct species by the Dictionary of Gardening and Zander, and to be M. aquifolium 'Fascicularis' in the Dictionnaire des arbres et arbustes de jardin (A. Belot - Bordas).

Mahonia bealei (Fort.) Carr.: syn.: Berberis japonica var. bealei (Fort.) Skeels, B. bealei Fort. The Dictionary of Gardening and Zander make M. japonica (Thunb.) DC. (B. japonica (Thunb.) R. Br.) into a distinct species, the first adding that M. japonica is distributed under the incorrect name M. bealei and vice versa. The Dictionnaire des arbres et arbustes de jardin considers M. bealii to be M. japonica var. bealei.

Mahonia japonica (Thunb.) DC.: see under Mahonia bealei (Fort.) Carr.

Mahonia repens (Lindl.) G. Don: syn.: Berberis repens Lindl.

Malus Mill.: syn.: Pyrus L. partim. Synonymies with Crataegus, Eriolobus.

Malus domestica Borkh.: syn.: M. sylvestris Mill. var. domestica (Borkh.) Mansf., M. pumila var. domestica (Borkh.) Schneid. Most varieties cultivated in Europe belong to this species. M. sylvestris Mill. has the synonyms Pyrus malus L., P. sylvestris S.F. Gray non Moench, M. communis Poir.

Malva L.: synonymies with Callirhoe, Lavatera, Malvastrum, Sphaeralcea.

Maranta L.: synonymies with Alpinia, Calathea, Ctenanthe, Saranthe, Stromanthe.

Matthiola incana (L.) R. Br.: syn.: M. annua.

Medicago falcata L.: see under Medicago sativa L.

Medicago hispida Gaertn.: syn.: M. denticulata Boiss.

Medicago lupulina L.: syn.: M. lupulina Scop.

Medicago sativa L.: according to Zander, this species comprises the following subspecies:

- ssp. caerulea (Less. ex Ledeb.) Schmalh. (M. caerulea Less. ex Ledeb.)
- ssp. falcata (L.) Arcang. (M. falcata L.)
- ssp. falcata X ssp. sativa (M. X varia Martyn)
- ssp. sativa.

Medicago X varia Martyn: see under Medicago sativa L.

Mentha L.: M. requienii Benth. has the synonyms Menthella requienii (Benth.) Pép., Menthella conica. Synonymies with Pogostemon (M. cablin Blanco and P. cablin (Blanco) Benth. and M. perilloides L. and P. perilloides (L.) Mansf.).

Miltonia Lindl.: see under Orchidaceae. Synonymies with Macrochilus, Odontoglossum, Oncidium.

Mimetes spec.: see under Orothamnus spec.

Momordica charantia L.: syn.: M. muricata Willd. (according to Zander) and M. balsamina Blanco, M. balsamina Descourt. (according to the Diccionario de Plantas Agricolas). According to the Dictionary of Gardening, the botanical varieties have also been made into species (M. chinensis and M. muricata) and M. marteniensis may also belong to the species in question. M. charantia Descourt. is a synonym of M. balsamina L.

Monstera Adans.: synonymies with Macgravia, Philodendron, Raphiodophora. The species most commonly known as Philodendron is Monstera deliciosa Liebm. (Philodendron pertusum Kunth et Bouché).

Morus L.: M. papyrifera L. is a synonym of Broussonetia papyrifera (L.) Vent. (name stabilized by ISTA) and M. tinctoria L. of Chlorophora tinctoria (L.) Gaud.

Musa L.: synonymies with Ensete.

Musa cavendishii Lamb.: syn.: M. acuminata Colla (name stabilized by ISTA), M. malaccensis Ridl.--according to Zander--, M. sinensis--according to the Dictionary of Gardening--and M. X paradisiaca L. (name stabilized by ISTA), M. X sapientium L.--according to the Diccionario of Plantas Agricolas.

Myrica rubra Sieb. et Zucc.: syn.: M. nagi DC., non Thunb., Nageia japonica Gaertn., Morella rubra Lour.

Narcissus L.: synonymies with Corbularia, Hermione.

Nelumbo nucifera Gaertn.: syn.: Nelumbium nelumbo (L.) Druce, N. speciosum Willd.

Neoregelia L.B. Sm.: synonymies with Aregelia and Nidularium, names under which the species of this genus are described in the Dictionary of Gardening, which also records synonymies with Bromelia and Karatas.

Nepeta L.: synonymies with Dracocephalum, Glechoma, Hyptis, Micromeria, Thymus.

Nephrolepis Schott: N. acutifolia has the synonyms Isoloma lanuginosum, Lindsaya lanuginosa.

Nerine Herb.: synonymies with Amaryllis, Lycoris.

Nopalxochia Britt. et Rose: synonymies with Epiphyllum, Phyllocactus.

Nothofagus Bl.: synonymies with Fagus.

Nymphaea L.: synonymies with Nuphar.

Odontoglossum H.B.K.: see under Orchidaceae. This genus includes Mesospindium. Synonymies with Cochlioda, Miltonia, Oncidium, Zygotetalum.

Oenanthe javanica (Bl.) DC.: syn.: O. stolonifera Wall.

Oenothera L.: the subgenera have also been made into genera (Anogra, Calylophis, Chyliasmia, Hartmannia, Kneiffia, Lavauxia, Megapterium, Pachylophus, Raimannia, Sphaerostigma, Taraxia). Other synonymies with Godetia, Meriolix, Onagra, Xylopleurum.

Olea europaea L.: the fruiting subspecies europaea has also been made into a species under the name O. sativa Hoffmigg. et Link.

Olearia X haastii Hook. f. = O. avicenniifolia X O. moschata.

Oncidium Sw.: see under Orchidaceae. This genus includes Cyrtochilum and Palumbina. Synonymies with Cymbidium, Epidendrum, Leochilus, Lophiaris, Miltonia, Odontoglossum, Waluewa.

Onobrychis viciifolia Scop.: syn.: Hedysarum onobrychis L., O. sativa Lam.

Ophiopogon Ker-Gawl.: *O. japonicus* (L. f.) Ker-Gawl. has the synonym *Convalaria japonica* L. f. Further synonymies with *Liriope*.

Orchidaceae Juss.: This very large family is characterized by many synomymies and by easy interspecific and intergeneric hybridizations. This family is specified as protected in several States, whereas others protect certain of its genera. The genera mentioned in the main table are the following: *Aerides*, *Angraecum*, *Ascocentrum*, *Bletilla*, *Brassavola*, *Calanthe*, *Cattleya*, *Cymbidium*, *Dendrobium*, *Epidendrum*, *Laelia*, *Lycaste*, *Miltonia*, *Odontoglossum*, *Oncidium*, *Paphiopedilum*, *Phalaenopsis*, *Renanthera*, *Rhynchostylis*, *Sophronitis*, *Vanda*.

Origanum L.: synonymies with *Amaracus*, *Majorana*.

Ornithogalum spec.: *O. vittatum* has also been described as *Albuca vittata*.

Ornithopus sativus Brot. syn.: *O. sativus* Link. *O. sativus* Willk. is a synonym of *O. isthmocarpus* Coss.

Orothamnus spec.: monotypic genus, the species of which (*O. zeyheri*) has the synonym *Mimetes zeyheri*.

Osmanthus Lour.: synonymies with *Olea*, *Siphonosmanthus*.

Osmanthus heterophyllum (G. Don) P.S. Green: synonym other than those indicated in the main table: *Olea aquifolium* Sieb. et Zucc.

Oxalis L.: *O. sensitiva* is a synonym of *Biophytum sensitivum* (L.) DC. (name stabilized by ISTA).

Paeonia albiflora Pall.: syn.: *P. lactiflora* Pall., *P. chinensis* hort., *P. sinensis* (Sims) hort., *P. edulis sinensis*.

Paeonia officinalis L.: according to Zander, this species includes the subspecies *humilis* (Retz.) Cull. et Heyw., which has the synonyms *P. humilis* Retz., *P. peregrina* var. *humilis* (Retz.) Huth. In the Dictionary of Gardening, *P. banatica*, *P. clusii*, *P. coriacea*, *P. peregrina* are classified as species and it is stated that they are also considered subdivisions of *P. officinalis*.

Paeonia suffruticosa Andr.: syn.: *P. arborea* Donn, *P. moutan* Sims.

Panax ginseng C.A. Mey.: syn.: *P. schingseng* Nees.

Panicum L.: synonymies with *Beckmannia*, *Brachiara*, *Cynodon*, *Digitaria*, *Echinochloa*, *Oplismenus*, *Pennisetum*, *Setaria*, *Sorghum*, *Trichachne*, *Tricholaena*.

Paphiopedilum Pfitz.: see under *Orchidaceae*. Syn.: *Cypripedium* hort. non L.

Paranomus spec.: synonymies with *Nivenia*, *Protea*.

Parrotia C.A. Mey.: *P. jacquemontiana* Decne. has the synonym *Parrotiopsis jacquemontiana* (Decne.) Rehd.

Parthenocissus Planch.: synonymies with Ampelopsis, Cissus, Vitis.

Passiflora edulis Sims: syn.: P. laurifolia F. Vill.

Pastinaca sativa L.: syn.: Peucedanum sativum.

Pelargonium L'Hér. ex Ait.: synonymies with Geranium.

Pelargonium-Grandiflorum-Hybridii: syn.: P. X domesticum L.H. Bailey, P. grandiflorum hort. non Willd.

Pelargonium-Peltatum-Hybridii: syn.: P. peltatum hort. non (L.) L'Hér. ex Ait.

Pelargonium-Zonale-Hybridii: syn.: P. X hortorum L.H. Bailey, P. zonale hort. non (L.) L'Hér. ex Ait.

Pennisetum typhoides (Burm. f.) Stapf et C.E. Hubb.: syn.: P. glaucum (L.) R. Br. emend. Stuntz (name stabilized by ISTA), Setaria glauca (L.) P. Beauv., P. typhoideum L.C. Rich., P. americanum (L.) Leeke, P. americanum (L.) K. Schum. ssp. typhoideum (L.C. Rich.) Maire et Zeiller. The Diccionario de Plantas Agricolas cites P. typhoides (Burm. f.) L.C. Rich. with the synonyms Alopecurus typhoides Burm. f., Panicum glaucum L., Penicillaria spicata Beauv., Pennisetum spicatum Roem. et Schult., Pennisetum typhoideum L.

Penstemon Schmidel: synonymies with Chelone.

Perilla L.: P. frutescens (L.) Britt. has the synonyms Ocimum frutescens L., P. ocymoides L., P. arguta Benth. The subdivision 'Nankinensis' has the synonyms var. crispa (Thunb.) Decne. ex L.H. Bailey, Ocimum crispum Thunb., P. nankinensis (Lour.) Decne.

Pernettya Gaudich.: synonymies with Arbutus, Gaultheria.

Persea americana P. Mill.: syn.: P. gratissima Gaertn. f.

Petasites japonicus (Sieb. et Zucc.) Fr. Schmidt: syn.: Nardosmia japonica.

Petroselinum crispum (Mill.) Nym. ex A.W. Hill: syn.: Apium crispum Mill., A. petroselinum L., P. hortense auct. non Hoffm., P. sativum Hoffm., Carum petroselinum.

Petroselinum crispum (Mill.) Nym. ex A.W. Hill ssp. tuberosum (Bernh. ex Rchb.) Soo.: syn.: P. crispum (Mill.) Nym. ex A.W. Hill convar. radicosum (Alef.) Danert, Apium latifolium Mill., P. sativum var. latifolium Alef.

Phalaenopsis Bl.: see under Orchidaceae. Synonymies with Doritis, Kingiella, Polychilus, Sarcochilus, Strauopsis, Trichoglottis.

Phalaris spp.: synonymies with Beckmannia, Vetiveria

Phalaris arundinacea L.: syn.: Typhoides arundinacea (L.) Moench, Baldingera arundinacea (L.) Dumort., Digraphis arundinacea.

Phalaris tuberosa L.: syn.: P. aquatica L. (name stabilized by ISTA).

Pharbitis nil Chois.: according to Zander, this species has the synonyms Ipomoea nil (L.) Roth, Convolvulus nil L. and includes Ipomoea imperialis hort. (japanische Kaiserwinde). According to the Dictionary of Gardening, Japanese Morning Glory is species P. X imperialis, probably a cross between P. hederacea and P. tricolor. P. hederacea has the synonyms Convolvulus nil, P. albomarginata, Ipomoea limbata. Concerning P. tricolor, see under Ipomoea tricolor.

Phaseolus angularis (Willd.) W.F. Wight: syn.: Vigna angularis (Willd.) Ohwi et Olashi, Dolichos angularis Willd.

Phaseolus coccineus L.: syn.: P. multiflorus Lam., P. multiflorus Willd.

Philodendron Schott corr. Schott: synonymies with Anthurium, Caladium, Monslera. In particular, Monstera deliciosa Liebm. (name stabilized by ISTA) has the synonym P. pertusum Kunth et Bouché and is known by the name Philodendron.

Phleum bertolonii DC.: further synonym: P. bulbosum auct non L.

Phormium J.R. et G. Forst.: synonymies with Lachenalia.

Photinia Lindl.: synonymies with Crataegus, Eriobotrya, Heteromeles. Eriobotrya japonica (Thunb.) Lindl. has notably the synonym P. japonica.

Phyllostachys Sieb. et Zucc.: synonymies with Bambusa, Chimonobambusa, Shibataea, Semiarundinaria.

Physostegia virginiana (L.) Benth.: syn.: Dracocephalum variegatum, D. virginianum.

Picea A. Dietr.: the nomenclature is very complex as there have been confusions with Abies, Pinus and Tsuga. In addition, certain botanists have identified 40 species, others having reduced some of them to synonymies.

Picea glehnii (Fr. Schmidt) Mast.: syn.: Abies glehnii.

Picea jezoensis (Sieb. et Zucc.) Carr.: syn.: P. ajanensis Fisch. ex Carr.; the botanical variety hondoensis (Mayr) Rehd. is also named P. hondoensis Mayr.

Pieris D. Don: synonymies with Andromeda, Arcterica, Lyonia, Portuna.

Pieris japonica (Thunb.) D. Don ex G. Don: syn.: Andromeda japonica Thunb.

Pinellia ternata (Thunb.) Breit.: syn.: P. tubifera Ten., Arum ternatum Thunb.

Pinus L.: synonymies with Abies, Picea.

Pinus thunbergii Parl. non Lamb.: syn.: P. thunbergiana Franco.

Pistacia vera L.: syn.: P. terebinthus Mill. non L.

Pisum sativum L.: in its modern sense, P. sativum L. includes P. arvense. Synonymy with P. elatius Stev., P. humile Boiss.

Platycodon grandiflorus (Jacq.) A. DC.: syn.: Campanula grandiflora Jacq., Wahlenbergia grandiflora (Jacq.) Schrad. Botanical varieties thereof have also been given species names (in particular P. autumnale and P. chinensis).

Poa L.: synonymies with Dactylis, Eragrostis, Festuca, Glyceria, Koeleria, Puccinellia.

Polemonium L.: P. brandegeei has also been named Gilia brandegeei.

Polygonatum Mill.: syn.: Axillaria, Evalaria. Synonymies with Convallaria.

Polygonum L.: synonymies with Bilderdykia, Coccoloba, Fagopyrum, Muehlenbeckia, Reynoutria.

Poncirus Raf.: monotypic genus (P. trifoliata (L.) Raf.) which has the synonyms Citrus trifoliata L., Aegle sepiaria, Limonia trifoliata.

Potentilla L.: synonymies with Argentina, Comarum, Dasyphora, Drymocallis, Sibbaldiopsis.

Potentilla fruticosa L.: syn.: Dasyphora fruticosa. As the main table shows, certain types of cinquefoil are either considered to be subspecies of P. fruticosa L., or made into distinct species. Differences in the scope of application of protection result therefrom.

Protea spec.: synonymies with Aulax, Leucospermum, Paranomus, Serruria.

Prunus L.: this genus has been made into several genera by some botanists. The nomenclature most encountered in practice is the following:

- Amygdalus (almond)
- Armeniaca (apricot)
- Cerasus (cherry)
- Persica (peach)
- Prunus (plum).

As far as the species are concerned, the synonymies are given below. Certain States have defined the protected species by the indication of the genus Prunus L. followed by the common name of the species, in particular to avoid problems with nomenclature.

Prunus amygdalus Bartock: syn.: Amygdalus communis L., P. communis (L.) Arcang. non Huds.

Prunus armeniaca L.: syn.: Armeniaca vulgaris Lam.

Prunus avium (L.) L.: syn.: Cerasus avium (L.) Moench.

Prunus cerasifera Ehrh.: syn.: P. myrobalana Poit. et Turp., P. myrobalanus (L.) Loisel. The group of ornamental varieties of the Atropurpurea type is also known under the name P. pissardii Carr. In the States which rely mainly on common names, this species may or may not be protected depending on the interpretation of "plum."

Prunus cerasus L.: syn.: Cerasus vulgaris Mill. The subspecies and botanical varieties have also been made into species (P. acida K. Koch non Ehrh.; P.

austera (L.) Ehrh., *Cerasus austera* (L.) Borkh.; *Cerasus marasca* Host, *P. marasca* (Host) Rchb.).

Prunus domestica L., Prunus insititia L.: classification of plums is extremely confused, as most botanists who have dealt with the genus *Prunus* have adopted their own system. On the species level, the most controversial question is whether *P. insititia* constitutes a species or should be considered a subspecies of *P. domestica*. The latter is at present the most commonly recognized, but the former can still be found. In addition, there is controversy over the allocation of the various types of plums to the taxonomic entities that have been defined. For instance, mirabelle belongs to the entity (subspecies or species) *insititia* according to certain authors and to the entity *syriaca* according to others. The various types are not always used in the same manner from one country to another. For example, Damson is used solely as a rootstock in France, whereas in the United Kingdom it is also used as a fruiting species for pies, stewing and bottling. Finally, partly as a consequence of the different uses, types identified by a common name in one country may not have a common name in others; thus for example, there is no equivalent of Bullace in French. All these factors may influence the scope of application of protection.

Prunus fruticosa Pall.: syn.: *Cerasus fruticosa* (Pall.) Woron, *C. sylvestris*. In the States which rely mainly on common names, this species may be protected or not depending on the interpretation of "cherry."

Prunus glandulosa Thunb.: syn.: *P. sinensis*.

Prunus insititia L.: see under *P. domestica* L.

Prunus laurocerasus L.: syn.: *Laurocerasus officinalis* M.J. Roem., *Cerasus laurocerasus* (L.) Loisel.

Prunus lusitanica L.: syn.: *Cerasus lusitanica* (L.) Loisel.

Prunus persica (L.) Batsch: syn.: *Amygdalus persica* L., *A. pumila* Lour. non L., *Persica vulgaris*.

Prunus prostrata Labill.: syn.: *Cerasus prostrata*.

Prunus salicina Lindl.: syn.: *P. triflora*. In the States which rely mainly on common names, this species may or may not be protected depending on the interpretation of "plum."

Prunus tenella Batsch: syn.: *P. nana* (L.) Stokes non Du Roi, *Amygdalus nana* L.

Prunus triloba Lindl.: syn.: *Amygdalopsis lindleyi*.

Pseudocydonia sinensis Schneid.: syn.: *Chaenomeles sinensis*, *Cydonia sinensis* (Dum.-Cours.) Schneid.

Pseudotsuga Carr.: synonymies with *Abies*.

Psidium guajava L.: syn.: *P. pyriferum* L., *P. pomiferum* L.

Psophocarpus tetragonolobus (L.) DC.: syn.: Dolichos tetragonolobus Stickm.

Pulmonaria L.: P. virginica L. is a synonym of Mertensia virginica (L.) Pers.

Pyracantha M.J. Roem.: synonymies with Cotoneaster, Crataegus.

Pyrus L.: synonymies with Amelanchier, Aronia, Chaenomeles, Cydonia, Malus, Mespilus, Sorbus.

Pyrus communis L.: syn.: P. domestica Med. non (L.) Ehrh. (according to Zander). The Diccionario de Plantas Agricolas considers the latter as a separate species, and P. communis Smith as a synonym of Sorbus domestica L.

Quamoclit Mill.: synonymies with Calboa, Ipomoea, Mina.

Quercus L.: synonymies with Lithocarpus.

Ranunculus L.: synonymies with Batrachium, Callianthemum, Ceratocephalus, Ficaria.

Ranunculus asiaticus L.: syn.: R. hortensis Pers., R. africanus hort.

Renanthera Lour.: see under Orchidaceae. Synonymies with Aërides, Arachnis, Vanda, Vandopsis.

Rhamnus L.: synonymies with Frangula, Oreohertzogia, Ziziphus.

Rheum rhabarbarum L.: syn.: R. undulatum L. R. undulatum Pall. is a synonym of R. rhabonticum L.

Rhipsalidopsis Britt. et Rose: see under Epiphyllopsis...

Rhododendron L.: in its modern sense, this genus includes Azalea and Rhodora.

Rhodohypoxis baurii (Bak.) Nel: syn.: Hypoxis platypetala.

Rhus L.: synonymies with Cotinus, Toxicodendron.

Rhynchosystylis Bl.: see under Orchidaceae. Synonymies with Aërides, Saccolabium.

Ribes niveum Lindl.: see under R. sylvestre. Syn.: R. gracile.

Ribes sylvestre (Lam.) Mert. et W. Koch: syn.: R. rubrum L. p.p. et auct. mult., R. vulgare Lam. p.p., R. sativum (Rchb.) Syme, R. rubrum ssp. vulgare (Lam.) Domin (according to Zander). Zander also maintains that most cultivated varieties derive from this species. According to the Dictionary of Gardening, the main ancestor of Red and White Currants is R. sativum, often wrongly called R. rubrum. Varieties of R. rubrum are cultivated in Scandinavia (Northern Red Currant). The Diccionario de Plantas Agricolas and Zander refer to this species under the name R. spicatum Robs. emend. Wilmoth (R. rubrum L. p.p., R. vulgare Lam. p.p., R. rubrum (L.) O. Schwarz, R. sylvestre Syme).

Ribes uva-crispa L.: according to Zander, the majority of cultivated varieties belong to the variety sativum DC., which has the synonym R. grossularia L. The Diccionario de Plantas Agricolas gives R. uva-crispa L. and R. grossularia L. as synonyms (and R. grossularia Wall. as a synonym of R. alpestre Wall.).

Robinia L.: synonymies with Tephrosia, Sesbania, Glicinidia.

Rohdea japonica (Thunb.) Roth: syn.: Orontium japonicum.

Rubus fruticosus L.: according to the Dictionary of Gardening, this term is a broad one and covers the blackberries. They have been divided by certain botanists into more than 100 species. The name does not appear in Zander.

Rubus idaeus L.: according to the Dictionary of Gardening, R. idaeus (wild raspberry) is the ancestor of cultivated raspberries. R. strigosus is the American counterpart of R. idaeus and has the synonym R. idaeus var. strigosus.

Rudbeckia L.: synonymies with Centrocarpha, Dracopis, Echinacea, Helianthus, Lepachys.

Ruta L.: synonymies with Haplophyllum.

Saccharum L.: synonymies with Gynerium, Rhynchelytrum.

Salvia L.: synonymies with Audibertia, Sclarea.

Salvia officinalis L.: the sub-species lavandulifolia (Vahl) Gams has also been made into a species (S. lavandulifolia Vahl).

Sansevieria Thunb.: S. hyacinthoides (L.) Druce has the synonym Aloe hyacinthoides L.

Saponaria L.: S. pumila has the synonym Silene pumila. S. vaccaria L. is a synonym of Vaccaria hispanica (Mill.) Rauschert (name stabilized by ISTA-- further synonyms: V. pyramidata Medik., V. vulgaris Host, V. segetalis Garcke, V. grandiflora (Fisch.) Jaub. et Spach).

Saxifraga L.: synonymies with Aceriphyllum, Bergenia, Boykinia, Chondrosa, Ciliaria, Leptasea, Peltiphyllum, Zahlbruckneri.

Scabiosa L.: synonymies with Cephalaria, Knautia, Pterocephalus, Succisa.

Schefflera J.R. et G. Forst.: synonymies with Aralia, Brassaia, Heptapleurum.

Schlumbergera Lem.: see under Epiphyllopsis...

Scilla L.: synonymies with Barnardia, Dipcadi, Drimia, Endymion, Hyacinthoides, Hyacinthus, Lachenalia, Ledebouria, Urginea.

Scindapsus Schott: synonymies with Pothos, Raphidophora.

Sedum L.: synonymies with Byrnesia, Cotyledon, Crassula, Cremnophila, Echeverria, Gormaniana, Graptopetalum, Monanthes, Orostachys, Pistorinia, Rhodiola, Rosularia, Sinocrassula, Umbilicus.

Selaginella P. Beauv.: S. cuspidata var. elongata has the synonym Lycopodium cordifolium.

Senecio cruentus (Masson ex L'Hér.) DC.: syn.: Cineraria cruenta DC.

Serruria spec.: synonymies with Protea.

Sesamum indicum L.: syn.: S. orientale L.

Setaria italica (L.) Beauv.: syn.: Panicum italicum L.

Sidalcea A. Gray: S. malvaeflora has the synonyms Callirhoe spicata, Sida malvaeflora.

Silene L.: synonymies with Agrostemma, Cucubalus, Eudianthe, Heliosperma, Lychnis, Melandrium, Saponaria, Viscaria.

Simmondsia chinensis (Link) Schneid.: syn.: S. californica (Link) Nutt.

Sinningia Nees: synonymies with Gloxinia, Rosanowia, Stenogaster, Tapeionites.

Sinningia speciosa (Lodd.) Hiern.: syn.: Gloxinia speciosa Lodd., S. X hybrida hort. (name stabilized by ISTA).

Sisyrinchium L.: synonymies with Eleutherine, Marica, Olsynium, Solenomelus.

Solanum L.: synonymies with Cyphomandra, Lycopersicon.

Solanum melongena L.: syn.: S. aethiopicum Thunb., S. incanum L.

Solanum tuberosum L.: syn.: S. andigenum Juz. et Buk.

Solidago L.: S. graminifolia has the synonym Euthamia graminifolia, its variety nuttallii, E. nuttallii and S. rigida has the synonym Oligoneuron rigidum.

Sophora L.: synonymies with Edwardsia.

Sophronitis Lindl.: see under Orchidaceae. S. cernua has the synonym Sophronia cernua. S. violacea Lindl. has the synonyms Sophronitella violacea (Lindl.) Schlechter, Cattleya violacea (Lindl.) Beer non Rolfe nec hort.

Sorbus L.: synonymies with Aronia, Micromeles, Pyrus.

Sorghum Moench: synonymies with Andropogon, Holcus, Millium, Panicum.

Sorghum bicolor (L.) Moench: main synonym: S. vulgare Pers. According to the Diccionario de Plantas Agricolas, this species contains all annual cultivated types, whereas Zander distinguishes several species.

Sorghum dochna (Forssk.) Snowden: syn.: S. vulgare var. saccharatum (Moench) Boerl., S. bicolor (L.) Moench ssp. bicolor.

Spartium L.: S. junceum L. (name stabilized by ISTA) has the synonyms Genista juncea, G. odorata. S. scoparium L. is a synonym of Sarothamnus scoparius (L.) Wimm.

Spathiphyllum Schott: synonymies with *Anthurium*, *Pothos*, *Rhodospatha*.

Spiraea L.: synonymies with *Aruncus*, *Astilbe*, *Lhamaebatiaria*, *Filipendula*, *Gillenia*, *Holodiscus*, *Luetkea*, *Petrophytum*, *Physocarpus*, *Sibiraea*, *Sorbaria*.

Stachys L.: synonymies with *Betonica*.

Stevia rebaudiana (Bertoni) Hemsl.: syn.: *Eupatorium rebaudianum*.

Stewartia L.: syn.: *Stuartia* L'Hér. *S. ovata* has also the synonym *Malacobdendron pentagynum*.

Stranvaesia Lindl.: *S. davidiana* has also been described as *Photinia davidianna*.

Syphoricarpos Duham.: *S. rivularis* has also been described as *Syphoria racemosa*.

Syringa L.: synonymies with *Ligustrina*.

Tamarix L.: *T. germanica* L. is a synonym of *Myricaria germanica* (L.) Desv.

Tecoma Juss.: synonymies with *Bignonia*, *Campsidium*, *Campsis*, *Pandorea*, *Podranea*, *Stenolobium*, *Tecomaria*, *Tecomella*.

Teucrium chamaedrys L.: *T. chamaedrys* hort. is perhaps a synonym of *T. massiliense* L.

Teucrium fruticans L.: syn.: *T. latifolium*.

Thalictrum L.: synonymies with *Anemonella*, *Isopyrum*.

Thea sinensis L.: syn.: *Camellia sinensis* (L.) O. Kuntze (name stabilized by ISTA), *T. viridis* L., *T. bohea* L., *C. thea* Link, *C. theifera* Griff.

Thuja L.: synonymies with *Biota*, *Platycladus*, *Tetraclinis*, *Thujopsis*.

Thuja orientalis L.: syn.: *Biota orientalis* (L.) Endl., *Platycladus orientalis* (L.) Franco, *P. stricta* Spach.

Tiarella L.: *T. menziesii* is a synonym of *Tolmiea menziesii*.

Tillandsia L.: synonymies with *Allardtia*, *Anoplophytum*, *Billbergia*, *Catopsis*, *Cryptanthus*, *Phytarrhiza*, *Platystachis*, *Pourretia*, *Streptocalyx*, *Vriesea*, *Wallisia*.

Tradescantia L.: synonymies with *Aneilema*, *Commelina*, *Dichorisandra*, *Gibasis*, *Hadrodesmas*, *Phyodina*, *Pyrrheima*, *Rhoeo*, *Spironema*, *Zebrina*.

Trifolium repens L.: syn.: *T. nigrescens* Schur [non Viv.].

Trifolium resupinatum L.: *T. resupinatum* Less. is a synonym of *T. fragiferum* L.

Trisetum flavescens (L.) Beauv.: syn.: Avena flavescens L.

Triticum L.: synonymies with Agropyron.

Triticum aestivum L.: syn.: T. hybernum L., T. sativum Lam., T. vulgare Vill., T. cereale Schrank (according to Zander). In the Diccionario de Plantas Agrícolas, classification is based on T. aestivum (L.) Thell. (syn.: T. aestivum L.), which groups units that are made into species in Zander (in particular T. macha Dekapr. et Menabde, T. spelta L., T. sphaerococcum Perciv.).

Triticum durum Desf.: syn.: T. turgidum (L.) Thell. ssp. turgidum convar. durum (Desf.) Mac Kay.

Triticum spelta L.: syn.: T. aestivum (L.) Thell. ssp. spelta (L.) Thell.

Tritonia Ker-Gawl.: synonymies with Acidanthera, Crocosmia, Dichone, Gladiolus, Ixia, Montbretia.

Trollius L.: T. lilacinus has the synonym Hegemone lilacina.

Ulmus campestris L.: that denomination covers U. glabra Huds. (U. scabra Mill., U. montana With.) and U. procera Salisb. U. campestris auct. non L. is U. minor Mill. (U. carpinifolia Ruppius ex Suckow, U. foliacea sensu Hayek, U. glabra Mill. non Huds.).

Vaccinium L.: synonymies with Agapetes, Andromeda, Batodendron, Cyanococcus, Epigynium, Herpothamnus, Hugeria, Oxycoccoides, Oxycoccus, Polycodium, Thibaudia, Vitis-idaea.

Vaccinium vitis-idaea L.: syn.: Vitis-idaea vitis-idaea.

Valerianella locusta (L.) Laterrade: syn.: V. olitoria (L.) Poll.

Vanda Jones: see under Orchidaceae. Synonymies with Acampe, Aérides, Anota, Arachnanthe, Esmeralda, Euanthe, Luisia, Phalaenopsis, Renanthera, Rhynchostylis, Saccolabium, Sarcanthus, Stauropsis, Vandopsis.

Veratrum L.: V. viride has also been described under the name Helonias viride.

Verbena L.: synonymies with Junellia, Lippia.

Veronica L.: the genera Hebe, Paederota, Veronicastrum are either included in Veronica, or separated.

Viburnum L.: V. rigidum has the synonym Tinus rugosus.

Vicia articulata Hornem.: syn.: V. monantha Desf., Ervum monanthum L.

Vicia faba L.: syn.: Faba bona Medik., F. vulgaris Moench.

Vicia sativa L.: the subspecies nigra (L.) Ehrh. (angustifolia (L.) Aschers. et Graebn.) also has the synonym V. angustifolia L.

Vicia villosa Roth: according to ISTA, this species includes V. dasycarpa Ten. The Diccionario de Plantas Agricolas considers them as synonyms.

Vigna unguiculata (L.) Walp.: synonym other than that indicated in the main table: Dolichos biflorus L. According to the Diccionario de Plantas Agricolas and Zander, the subspecies have the following synonyms:

- ssp. cylindrica (L.) Van Eseltine ex Verdc.: V. catjang (Burm. f.) Walp., V. cylindrica (L.) Skeels, Phaseolus cylindricus Stickm.;

- ssp. sesquipedalis (L.) Verdc.: V. sesquipedalis (L.) Fruwirth, Dolichos sesquipedalis;

- ssp. unguiculata: Dolichos sinensis Stickm.

Vinca L.: V. rosea L. is frequently separated from Vinca under the name Catharanthus roseus (L.) G. Don (name stabilized by ISTA).

Viola L.: V. hederacea has also been described under the names Erpetion reniforme and E. hederaceum.

Vitis L.: the genera Ampelopsis, Cissus, Columella, Parthenocissus and Tetrastigma have been included in the genus Vitis by certain botanists, particularly by Bentham and Hooker in their Genera Plantarum. A great number of synonyms resulting from this conception are still in use. Other synonymies are due to the fact that certain species have been classified in two or three, or even four of the above-mentioned genera. Other synonymies with Muscadinia, Pterisanthes, Spinovitis.

Vriesea Lindl. corr. Beer: synonymies with Encholirion, Guzmania, Massangea, Tillandsia.

Vriesea splendens (Brongn.) Lem.: synonymies with V. speciosa, Tillandsia vittata, T. zebrina. V. splendens var. major hort. Duval. is a synonym of V. longibracteata (Bak.) Mez.

Weigela Thunb.: see under Diervilla Mill.

Wysteria Nutt.: synonymies with Glycine, Millettia, Wistaria.

Yucca L.: synonymies with Dasyllirion, Furcraea, Hesperaloë, Hesperoyucca, Nolina.

Yucca aloifolia L.: Y. draconis is a synonym of Y. aloifolia var. draconis.

Yucca baccata Torr.: syn.: Y. circinata. Y. baccata var. australis is a synonym of Y. torreyi Shafer (Y. macrocarpa (Torr.) Coville non Engelm.).

Yucca whipplei Torr.: syn.: Hesperoyucca whipplei (Torr.) Bak.

0322

C/XX/6
page 86

Zantedeschia Spreng.: synonyms with Calla, Richardia.

Zelkova Spach: syn.: Abelicia. Synonyms with Hemiptelea, Ulmus.

Zelkova serrata (Thunb. ex Murr.) Makino: syn.: Z. keaki (Sieb.) Maxim., Z. acuminata.

Zygocactus K. Schum.: see under Epiphyllopsis...

INDEX OF ENGLISH COMMON NAMES
INDEX DES NOMS COMMUNS ANGLAIS
VERZEICHNIS DER ENGLISCHEN LANDESUEBLICHEN NAMEN

Acacia	Acacia	Bean (Indian)	Catalpa
- (False)	Robinia	- (Kidney)	Phaseolus
African Cornlily	Ixia	- (Runner)	Phaseolus
- Lily	Agapanthus	- (Soya)	Glycine
- Violet	Saintpaulia	- (Tick)	Vicia
Alder	Alnus	- (Winged)	Psophocarpus
- (White)	Clethra	Bearberry	Arctostaphylos
Alfalfa	Medicago	Beard (Snakes's)	Ophiopogon
Allspice (Japanese)	Chimonanthus,	- Tongue	Penstemon
Almond	Meratia	Beauty-berry	Callicarpa
Alum Root	Amygdalus,	Bee Balm	Monarda
Amaranth (Common Globe-)	Prunus	Beech	Fagus
- (Gangea)	Heuchera	- (Southern)	Nothofagus
Amaryllis	Gomphrena	Beefsteak Plant	Perilla
- (Cluster-)	Amaranthus	Beet	Beta
American Laurel	Hippeastrum	Beetroot	Beta
Andromeda (Japanese)	Lycoris	Bell Flower	Campanula
Angelica	Kalmia	Bellflower (Chinese)	Platycodon
- Tree	Pieris	Bell (Golden)	Forsythia
Apple	Angelica	- Heather	Erica
- (Crab)	Aralia	- Tree (Silver-)	Halesia
- (Golden)	Malus	Bentgrass	Agrostis
- (Sugar)	Malus	Bergamot	Monarda
Apricot	Poncirus	Beson Heath	Erica
Arborvitae (Chinese)	Annona	Bilberry	Vaccinium
"Arbutus"	Prunus	Bill (Crane's)	Geranium
(see also Arbutus)	Thuja	- (Stork's)	Pelargonium
Arizona Cypress	Myrica	Birch	Betula
Arrayan	Cupressus	Bird of Paradise Flower	Strelitzia
Artichoke (Globe)	Pernettya	Bird's Foot Trefoil	Lotus
- (Jerusalem)	Cynara	Biscay Heath	Erica
Arum (Ivy-)	Helianthus	Black Mustard	Brassica
- -lily	Scindapsus	- Radish	Raphanus
Asatsuki	Zantedeschia	- Salsify	Scorzonera
Ash	Allium	Blackberry	Rubus
- (Mountain)	Fraxinus	- Lily	Belamcanda
Asparagus Fern	Sorbus	Bladder Nut	Staphylea
Aster	Asparagus	Blanket-flower	Gaillardia
- (China)	Aster	Blazing Star	Liatris
- (Stocke's)	Callistephus	Bleeding Heart	Dicentra
Aubergine	Stokesia	Bloodflower	Asclepias
Auricula	Solanum	- Lily	Haemanthus
Autumn-crocus	Primula	Blue Beard	Caryopteris
Avens	Colchicum	Blueberry	Vaccinium
Avocado	Geum	Blue Bottle	Centaurea
Azalea	Persea	- Buffalo Grass	Cenchrus
Azaleodendron	Rhododendron	- Eyed Grass	Sisyrinchium
Azuca-caa	Rhododendron	Bluegrass	Poa
Azuki Red Bean	Stevia	Blue Spirea	Caryopteris
	Phaseolus	Bog Rosemary	Andromeda
		Borage	Borago
Babaco	Carica	Bottle (Blue)	Centaurea
Baby's Breath	Gypsophila	Bottle-brush	Callistemon
Bahia Grass	Paspalum	Bottle Gourd	Lagenaria
Balloon Flower	Platycodon	Bourbon Tea Orchid	Angraecum
Balsam	Impatiens	Bowstring Hemp	Sansevieria
- Pear	Momordica	Box	Buxus
Bamboo (Sacred)	Nandina	Bramble	Rubus
Banana	Musa	Bridal Wreath	Spiraea
Barberry	Berberis	Broad Bean	Vicia
Barley	Hordeum	Broccoli	Brassica
Bay (Rose)	Nerium	Brome	Bromus
Beach-Plum	Prunus	Broom	Cytisus
Beam (White)	Sorbus	-	Genista
Bean (Azuki Red)	Phaseolus	- Corn	Sorghum
- (Broad)	Vicia	- (Spanish)	Spartium
- (Castor-)	Ricinus	Brown Mustard	Brassica
- (Field)	Vicia	- Top	Agrostis
- (French)	Phaseolus	Brussels Sprouts	Brassica
- (Horse)	Vicia	Buckthorn	Rhamnus

Bugbane	Cimicifuga	Chives	Allium
Bugloss	Anchusa	Chokeberry	Aronia
Bugwort	Cimicifuga	Christmas Cactus	Schlumbergera, Zygocactus
Bullace	Prunus	- Rose	Helleborus
Burdock (Edible)	Arctium	Christ's Thorn	Euphorbia
Bush Vetch	Vicia	Cineraria ('Florists')	Senecio
Busy Lizzie	Impatiens	Cinquefoil	Potentilla
Butter Bur (Japanese)	Petasites	Clover	Trifolium
Buttercup	Ranunculus	Club Moss	Selaginella
Butterfly-bush	Buddleja	Cluster-amaryllis	Lycoris
Butterfly Flower (Wingleaf)	Schizanthus	Cockscomb	Celosia
- Lily	Hedychium	Cocksfoot	Dactylis
Caa-ehe	Stevia	Coffee	Coffea
Cabbage	Brassica	Collybia ('Velvet-footed')	Flammulina
Cactus (Christmas)	Schlumbergera, Zygocactus	Columbine	Aquilegia
- (Crab)	Zygocactus	Common Four O'clock	Mirabilis
- (Easter)	Epiphyllopsis, Rhipsalidopsis	- Globe-amaranth	Gomphrena
Calabash Cucumber	Lagenaria	- Hyacinth	Hyacinthus
Calabrese	Brassica	- Jerusalem Sage	Phlomis
Calico Bush	Kalmia	- Millet	Panicum
California Poppy	Eschscholzia	- Sage	Salvia
Calla	Zantedeschia	- Snapdragon	Antirrhinum
Campion	Lychnis	- Tobacco	Nicotiana
Camphor Laurel	Cinnamomum	- Vetch	Vicia
- Tree	Cinnamomum	Cone Flower	Rudbeckia
Canary Grass	Phalaris	Conifers	Coniferae
- Seed	Phalaris	Coral Flower	Heuchera
Candytuft	Iberis	Cork Tree	Peliodendron
Cape Cowslip	Lachenalia	Corn (Broom)	Sorghum
- Figwort	Phygelius	Cornel	Cornus
- Gooseberry	Physalis	Cornelian Cherry	Cornus
- Primrose	Streptocarpus	Cornflower	Centaurea
Caper Spurge	Euphorbia	Cornish Heath	Erica
Caraway	Carum	Cornlily (African)	Ixia
Cardinal Flower	Lobelia	Cornsalad	Valerianella
Cardoon	Cynara	Corn Spurry	Spergula
Carnation	Dianthus	Cotton	Gossypium
Carrot	Daucus	Courgette	Cucurbita
Cast-iron Plant	Aspidistra	Cowberry	Vaccinium
Castorbean	Ricinus	Cowpea	Vigna
Catchfly	Silene	Cowslip	Primula
Cat Mint	Nepeta	- (Cape)	Lachenalia
Cauliflower	Brassica	Crab Apple	Malus
Cedar (Japanese)	Cryptomeria	- Cactus	Zygocactus
Celeriac	Apium	Cranberry	Vaccinium
Celery	Apium	Crane's Bill	Geranium
Chamomile	Anthemis	Crape Myrtle	Lagerstroemia
- (False)	Boltonia	Creeper (Virginia)	Parthenocissus
Cherimoya	Annona	Cress	Lepidium
Cherry	Prunus	- (Indian)	Tropaeolum
- (Cornelian)	Cornus	Crested Dog's-tail	Cynosurus
- (Dwarf)	Prunus	Crimson Flag	Schizostylis
- (Ground)	Prunus	Crocus	Crocus
- laurel	Prunus	- (Autumn-)	Colchicum
- plum	Prunus	Cross-leaved Heath	Erica
- (Rock)	Prunus	Croton	Codiaeum
- (Sour)	Prunus	Crown of Thorns	Euphorbia
- (Sweet)	Prunus	Cucumber	Cucumis
Chervil	Anthriscus	- (Calabash)	Lagenaria
Chestnut	Castanea	Cupid's Dart	Catananche
- (Horse)	Aesculus	Currant	Ribes
Chickling Vetch (Dwarf)	Lathyrus	Cypress (Arizona)	Cupressus
Chick-pea	Cicer	- (Duprez)	Cupressus
Chicory	Cichorium	- (Hinoki)	Chamaecyparis
Chilean Fire Bush	Embothrium	- (Leyland)	X Cupressocyparis
Chili	Capsicum	- (Mediterranean)	Cupressus
China Aster	Callistephus	- Vine	Quamoclit
Chinese Angelica Tree	Aralia	 	
- Arborvitae	Thuja	Daffodil	Narcissus
- Bellflower	Platycodon	Daisy	Chrysanthemum
- Lantern Plant	Physalis	- Bush	Olearia
- Quince	Pseudocydonia	- (English)	Bellis
Chinkerinchee	Ornithogalum	- (Michaelmas)	Aster
		- Oxeye	Chrysanthemum
		- (Paris)	Chrysanthemum

Daisy (Shasta)	Chrysanthemum	Foam Flower	Tiarella
- (Tree)	Olearia	- (Meadow)	Limnanthes
- (True)	Bellis	Fodder Radish	Raphanus
Dallisgrass	Paspalum	Forget-me-not	Myosotis
Dalmatian Pyrethrum	Chrysanthemum	Four O'clock (Common)	Mirabilis
Damson	Prunus	Foxglove	Digitalis
Date	Phoenix	Foxtail (Meadow)	Alopecurus
Date Palm	Phoenix	- Millet	Setaria
Day-lily	Hemerocallis	Fox Tail Orchid	Rhynchosystylis
Devil-in-a-bush	Nigella	French Bean	Phaseolus
Devil's Tongue	Amorphophallus	- Mulberry	Callicarpa
- Walking Stick	Aralia	Funkia	Hosta
Diervilla	Diervilla,		
	Weigela		
Dill	Anethum	Gangea Amaranth	Amaranthus
Dishcloth Gourd	Luffa	Garden Nasturtium	Tropaeolum
Dog's-tail (Crested)	Cynosurus	- Pea	Pisum
Dogwood	Cornus	Garlic	Allium
Dorset Heath	Erica	Gayfeather	Liatris
Douglas Fir	Pseudotsuga	Gentian	Gentiana
Dracena	Dracaena	- (Prairie)	Eustoma
Dragon Tree	Dracaena	Geranium	Pelargonium
Dropwort (Water)	Oenanthe	Germander	Teucrium
Dumb Bane	Dieffenbachia	Gherkin	Cucumis
Duprez Cypress	Cupressus	Ginger	Zingiber
Dutchman's Breeches	Dicentra	- -lily	Hedychium
Dwarf Cherry	Prunus	Ginseng	Panax
- Chickling Vetch	Lathyrus	Globeamaranth (Common)	Gomphrena
		- Artichoke	Cynara
Easter Cactus	Epiphyllopsis,	- Flower	Trollius
	Rhipsalidopsis	- Thistle	Echinops
East Indian Lotus	Nelumbo	Glory (Morning)	Pharbitis
Edible Burdock	Arctium	- (Star-)	Quamoclit
Eggplant	Solanum	Gloxinia	Sinningia
Elder	Sambucus	Goats' Rue	Galega
Elm	Ulmus	Golden Apple	Poncirus
Endive	Cichorium	- Bell	Forsythia
English Daisy	Bellis	- Chain	Laburnum
Enokitake	Flammulina	- Oatgrass	Trisetum
Evening Primrose	Oenothera	- Ray	Ligularia
Evergreen	Euonymus	- Rod	Solidago
Everlasting	Helichrysum	Goldthread	Coptis
- (Winged)	Ammobium	Gombo	Abelmoschus
		Gooseberry	Ribes
False Acacia	Robinia	- (Cape)	Physalis
- Chamomile	Boltonia	Gorse	Ulex
- Flax (Large-seeded)	Camelina	Gourd (Bottle)	Lagenaria
- Hellebore	Veratrum	- (Dishcloth)	Luffa
- Oatgrass	Arrhenatherum	- (Sponge)	Luffa
Fennel	Foeniculum	- (Wax)	Benincasa
Fenugreek	Trigonella	Granadilla	Passiflora
Fern (Asparagus)	Asparagus	Grape (Oregon)	Mahonia
- (Ladder)	Nephrolepis	Grapefruit	Citrus
- (Maidenhair)	Adiantum	Grass Pea Vine	Lathyrus
- (Sword-)	Nephrolepis	Grey Heath	Erica
Fescue	Festuca	Gromwell	Lithospermum
Field Bean	Vicia	Ground Cherry	Prunus
- Brome	Bromus	Groundnut	Arachis
Fig	Ficus	Guava	Psidium
Figwort (Cape)	Phygellus	Gyp	Gypsophila
Filbert	Corylus		
Fir	Abies	Hairy Vetch	Vicia
- (Douglas)	Pseudotsuga	Hardings Grass	Phalaris
- (Sachalin)	Abies	Hardy Plumbago	Ceratostigma
Fire Bush (Chilean)	Embothrium	Hawthorn	Crataegus
Firethorn	Pyracantha	Hazelnut	Corylus
Flame Nettle	Coleus	Hazel (Winter)	Corylopsis
Flax	Linum	- (Witch-)	Hamamelis
- (Large-seeded False)	Camelina	Heath	Erica
- (New Zealand)	Phormium	- (Besom)	Erica
Flax (Toad-)	Linaria	- (Biscay)	Erica
Flea-bane	Erigeron	- (Cornish)	Erica
Florists' Cineraria	Senecio	- (Cross-leaved)	Erica
Flossflower	Ageratum	- (Dorset)	Erica
Flowering Quince	Chaenomeles,	- (Grey)	Erica
	Cydonia	- (Saint Dabeoc's)	Daboecia
		- (Scotch)	Erica

Heath (Spanish)	Erica	Knotweed	Polygonum
- (Spring)	Erica	Kohlrabi	Brassica
- (Tree)	Erica	Konnyaku	Amorphophallus
Heather	Calluna	Kumquat	Fortunella
- (Bell)	Erica	Kuritake	Naematołoma
Hedge Vetch	Vicia		
Hellebore	Helleborus		
- (False)	Veratrum	Ladder Fern	Nephrolepis
Hemp	Cannabis	Lady Palm	Rhapis
Hemp (Bowstring)	Sansevieria	Lady's Slipper	Paphiopedilum
Hen of the Woods	Grifola	Lamb's Lettuce	Valerianella
Herb Lily	Alstroemeria	Lantern Plant (Chinese) ..	Physalis
Hercules Club	Aralia	Larch	Larix
Hinoki Cypress	Chamaecyparis	Large-seeded False Flax ..	Camelina
Hiratake	Pleurotus	Larkspur	Delphinium
Holly	Ilex	Laurel (American)	Kalmia
- (Sea)	Eryngium	- (Camphor)	Cinnamomum
Hollyhock	Althaea	- (Cherry-)	Prunus
Honewort (Japanese)	Cryptotaenia	- (Mountain)	Kalmia
Honey Locust	Gleditsia	- (Portugal)	Prunus
Honeysuckle	Lonicera	Lavender	Lavandula
Hop	Humulus	- (Sea)	Limonium
Hornbeam	Carpinus	Laver (Purple)	Porphyra
Horse Bean	Vicia	Lawn Grass	Zoysia
- Chestnut	Aesculus	Leek	Allium
Horsemint	Monarda	Lemon	Citrus
Horse Radish	Armoracia	Lenten Rose	Helleborus
Hungarian Vetch	Vicia	Lentil	Lens
Husk-tomato	Physalis	Leopard's Bane	Doronicum
Hyacinth (Common)	Hyacinthus	Lettuce	Lactuca
- (Wild)	Scilla	- (Lamb's)	Valerianella
		Leyland Cypress	X Cupressocyparis
Ice Plant	Sedum	Lilac	Syringa
Ifafa Lily	Cyrtanthus	Lily	Lilium
Impatiens (New Guinea)	Impatiens	- (African)	Agapanthus
Indian Bean	Catalpa	- (African Corn-)	Ixia
- Cress	Tropaeolum	- (Arum-)	Zantedeschia
- Lotus (East)	Nelumbo	- (Blackberry)	Belandcanda
Indigo	Indigofera	- (Blood)	Haemanthus
Ipomoea (Star)	Quamoclit	- (Butterfly)	Hedychium
- (Tricolor)	Ipomoea	- (Day-)	Hemerocallis
Italian Millet	Setaria	- (Ginger-)	Hedychium
Ivy	Hedera	- (Herb)	Alstroemeria
- -arum	Scindapsus	- (Ifafa)	Cyrtanthus
		- (Kaffir-)	Clivia
Jack-in-the culprit	Pinellia	- of the Valley	Convallaria
Jacob's Ladder	Polemonium	- (Plantain)	Hosta
Japanese Allspice	Chimonanthus,	- (Toad-)	Tricyrtis
	Meratia	- (Torch-)	Kniphofia
- Andromeda	Pieris	- (Water-)	Nymphaea
- Angelica Tree	Aralia	Lime	Tilia
- Butter Bur	Petasites	Ling	Calluna
- Cedar	Cryptomeria	Linseed	Linum
- Honewort	Cryptotaenia	Lion's Heart	Physostegia
- Persimmon	Diospyros	Locust (Honey)	Gleditsia
Jasmine	Jasminum	Loosestrife	Lythrum
Jerusalem Artichoke	Helianthus	Loquat	Eriobotrya
- Sage (Common)	Phlomis	Lotus (East Indian)	Nelumbo
Jew's Ear	Auricularia	Lovegrass (Weeping)	Eragrostis
- Mallow	Kerria	Love-in-a-mist	Nigella
Joba	Simmondsia	Lucerne	Medicago
Jonquil	Narcissus	Lungwort	Pulmonaria
Judas Tree	Cercis	Lupin	Lupinus
Juniper	Juniperus		
		Maidenhair Fern	Adiantum
Kaffir-lily	Clivia	- Tree	Ginkgo
Kaki	Diospyros	Maize	Zea mays
Kale	Brassica	Major Bird's Foot Trefoil	Lotus
Katsura Tree	Cercidiphyllum	Mallow	Malva
Kenaf	Hibiscus	- (Jew's)	Kerria
Kidney Bean	Phaseolus	- (Prairie)	Sidalcea
King Cup	Caltha	- (Rose-)	Hibiscus
Kiwifruit	Actinidia	- (Tree)	Hibiscus
Knotgrass	Polygonum	Mandarine	Citrus
		Mangel	Beta
		Mango	Mangifera

Manuka	Leptospermum	Olive	Olea
Maple	Acer	One-flowered Vetch	Vicia
Marguerite	Chrysanthemum	Onion	Allium
Marigold	Tagetes	Opium Poppy	Papaver
- (Marsh)	Caltha	Orange	Citrus
- (Pot)	Calendula	- (Mexican)	Choisya
Marjoram (Sweet)	Origanum	- (Mock)	Philadelphus
Marrow	Cucurbita	- (Trifoliate)	Poncirus
Marsh Marigold	Caltha	Orchard Grass	Dactylis
Marvel of Peru	Mirabilis	Orchid (Bourbon Tea)	Angraecum
Meadow Foam	Limnanthes	- (Fox Tail)	Rhynchosystylis
- Foxtail	Alopecurus	- (Moth)	Phalaenopsis
- grass	Poa	- (Pansy-)	Miltonia
- Rue	Thalictrum	- (Tree)	Epidendrum
Medick	Medicago	Orchids	Orchidaceae
Mediterranean Cypress	Cupressus	Oregon Grape	Mahonia
Megasea	Bergenia	Oriental Poppy	Papaver
Melon	Cucumis	Oxeye Daisy	Chrysanthemum
- (Water-)	Citrullus	Ox-eye (North American)	Heliopsis
Mespilus (Snowy)	Amelanchier	Oxlip	Primula
Mexican Orange	Choisya	Oyster Mushroom	Pleurotus
Michaelmas Daisy	Aster		
Milfoil	Achillea		
Milkweed	Asclepias		
Millet (Common)	Panicum	Paeony	Paeonia
- (Foxtail)	Setaria	Pagoda Tree	Sophora
- (Italian)	Setaria	Palm (Date)	Phoenix
- (Pearl)	Pennisetum	- (Lady)	Rhipis
Mint	Mentha	Pampas Grass	Cortaderia
- (Cat)	Nepeta	Pansy	Viola
Mirabelle	Prunus	- -orchid	Miltonia
Mock Orange	Philadelphus	Paris Daisy	Chrysanthemum
- Privet	Phillyrea	Parsley	Petroselinum
Monkshood	Aconitum	Parsnip	Pastinaca
Montbretia	Tritonia	Pasque Flower	Pulsatilla
Morello	Prunus	Passion Flower	Passiflora
Morning Glory	Pharbitis	Pawpaw	Carica
Moss (Club)	Selaginella	Pea	Pisum
- (Rose-)	Portulaca	- (Chick-)	Cicer
Moth Orchid	Phalaenopsis	- (Cow-)	Vigna
Mountain Ash	Sorbus	- (Garden)	Pisum
- Laurel	Kalmia	- (Grass - Vine)	Lathyrus
Mugwort	Artemisia	- (Shrub)	Caragana
Mulberry	Morus	- (Sweet)	Lathyrus
- (French)	Callicarpa	- (Tangier)	Caragana
Mullein	Verbascum	- (Tree)	Prunus
- Pink	Lychnis	Peach	Arachis
Mukitake	Panellus	Peanut	Pyrus
Mushroom	Agaricus	Pear	Momordica
- (Oyster)	Pleurotus	- (Balsam)	Exochorda
Mustard (Black)	Brassica	Pearl Millet	Pennisetum
- (Brown)	Brassica	Pecan Nut	Carya
- (White)	Sinapis	Pepper Bush (Sweet)	Clethra
Myrobalan	Prunus	Pepper (Sweet)	Capsicum
Myrtle (Crape)	Lagerstroemia	Periwinkle	Vinca
		Persimmon (Japanese)	Diospyros
Nameko	Pholiota	Pine	Pinus
Nasturtium (Garden)	Tropaeolum	Pineapple	Ananas
Nettle (Flame)	Coleus	Pink	Dianthus
New Guinea Impatiens	Impatiens	- (Mullein)	Lychnis
New Zealand Flax	Phormium	- (Sea)	Armeria
North American Ox-eye	Heliopsis	Pitcher Plant	Sarracenia
Nut (Bladder)	Staphylea	Plane	Platanus
- (Pecan)	Carya	Plantain Lily	Hosta
- (Queensland)	Macadamia	Plum	Prunus
- (Wal-)	Juglans	- (Beach-)	Prunus
		- (Cherry-)	Prunus
Oak	Quercus	Plumbago (Hardy)	Ceratostigma
Oatgrass (False)	Arrhenatherum	Plumed Thistle	Cirsium
- (Golden)	Trisetum	Poinsettia	Euphorbia
- (Tall)	Arrhenatherum	Poker (Red Hot)	Kniphofia
Oats	Avena	Pomegranate	Punica
Obedient Plant	Physostegia	Poplar	Populus
Okra	Abelmoschus	Poppy	Papaver
Oleander	Nerium	- (California)	Eschscholzia
		- (Opium)	Papaver
		- (Oriental)	Papaver

Portugal Laurel	Prunus	Sage (Russian)	Perovskia
Potato	Solanum	Sainfoin	Onobrychis
- (Sweet)	Ipomoea	Saint Dabeoc's Heath	Daboecia
Pot Marigold	Calendula	Saint John's Wort	Hypericum
Prairie Gentian	Eustoma	Salsify (Black)	Scorzonera
- Mallow	Sidalcea	Satin Flower	Sisyrinchium
Primrose	Primula	Saxifrage	Saxifraga
- (Cape)	Streptocarpus	Scabious	Scabiosa
- (Evening)	Oenothera	Scorpion Weed	Phacelia
Privet	Ligustrum	Scotch Heath	Erica
- (Mock)	Phillyrea	Sea Holly	Eryngium
Protea	Aulax	- Lavender	Limonium
	Leucadendron,	- Pink	Armeria
	Leucospermum,	Serradella	Ornithopuss
	Mimetes,	Serviceberry	Amelanchier
	Orothamnus,	Sesame	Sesamum
	Paranomus,	Serviceberry	Amelanchier
	Protea,	Sesame	Sesamum
	Serruria	Shallot	Allium
Pumpkin	Cucurbita	Sharon (Rose of)	Hypericum
Purple Laver	Porphyra	Shasta Daisy	Chrysanthemum
Pyrethrum	Chrysanthemum	Shiitake	Lentinus
		Shirotamogitake	Lyophyllum
Queensland Nut	Macadamia	Shrubby Cinquefoil	Potentilla
Quince	Cydonia	- Speedwell	Hebe
- (Chinese)	Pseudocydonia	Side-saddle Flower	Sarracenia
- (Flowering)	Chaenomeles	Silk-tree	Albizia
- (Flowering)	Cydonia	Silk-tassel Tree	Garrya
Radish	Raphanus	Silkweed	Asclepias
- (Black)	Raphanus	Silver-bell Tree	Halesia
- (Fodder)	Raphanus	Silver Vine	Scindapsus
- (Horse)	Armoracia	Skunkbusch	Menziesia
Rakyo	Allium	Slipper Flower	Calceolaria
Rape	Brassica	Slipperwort	Calceolaria
Raspberry	Rubus	Smoke Tree	Cotinus
Red Bean (Azuki)	Phaseolus	Snake's Beard	Ophiopogon
- Hot Poker	Kniphofia	Snapdragon (Common)	Antirrhinum
- Top	Agrostis	Sneezeweed	Helenium
Reed Canary Grass	Phalaris	Snowball Tree	Viburnum
Rhodesgrass	Chloris	Snowbell	Styrax
Rhubarb	Rheum	Snowberry	Symporicarpos
Rice	Oryza	Snowdrop Tree	Halesia
Rock Cherry	Prunus	Snowy Mespilus	Amelanchier
- Rose	Cistus	Solomon's Seal	Polygonatum
Rose	Rosa	Sop (Sweet)	Annona
- Bay	Nerium	Sorrel (Wood-)	Oxalis
- Campion	Lychnis	Sour Cherry	Prunus
- (Christmas)	Helleborus	Southern Beech	Nothofagus
- (Lenten)	Helleborus	Soya Bean	Glycine
- -mallow	Hibiscus	Spanish Broom	Glycine
- -moss	Portulaca	- Heath	Spartium
- of Sharon	Hypericum	- Jasmine	Erica
- (Rock)	Cistus	Speedwell	Jasminum
- (Sun)	Helianthemum	- (Shrubby)	Veronica
Rosemary	Rosmarinus	Spelt	Hebe
- (Bog)	Andromeda	Spider Flower	Triticum
Rowan	Sorbus	- Wort	Cleome
Rubber Plant	Ficus	Spinach	Tradescantia
Rue	Ruta	- Beet	Spinacia
- (Goats')	Galega	Spindle Tree	Beta
- (Meadow)	Thalictrum	Spirea	Euonymus
Runner Bean	Phaseolus	- (Blue)	Spiraea
Rush	Juncus	Sponge Gourd	Caryopteris
Russian Sage	Perovskia	Spring Heath	Luffa
Rye	Secale	Spruce	Erica
Ryegrass	Lolium	Spurges	Picea
		Spurry (Corn)	Euphorbia
Sachalin Fir	Abies	Squash	Spergula
Sacred Bamboo	Nandina	Squill	Cucurbita
Safflower	Carthamus	Star (Blazing)	Scilla
Sage	Salvia	- -glory	Liatris
- (Common)	Salvia	- Ipomoea	Quamoclit
- (Common Jerusalem)	Phlomis	- of Bethlehem	Quamoclit

Stonecrop	Sedum	Trumpet Flower	Campsis,
Storax	Styrax	Tuft Root	Tecoma
Stork's Bill	Pelargonium	Tulip	Dieffenbachia
Strawberry	Fragaria	- Tree	Tulipa
- Tree	Arbutus	Turnip	Liriodendron
Sugar Apple	Annona	- Rape	Brassica
- Cane	Saccharum	- - rooted Parsley	Brassica
Sumach	Rhus	Twinebark	Petroselinum
Sunflower	Helianthus		Gaya,
Sun Plant	Portulaca		Hoheria,
- Rose	Helianthemum		Plagianthus
Swede	Brassica		
- Rape	Brassica		
Sweet Cherry	Prunus	Udo	Aralia
- Gum	Liquidambar		
Marjoram	Origanum	Velvet-footed Collybia	Flammulina
- Pea	Lathyrus	Vervain	Verbena
- Pepper	Capsicum	Vetch	Vicia
- Pepper Bush	Clethra	- (Bush)	Vicia
- Potato	Ipomoea	- (Common)	Vicia
- Sop	Annona	- (Dwarf Chickling)	Lathyrus
- William	Dianthus	- (Hairy)	Vicia
- (Winter)	Chimonanthus,	- (Hedge)	Vicia
	Meratia	- (Hungarian)	Vicia
Swiss Chard	Beta	- (One-flowered)	Vicia
Sword-fern	Nephrolepis	Vinca	Catharanthus
		Vine	Vitis
Tail Flower	Anthurium	- (Cypress)	Quamoclit
Tall Oatgrass	Arrhenatherum	- (Grass Pea)	Lathyrus
Tamagitake	Pleurotus	- (Silver)	Scindapsus
Tamarisk	Tamarix	Violet	Viola
Tamarillo	Cyphomandra	- (African)	Saintpaulia
Tangelo	Citrus	Virginia Creeper	Parthenocissus
Tangier Pea	Lathyrus		
Tangor	Citrus	Wallflower	Cheiranthus
Taro	Colocasia	Walnut	Juglans
Tassel Flower	Emilia	Water Dropwort	Oenanthe
Taxads	Taxales	Waterlily	Nymphaea
Tea	Thea	Watermelon	Citrullus
- Orchid (Bourbon)	Angraecum	Wax Gourd	Benincasa
- Tree	Leptospermum	Weeping Lovegrass	Eragrostis
Thistle (Globe)	Echinops	Wheat	Triticum
- (Plumed)	Cirsium	White Alder	Clethra
Thrift	Armeria	- Mustard	Sinapis
Throatwort	Trachelium	Whitebeam	Sorbus
Thuya	Thuja	Whortleberry	Vaccinium
Tick Bean	Vicia	Wild Hyacinth	Scilla
Tickseed	Coreopsis	Willow	Salix
Timothy	Phleum	Winged Bean	Psophocarpus
Toadflax	Linaria	- Everlasting	Ammobium
Toad-lily	Tricyrtis	Wingleaf Butterfly Flower	Schizanthus
Tobacco	Nicotiana	Wintergreen	Gaultheria
Tomatillo	Physalis	Winter Hazel	Corylopsis
Tomato	Lycopersicon,	- Sweet	Chimonanthus,
- (Husk-)	Solanum		Meratia
- (Tree)	Physalis	Witch-hazel	Hamamelis
Torch-lily	Cyphomandra	Wood-sorrel	Oxalis
Touch-me-not	Kniphofia	Woundwort	Stachys
Tree Daisy	Impatiens		
- Heath	Olearia	Yam	Dioscorea
- Mallow	Erica	Yarrow	Achillea
- Orchid	Hibiscus	Yellow Trefoil	Medicago
- Tomato	Epidendrum	Yew	Taxus
Trefoil (Bird's Foot)	Cyphomandra	Yorkshire Fog	Holcus
- (Yellow)	Lotus	Youth and Age	Zinnia
Tricolor Ipomoea	Medicago	- and-old-age	Zinnia
Trifoliate Orange	Ipomoea		
True Daisy	Poncirus		
	Bellis		

INDEX OF FRENCH COMMON NAMES
INDEX DES NOMS COMMUNS FRANCAIS
VERZEICHNIS DER FRANZOESISCHEN LANDESUEBLICHEN NAMEN

Abricotier	Prunus	Bigarreaux	Prunus
Acacia	Acacia	Bignonia	Campsis,
- de Constantinople	Albizia	Blé	Tecoma
- (Robinier faux-)	Robinia	- dur	Triticum
Agrumes	Citrus	- noir	Triticum
Ail	Allium	- tendre	Fagopyrum
Airelle	Vaccinium	Bois trompette	Triticum
Ajunc	Ulex	Bouleau	Catalpa
Aliboufier	Styrax	Bourrache	Betula
Alkekengé	Physalis	Brocoli	Borago
Aloès	Aloë	Bruyère	Brassica
Alpiste	Phalaris	Buglosse d'Italie	Erica
Amandier	Amygdalus,	Buis	Anchusa
	Prunus	Buisson ardent	Buxus
Amandier-pêcher	Prunus	Buplèvre	Pyracantha
Amarante du Gange	Amaranthus		Bupleurum
- tricolore	Amaranthus		
Amarantoïde violette	Gomphrena		
Amarelles	Prunus	Cacalie	Emilia
Amaryllis	Hippeastrum	Cactus de Noël	Schlumbergera,
Ambrette	Abelmoschus	- de Pâques	Zygocactus
Amour en cage	Physalis	Caféier	Epiphyllopsis,
Ancolie	Aquilegia	Caladion bicolore	Rhipsalidopsis
Andromède	Pieris	Calebasse du pèlerin	Coffea
Anémone	Anemone	Calla	Caladium
- du Japon	Anemone	Campanule	Lagenaria
- pulsatille	Pulsatilla	- à grandes fleurs bleues	Zantedeschia
Angélique	Angelica	Camphrier	Campanula
- en arbre	Aralia	Canne à sucre	Platycodon
- épineuse	Aralia	Caoutchouc	Cinnamomum
Angrec	Angraecum	Capillaire	Saccharum
Arachide	Arachis	Cardon	Ficus
Arbousier	Arbutus	Carotte	Adiantum
Arbre à melon	Carica	Carvi	Cynara
- à perruque	Cotinus	Cassis	Daucus
- aux cloches d'argent	Halesia	Cèdre du Japon	Carum
- aux quarante écus	Gingko	Céleri	Ribes
- de Judée	Cercis	Cerfeuil	Cryptomeria
- de soie	Albizia	Cerisier	Apium
Armoise	Artemisia	Chalef	Anthriscus
Artichaut	Cynara	Champignon de couche	Prunus
Asperge	Asparagus	Chanvre	Elaeagnus
Aspic	Lavandula	- de Guinée	Agaricus
Aster	Aster,	Chardon plumeux	Cannabis
- de Chine	Callistephus	Châtre	Hibiscus
Aubépine	Callistephus	Châtaignier	Cirsium
Aubergine	Crataegus	Chêne	Carpinus
Auñe	Solanum	Chérimolier	Castanea
Avocatier	Alnus	Chévalier d'onze heures	Quercus
Avoine	Persea	Cheveux de Vénus	Annona
- (d'Algérie)	Avena	Chèvrefeuille	Portulaca
- élevée	Arrhenatherum	Chicorée	Nigella
- jaunâtre	Trisetum	Chimonanthe	Lonicera
- nue	Avena	Chou	Cichorium
Azalée	Rhododendron	Ciboule	Meratia
		Ciboulette	Brassica
Baie corail	Ardisia	Cimicaire	Allium
Balisier	Canna	Cimifuge	Allium
Balsamine	Impatiens	Cinéraire hybride	Cimicifuga
Bananier	Musa	Citronnier	Cimicifuga
Barbadine	Passiflora	Citrouille	Senecio
Barbe bleue	Caryopteris	Civette	Citrus
Barbe de serpent	Ophiopogon	Coeur de Marie	Cucurbita
Bardane (Grande - comest.)	Arctium	Cognassier	Allium
Bâton du diable	Aralia	- de Chine	Dicentra
Belle de nuit	Mirabilis	- du Japon	Cydonia
Benoite	Geum	Collybie à pied velouté	Pseudocydonia
Bermudienne	Sisyrinchium	Colombine	Chaenomeles,
Bette commune	Beta		Cydonia
Betterave	Beta	Colza	Flammulina
			Aquilegia
			Brassica

Concombre	Cucumis	Gainier	Cercis
Copalme	Liquidambar	Galane barbue	Penstemon
Coquelourde des jardins ..	Lychnis	Gaya	Gaya, Hoheria,
Coqueret	Physalis	Genêt	Plagianthus
Corète du Japon	Kerria	- d'Espagne	Cytisus,
Cornichon	Cucumis	Genévrier	Genista
Cornouiller	Cornus	Géranium	Spartium
Cotonnier	Gossypium	- -lierre	Juniperus
Coucou du Cap	Lachenalia	Germandrée	Geranium,
Coudrier	Corylus	Gespe	Pelargonium
Courge	Cucurbita	Gingembre	Pelargonium
- à cire	Benincasa	Ginseng	Teucrium
- calebasse	Lagenaria	Giraumon	Lathyrus
- torchon	Luffa	Giroflée	Zingiber
Cresson alénois	Lepidium	Glaieul	Panax
Crête de coq	Celosia	Gloxinia	Cucurbita
Crételle	Cynosurus	Glycine	Matthiola
Croton	Codiaeum	Goyavier	Matthiola
Cumin des prés	Carum	Grande bardane comestible	Cheiranthus
Cyprès de Duprez ..	Cupressus	- capucine	Gladiolus
- de l'Arizona	Cupressus	- marguerite	Sinningia
- de Leyland	X Cupressocyparis	Grémil	Wisteria
- de Provence	Cupressus	Grenadier	Psidium
- japonais	Chamaecyparis	Griottes	Arctium
Cytise	Laburnum	Groseille de Chine	Tropaeolum
Dame d'onze heures	Ornithogalum	Groseillier	Chrysanthemum
Dattier (Palmier -)	Phoenix	Gueule de loup	Lithospermum
Dentelaire	Ceratostigma	Guignes	Punica
Dielytra	Dicentra	Gynéron	Prunus
Dolique de Chine	Vigna	Gynérium	Actinidia
Dormeuse	Maranta	Hêtre	Ribes
Doucette	Valerianella	- antarctique	Antirrhinum
Dragonnier	Dracaena	Hortensia	Prunus
Echalote	Allium	Hoteia	Cortaderia
Endive	Cichorium	Houblon	Cortaderia
Epeautre	Triticum	Houlque	Holcus
Epiaire	Stachys	Houque	Holcus
Epicéa	Picea	Houx	Ilex
Epinard	Spinacia	If	Phaseolus
Epine du Christ	Euphorbia	Hémécalle du Japon	Hosta
Epine-vinette	Berberis	Herbe-aux-chats	Nepeta
Erable	Acer	Herbe de Bahia	Paspalum
Escourgeon	Hordeum	- de Dallis	Paspalum
Esparcette	Onobrychis	- de Harding	Phalaris
Espargoute	Spergula	- de la pampa	Cortaderia
Faux-aloës	Kniphofia	- de Rhodes	Chloris
Faux-millet	Oryzopsis	Hêtre	Fagus
Fenouil	Foeniculum	- antarctique	Nothofagus
Fenugrec	Trigonella	Hortensia	Hydrangea
Fétueque	Festuca	Hoteia	Astilbe
Fève	Vicia	Houblon	Humulus
Féverole	Vicia	Houlque	Holcus
Févier	Gleditsia	Houque	Holcus
Figuier	Ficus	Houx	Ilex
Fille de l'air	Tillandsia	If	Taxus
Fléole	Phleum	Igname	Dioscorea
Fleur araignée	Cleome	Immortelle	Helichrysum
- d'amour	Agapanthus	Impatiante	Impatiens
- de la Passion	Passiflora	Indigo	Indigofera
- de lotus	Nelumbo	Ipomée volubilis	Ipomoea
Foin de mouton	Holcus	Iris	Iris
Fourrage de disette	Spergula	Iris tigre	Belamcanda
Fraisier	Fragaria	Jacinthe	Hyacinthus
Framboisier	Rubus	Jarrosse	Lathyrus
Frêne	Fraxinus	Jasmin de Virginie	Campsis,
Froment	Triticum	Jonc	Tecoma
Fromental	Arrhenatherum	Jonquille	Juncus
Funkia	Hosta	Kaki	Narcissus
Fusain	Euonymus	Katsura	Diospyros
		Kénaf	Cercidiphyllum
		Kumquat	Hibiscus
			Fortunella

Laitue	Lactuca	Orchidées	Orchidaceae
Langue-de-boeuf	Anchusa	Oreille de Judas	Auricularia
Laurier-cerise	Prunus	- d'orme	Pleurotus
Laurier du Japon	Cinnamomum	Orge	Hordeum
- du Portugal	Prunus	Orme	Ulmus
- rose	Nerium	- du Caucase	Zelkova
Lentille	Lens		
Lierre	Hedera		
Lilas	Syringa	Pacanier	Carya
Lin	Linum	Palmier dattier	Phoenix
- de Nouvelle-Zélande	Phormium	Panaïs	Pastinaca
Lis	Lilium	Panicaut	Eryngium
- des Incas	Alstroemeria	Papayer	Carica
Lotier	Lotus	Pâquerette	Bellis
Luzerne	Medicago	Pastèque	Citrullus
		Patache	Ipomoea
Mâche	Valerianella	Pâtiisson	Cucurbita
Maïs	Zea mays	Patte-de-velours	Flammulina
Mandarinier	Citrus	Pâturin	Poa
Manguier	Mangifera	Pavot	Papaver
Margose	Momordica	- de Californie	Eschscholzia
Marguerite	Chrysanthemum	Pé-tsai	Brassica
- (Grande)	Chrysanthemum	Pêcher	Prunus
- (Reine-)	Callistephus	- (Amandier-)	Prunus
Marronnier	Aesculus	Pénicillaire	Pennisetum
Mauve	Malva	Pensée	Viola
Melon	Cucumis	Persil	Petroselinum
Mélèze	Larix	Pervenche	Vinca
Mil à chandelle	Pennisetum	Petit millet	Oryzopsis
Millepertuis	Hypericum	Peuplier	Populus
Millet commun	Panicum	Philaria	Phillyrea
- des oiseaux	Setaria	Pied d'alouette	Delphinium
- d'Italie	Setaria	Pigamon	Thalictrum
- (Faux-)	Oryzopsis	Piment	Capsicum
- (Panic -)	Panicum	Pin	Pinus
- (Panic faux -)	Panicum	- de Hondo	Picea
- (Petit -)	Oryzopsis	- de Sakhaline	Picea
Minette	Medicago	- des temples	Pinus
Mirabelle	Prunus	- noir du Japon	Pinus
Misère	Tradescantia	- rouge du Japon	Pinus
Molène	Verbascum	Pivoine	Paeonia
Monbretia	Tritonia	Plante-beefsteak	Perilla
Moutarde blanche	Sinapis	Plaqueminier	Diospyros
- brune	Brassica	Poil de chien	Festuca
- noire	Brassica	Poinsettia	Euphorbia
Muflier	Antirrhinum	Poireau	Allium
Muguet	Convallaria	Poirée	Beta
Mûrier	Morus	Poirier	Pyrus
Myrobalan	Prunus	Pois	Pisum
Myrtille	Vaccinium	- ailé	Psophocarpus
		- chiche	Cicer
		- de senteur	Lathyrus
Navet	Brassica	Poivron	Capsicum
Navette	Brassica	Pomélo	Citrus
Néflier du Japon	Eriobotrya	Pomme de terre	Solanum
Nénuphar	Nymphaea	Pommier	Malus
Nerprun	Rhamnus	- -cannelle	Annona
Noisetier	Corylus	Populage	Caltha
Noyer	Juglans	Pothos	Scindapsus
		Potiron	Cucurbita
Oeillet	Dianthus	Poule de bois	Grifola
- d'Inde	Tagetes	Pourpier à grande fleur	Portulaca
Oeillette	Papaver	Primevère	Primula
Oignon	Allium	Protea	Aulax,
Oiseau du paradis	Strelitzia		Leucadendron,
Olivier	Olea		Leucospermum,
Onagre	Oenothera		Mimetes,
Oranger	Citrus		Orothamnus,
- du Mexique	Choisya		Paranomus,
- trifolié	Poncirus		Protea,
Orchidée coque	Epidendrum		Serruria
- dame de la nuit	Brassavola	Prunier	Prunus
- danseuse	Oncidium	Pulsatille (Anémone -)	Pulsatilla
- muguet	Odontoglossum		
- papillon	Phalaenopsis	Pyréthre	Chrysanthemum

Radis	Raphanus	Statice	Limonium
Raifort sauvage	Armoracia	Sumac	Rhus
Raisin d'ours	Arctostaphylos	Sureau	Sambucus
Ray-grass	Lolium	Sycomore	Acer
Reine-marguerite	Callistephus	Syphorine	Syphoricarpos
Renoncule	Ranunculus		
Renouée	Polygonum		
Rhubarbe	Rheum	Tabac	Nicotiana
Riz	Oryza	Tangélo	Citrus
Romarin officinal	Rosmarinus	Tangor	Citrus
Romneya	Romneya	Taro	Colocasia
Ronce	Rubus	Taxales	Taxales
Rose de Noël	Helleborus	Théier	Thea
- d'Inde	Tagetes	Thlaspi	Iberis
- trémière	Althaea	Thuya	Thuja
Rosier	Rosa	Tilleul	Tilia
Rue	Ruta	Tomate	Lycopersicon, Solanum
Rutabaga	Brassica	- en arbre	Cyphomandra
		Topinambour	Helianthus
Sabot de Vénus	Paphiopedilum	Tournesol	Helianthus
Safran bâtard	Carthamus	Trèfle	Trifolium
Sainfoin	Onobrychis	Tritoma	Kniphofia
Salsifis noir	Scorzonera	Troène	Ligustrum
Sapin	Abies	Trolle	Trollius
- de Douglas	Pseudotsuga	Tulipier	Liriodendron
- de Sakhaline	Abies		
Sarrasin	Fagopyrum		
Sauge	Salvia	Verge d'or	Solidago
Saule	Salix	Vergerette	Erigeron
Scarole	Cichorium	Véronique	Hebe, Veronica
Sceau de Salomon	Polygonatum	Verveine	Verbena
Seigle	Secale	Vesce	Vicia
Seringa	Philadelphus	Vigne	Vitis
Serradelle	Ornithopodus	- vierge	Ampelopsis
Shiitake	Lentinus	- vierge	Parthenocissus
Soja	Glycine	Violette	Viola
Soleil	Helianthus	Viorne	Viburnum
Sorbier	Sorbus	Volubilis	Pharbitis
Sorgho	Sorghum	- (Ipomée -)	Ipomoea
Souchet	Cyperus	Vulpin des prés	Alopecurus
Souci des jardins	Calendula		
Spargoute	Spergula	Weigela	Diervilla, Weigela
Spathiphyllum	Spathiphyllum		
Spergule des champs	Spergula		

INDEX OF GERMAN COMMON NAMES
INDEX DES NOMS COMMUNS ALLEMANDS
VERZEICHNIS DER DEUTSCHEN LANDESUEBLICHEN NAMEN

Ackerbohne	Vicia	Bitterorange	Poncirus
-spark	Spergula	-schopf	Aloë
-spörgel	Spergula	Blasenkirsche	Physalis
Adzukibohne	Phaseolus	Blattähre	Phyllostachys
Ahorn	Acer	Blaubart	Caryopteris
Akazie	Acacia	-stern	Scilla
- (Schein-)	Robinia	Blaues Halskraut	Trachelium
- (Schirm-)	Albizia	- Lieschen	Exacum
Akelei	Aquilegia	Bleiwurz	Ceratostigma
Alexandriner Klee	Trifolium	Blumenrohr	Canna
Alpenveilchen	Cyclamen	Blutblume	Haemanthus
Amarant (Kugel-)	Gomphrena	Bockshorn Klee	Trigonella
Amaryllis	Hippeastrum	Bodenfrüchtiger Klee	Trifolium
Ambari	Hibiscus	Bogenhanf	Sansevieria
Amberbaum	Liquidambar	Bohne (Acker-)	Vicia
Angebauter Leindotter	Camelina	- (Adzuki-)	Phaseolus
Angelikabaum	Aralia	- (Augen-)	Vigna
Apfel	Malus	- (Busch-)	Phaseolus
-beere	Aronia	- (Catjang-)	Vigna
- (Rahm-)	Annona	- (Dicke)	Vicia
-sine	Citrus	- (Garten-)	Phaseolus
- (Zucker-)	Annona	- (Goa)	Psophocarpus
Aprikose	Prunus	- (Prunk-)	Phaseolus
Aralie (Bastard-)	X Fatshedera	- (Puff-)	Vicia
Arizonazypresse	Cupressus	- (Soja-)	Glycine
Aronstabgewächse	Araceae	- (Spargel-)	Vigna
Artischocke	Cynara	- (Stangen-)	Phaseolus
Aster	Aster	Boretsch	Borago
- (Baum-)	Olearia	Borstengras (Feder-)	Pennisetum
- (Sommer-)	Callistephus	Brandkraut	Phlomis
Atlasblume	Godetia	Brasilianische Futterhirse	Paspalum
Aubergine	Solanum	Braut in Haaren	Nigella
Augenbohne	Vigna	Brombeere	Rubus
Aukube	Aucuba	Buche	Fagus
Austernseitling	Pleurotus	- (Schein-)	Nothofagus
Avocado	Persea	Buchsbaum	Buxus
Azalee	Rhododendron	Buchweizen	Fagopyrum
 		Büffelgras	Cenchrus
Bahiagrass	Paspalum	Buntnessel	Coleus
Ballonblume	Platycodon	-wurz	Caladium
Balsam (Bienen-)	Monarda	Buschbohne	Phaseolus
Balsambirne	Momordica	 	
Balsamine	Impatiens	Catjangbohne	Vigna
Banane	Musa	Celosie (Federbusch-)	Celosia
Bärentraube	Arctostaphylos	Champignon	Agaricus
Bartblume	Caryopteris	Cherimoya	Annona
-faden	Penstemon	Christusdorn	Euphorbia,
-nelke	Dianthus	-rose	Gleditsia
Bastardaralie	X Fatshedera	Croton	Helleborus
Bataste	Ipomoea	 	Codiaeum
Baumaster	Olearia	Dallis grass	Paspalum
-heide	Erica	Dalmatinische Insektenblume	Chrysanthemum
-tomate	Cyphomandra	Dattelpalme	Phoenix
-wolle	Gossypium	Dekkan-Hanf	Hibiscus
-wucherer	Dendrobium	Dicke Bohne	Vicia
-wurzler	Epidendrum	Dill	Anethum
Becherkätzchen	Garrya	Dirlitze	Cornus
Beifuss	Artemisia	Distel (Edel-)	Eryngium
Berglorbeer	Kalmia	- (Färber-)	Carthamus
Berufskraut	Erigeron	- (Kratz-)	Cirsium
Besenheide	Calluna	- (Kugel-)	Echinops
-hirse	Sorghum	Doldenrebe	Ampelopsis
Bienenbalsam	Monarda	Dost	Origanum
Binse	Juncus	Dotterblume	Caltha
Binsenginster	Spartium	Douglasie	Pseudotsuga
-lilie	Sisyrinchium	Drachenbaum	Dracaena
Birke	Betula	Drehfrucht	Streptocarpus
Birne	Pyrus	Dreifarbig Fuchsschwanz	Amaranthus
- (Balsam-)	Momordica	Dreimasterblume	Tradescantia
- (Felsen-)	Amelanchier		
Bitterkraut (Japanisches)	Pieris		

Duprez Zypresse	Cupressus	Gartenkresse (Grosse)	Tropaeolum
Duftblüte	Osmanthus	-löwenmaul	Antirrhinum
Eberesche	Sorbus	-ringelblume	Calendula
Echte Feige	Ficus	Geissblatt	Lonicera
- Zypresse	Cupressus	-klee	Cytisus
Edeldistel	Eryngium	-raute	Galega
-gamander	Teucrium	Gelbklee	Medicago
-pelargonie	Pelargonium	Gelenkblume	Physostegia
Efeu	Hedera	Gemeine Küchenschelle	Pulsatilla
Ehrenpreis	Veronica	Gemswurz	Ordonicum
Eibe	Taxus	Gemüseerbse	Pisum
Eibengewächse	Taxales	Germer	Veratrum
Eibisch	Hibiscus	Gerste	Hordeum
Eiche	Quercus	Ginseng	Panax
Eierfrucht	Solanum	Ginster	Genista
Eisenholz	Parrotia	- (Binsen-)	Spartium
-hut	Aconitum	- (Stech-)	Ulex
-kraut	Verbena	Gipskraut	Gypsophila
Endivie	Cichorium	Glanzgras	Phalaris
Engelwurz	Angelica	-mispel	Photinia
Enzian	Gentiana	Glatthafer	Arrhenatherum
Erbse	Pisum	Glockenblume	Campanula
- (Gemüse-)	Pisum	Gloxine	Sinningia
- (Kicher-)	Cicer	Glyzine	Wisteria
- (Platt-)	Lathyrus	Goabohne	Psophocarpus
Ersbenstrauch	Caragana	Goldfaden	Coptis
Erdbeerbaum	Arbutus	-flieder	Forsythia
-beere	Fragaria	-glöckchen	Forsythia
-nuss	Arachis	-hafer	Trisetum
Erika	Erica	-kolben	Ligularia
Erle	Alnus	-lack	Cheiranthus
Esche	Fraxinus	-regen	Laburnum
- (Eber-)	Sorbus	-rute	Solidago
- (Gemeine)	Fraxinus	Granadilla (Purpur-)	Passiflora
Esparsette	Onobrychis	Granatapfel	Punica
Essigbaum	Rhus	-baum	Punica
Eukalyptus	Eucalyptus	Gränke	Andromeda
Fackellilie	Kniphofia	Grannenhirse	Oryzopsis
Falscher Jasmin	Philadelphus	Grapefruit	Citrus
Färberdistel	Carthamus	Grasnelke	Armeria
Farn (Frauenhaar-)	Adiantum	-schwertel	Sisyrinchium
- (Leder-)	Rumohra	Graue Heide	Erica
Federborstengras	Pennisetum	Griechisch-Heu	Trigonella
-busch-Celosie	Celosia	Grindkraut	Scabiosa
-spargel	Asparagus	Grossblumiger Portulak ...	Portulaca
Feige (Echte)	Ficus	Grosse essbare Klette	Arctium
Feinstrahl	Erigeron	- Gartenkresse	Tropaeolum
Feldsalat	Valerianella	Grosser Speik	Lavandula
Felsenbirne	Amelanchier	Guayave	Psidium
Fenchel	Foeniculum	Gummibaum	Ficus
Fetthenne	Sedum	Gurke	Cucumis
Feuerdorn	Pyracantha	- (Schwamm-)	Luffa
Fichte	Picea		
Fingerhut	Digitalis	Hafer	Avena
-kraut	Potentilla	- (Glatt-)	Arrhenatherum
-strauch	Potentilla	- (Gold-)	Trisetum
Flachs (Neuseeländer)	Phormium	- (Mittelmeer-)	Avena
Flamingoblume	Anthurium	- (Nackt-)	Avena
Flammenblume	Phlox	Hahnenfuss	Ranunculus
Flammendes Herz	Dicentra	-kamm	Celosia
Flaschenkürbis	Lagenaria	Hainbuche	Carpinus
Flieder	Syringa	Halbpeltaten	Pelargonium
Flockenblume	Centaurea	Halskraut (Blaues)	Trachelium
Frauenhaarfarn	Adiantum	Hanf	Cannabis
Fuchsschwanz (Dreifarbiger)	Amaranthus	- (Dekkan-)	Hibiscus
- (Wiesen-)	Alopecurus	Hartriegel	Cornus
Funkie	Hosta	-weizen	Triticum
Futterhirse (Brasilianische)	Paspalum	Haselnuss	Corylus
Gänseblümchen	Bellis	Hasel (Schein-)	Corylopsis
Gartenbohne	Phaseolus	Hasenohr	Bupleurum
-kresse	Lepidium	Heckenkirsche	Lonicera
		Heide (Baum-)	Erica
		- (Besen-)	Calluna
		- (Graue)	Erica
		- (Irische)	Daboecia
		- (Lavendel-)	Pieris

Heide (Mittelmeer-)	Erica	Kartoffel (Süß-)	Ipomoea
- (Moor-)	Erica	Kastanie	Castanea
- (Rosmarin-)	Andromeda	- (Ross-)	Aesculus
- (Schnee-)	Erica	Katsurabaum	Cercidiphyllum
- (Schuppen-)	Cassiope	Katzenminze	Nepeta
- (Trauben-)	Leucothoë	Kaukasische Insektenblume	Chrysanthemum
Heidelbeere	Vaccinium	Kerbel	Anthriscus
Herbstrübe	Brassica	Keulenbaum	Cordyline
Himbeere	Rubus	-lilie	Cordyline
Hirse	Panicum	Kichererbse	Cicer
- (Besen-)	Sorghum	Kiefer	Pinus
- (Brasilianische Futter-)	Paspalum	Kirsche	Prunus
- (Grannen-)	Oryzopsis	- (Blasen-)	Physalis
- (Kolben-)	Setaria	- (Hecken-)	Lonicera
- (Mohren-)	Sorghum	- (Kornel-)	Cornus
- (Rispen-)	Panicum	- (Sauer-)	Prunus
- (Zucker-)	Sorghum	- (Steppen-)	Prunus
Holunder	Sambucus	- (Süß-)	Prunus
Honiggras	Holcus	- (Zwerg-)	Prunus
Hopfen	Humulus	Kirschchlorbeer	Prunus
- klee	Medicago	-pflaume	Prunus
Hornklee	Lotus	Kiwifrucht	Actinidia
Hortensie	Hydrangea	Klebsame	Pittosporum
Hühnerhirse	Echinochloa	-schwertel	Ixia
Hundskamille	Anthemis	Klee	Trifolium
Immergrün	Vinca	- (Alexandriner)	Trifolium
Immortelle (Sand-)	Ammobium	- (Bockshorn)	Trigonella
Impatiens (Neu-Guinea-)	Impatiens	- (Bodenfrüchtiger)	Trifolium
Indigostrauch	Indigofera	- (Geiss-)	Cytisus
Indische Lotosblume	Nelumbo	- (Gelb-)	Medicago
Ingwer	Zingiber	- (Hopfen-)	Medicago
Inkalilie	Alstroemeria	- (Horn-)	Lotus
Inkarnatklee	Trifolium	- (Inkarnat-)	Trifolium
Insektenblume	Chrysanthemum	- (Persischer)	Trifolium
Irische Heide	Daboecia	- (Rot-)	Trifolium
Jakobsleiter	Polemonium	- (Sauer-)	Oxalis
Japanische Kaiserwinde	Pharbitis	- (Schnecken-)	Medicago
- Mispel	Eriobotrya	- (Schoten-)	Lotus
- Pestwurz	Petasites	- (Schweden-)	Trifolium
- Pflaume	Prunus	- (Weiss-)	Trifolium
Japanisches Bitterkraut	Pieris	Klette (Große essbare)	Arctium
Jasmin	Jasminum	Klivie	Clivia
- (Falscher)	Philadelphus	Knaulgras	Dactylis
- (Malabar-)	Jasminum	Knoblauch	Allium
- (Winter-)	Jasminum	Knöterich	Polygonum
Johannisbeere	Ribes	Kohl	Brassica
-kraut	Hypericum	-rabi	Brassica
Judasbaum	Cercis	-rübe	Brassica
-ohr	Auricularia	Kokardenblume	Gaillardia
Jungfer im Grünen	Nigella	Kolbenhirse	Setaria
Jungfernrebe	Parthenocissus	Königsckerze	Verbascum
Kaffee	Coffea	Korkschwamm	Lentinus
Kaiserwinde (Japanische)	Pharbitis	Korbmarante	Calathea
Kakipflaume	Diospyros	Korallenranke	Euphorbia
Kaktus (Oster-)	Epiphyllopsis,	Kornelkirsche	Cornus
- (Weihnachts-)	Rhipsalidopsis	Kosmee	Cosmos
Kaladie	Zygocactus	Kranzblume	Hedychium
Kalebasse	Caladium	-spiere	Stephanandra
Kalla	Lagenaria	Kratzdistel	Cirsium
Kamelie	Zantedeschia	Kresse (Garten-)	Lepidium
- (Schein-)	Camellia	- (Große Garten-)	Tropaeolum
Kamille (Hunds-)	Stewartia	Kreuzdorn	Rhamnus
Kammsras	Anthemis	-kraut	Senecio
Kampferbaum	Cynosurus	Krokus	Crocus
Kanadische Rispendedolde	Cinnamomum	Krötenlilie	Tricyrtis
Kanariengras	Cryptotaenia	Krugblatt	Sarracenia
Kappenmohn	Phalaris	Kugelamarant	Gomphrena
Kardone	Eschscholzia	-distel	Echinops
Kartoffel	Cynara	Kumquat	Fortunella
	Solanum	Küchenschelle (Gemeine)	Pulsatilla

Lampionblume	Physalis	Mittelmeerhafer	Avena
Lärche	Larix	-heide	Erica
Lauch	Allium	Mohn	Papaver
Lavendel	Lavandula	- (Kappen-)	Eschscholzia
Lavendel (Echter)	Lavandula	Möhre	Daucus
-heide	Pieris	Mohrenhirse	Sorghum
- (Meer-)	Limonium	Montbretie	Tritonia
Lebensbaum	Thuja	Moorheide	Erica
Leberbalsam	Ageratum	Moosbeere	Vaccinium
Lederfarn	Rumohra	-kraut	Selaginella
Leimkraut	Silene	Myrobalane	Prunus
Lein	Linum		
-dotter (Angebauter)	Camelina	Nachtkerze	Oenothera
-kraut	Linaria	-schatten	Solanum
Leopardenblume	Belamcanda	Nackthafer	Avena
Levkoje	Matthiola	Nadelhölzer	Coniferae
Leyland Zypressse	X Cupressocyparis	Nameko	Pholiota
Lichtnelke	Lychnis	Narzisse	Narcissus
Liebegras (Behaartes)	Eragrostis	Nelke	Dianthus
Lieschen (Blaues)	Exacum	- (Bart-)	Dianthus
Lieschgras	Phleum	- (Gras-)	Armeria
Lilie (Binsen-)	Sisyrinchium	- (Licht-)	Lychnis
- (Fackel-)	Kniphofia	- (Vexier-)	Lychnis
- (Inka-)	Alstroemeria	Nelkenwurz	Geum
- (Keulen-)	Cordyline	Nessel (Bunt-)	Coleus
- (Kröten-)	Tricyrtis	- (Schwarz-)	Perilla
- (Palm-)	Yucca	Neu-Guinea-Impatiens	Impatiens
- (Schmuck-)	Agapanthus	Neuseeländer Flachs	Phormium
- (Schwert-)	Iris	Nieswurz	Helleborus, Veratrum
Limone	Citrus		
Linde	Tilia		
Linse	Lens		
- (Wick-)	Vicia		
Loquate	Eriobotrya	Ochsenzunge	Anchusa
Lorbeer (Berg-)	Kalmia	Okra	Abelmoschus
- (Kirsch-)	Prunus	Oelbaum	Olea
-rose	Kalmia	Oleander	Nerium
Lotosblume (Indische)	Nelumbo	Olive	Olea
Löwenmaul (Garten-)	Antirrhinum	Oelrettich	Raphanus
Lungenkraut	Pulmonaria	-weide	Elaeagnus
Lupine	Lupinus	Orange	Citrus
Luizerne	Medicago	- (Bitter-)	Poncirus
		Orangenblume	Choisya
Mädchenauge	Coreopsis	Orchideen	Orchidaceae
Maiblume	Convallaria	Osterkaktus	Epiphyllopsis, Rhipsalidopsis
-glöckchen	Convallaria		
-rübe	Brassica		
Mais	Zea		
Malabarjasmin	Jasminum	Palma Christi	Ricinus
Malve	Malva	Palme (Dattel-)	Phoenix
- (Prärie-)	Sidalcea	- (Ruten)	Rhapis
- (Stock-)	Althaea	- (Schuster-)	Aspidistra
Mandarine	Citrus	- (Stech-)	Ilex
Mandel	Amygdalus,	- (Stecken-)	Rhapis
Mandelröschen	Prunus	Palmlilie	Yucca
Mango	Prunus	Pampasgras	Cortaderia
Mangold	Mangifera	Pannonische Wicke	Vicia
Mannstreu	Beta	Pantoffelblume	Calceolaria
Maranta	Eryngium	Päonie	Paeonia
Marante (Korb-)	Maranta	Papaya	Carica
Margerite	Calathea	Papierknöpfchen	Ammobium
Maulbeerbaum	Chrysanthemum	Pappel	Populus
Meerlavendel	Morus	Paprika	Capsicum
-rettich	Limonium	Paradiesvogelblume	Strelitzia
Mehlbeere	Armoracia	Passionsblume	Passiflora
Melone	Sorbus	-frucht	Passiflora
- (Wasser-)	Cucumis	Pastinak	Pastinaca
Melonenbaum	Citrullus	Pekan	Carya
Menziesia	Carica	Peltaten (Halb-)	Pelargonium
Milchstern	Menziesia	Perlbusch	Exochorda
Minze	Ornithogalum	Persischer Klee	Trifolium
- (Katzen-)	Mentha	Perückenstrauch	Cotinus
- (Pferde-)	Nepeta	Pestwurz (Japanische)	Petasites
Mirabelle	Monarda	Petersilie	Petroselinum
Mispel (Japanische)	Prunus	Pfaffenhütchen	Euonymus
	Eriobotrya	Pfeffer (Pflaumen-)	Chloranthus

Pfeifenstrauch	Philadelphus	Rotklee	Trifolium
Pfeilwurz	Alocasia,	Runkelrübe	Beta
Pferdeminze	Maranta	Rutenpalme	Rhipis
Pfingstrose	Monarda	Rübe (Herbst-)	Brassica
Pfirsich	Paeonia	- (Mai-)	Brassica
Pflaume	Prunus	- (Rote)	Beta
Pflaumenpfeffer	Prunus	- (Runkel-)	Beta
Phazelie	Chloranthus	- (Zucker-)	Beta
Phlox	Phacelia	Rübling (Samtfuss-)	Flammulina
Phygellius	Phlox	Rübsen	Brassica
Pilz (Nameko-)	Phygelius		
Pimpernuss	Pholiota		
Platterbse	Staphylea	Saatwicke	Vicia
Poinsettie	Lathyrus	Säckelblume	Ceanothus
Porree	Euphorbia	Saflor	Carthamus
Portulak (Grossblumiger)	Allium	Salat	Lactuca
Prachtglocke	Portulaca	- (Feld-)	Valerianella
-scharte	Enkianthus	Salbei	Salvia
-spiere	Liatris	Salomons Siegel	Polygonatum
-strauch	Astilbe	Sammetblume	Tagetes
Präriemalve	Embothrium	Samtfussrübling	Flammulina
Preiselbeere	Sidalcea	Sandimmortelle	Ammobium
Primel	Vaccinium	Sareptasenf	Brassica
Protea	Primula	Sauerkirsche	Prunus
	Aulax,	-klee	Oxalis
	Leucadendron,	-zitrone	Citrus
Prunkbohne	Mimetes,	Schafgarbe	Achillea
-spiere	Orothamnus,	Schalotte	Allium
-winde	Paranomus,	Schaumblüte	Tiarella
Puffbohne	Protea,	Scheinakazie	Robinia
Purpurlöckchen	Serruria	-beere	Gaultheria
-granadilla	Phaseolus	-buche	Nothofagus
-tang	Exochorda	-hasel	Corylopsis
Quitte	Ipomoea	-kamelie	Stewartia
- (Chinesische)	Vicia	-zypresse	Chamaecyparis
- (Japanische)	Heuchera	Schiefteller	Achimenes
	Passiflora	Schirmakazie	Albizia
	Porphyra	Schlafmützchen	Eschscholzia
Radieschen	Cydonia	Schlangenbart	Ophiopogon
Rahmapfel	Pseudocydonia	Schlauchpflanze	Sarracenia
Ranunkel	Chaenomeles,	Schleierkraut	Gypsophila
-strauch	Cydonia	Schleifenblume	Iberis
Raps	Raphanus	Schlitzblume	Schizanthus
Rasselblume	Annona	Schlüsselblume	Primula
Raute	Ranunculus	Schmetterlingsstrauch	Buddleja
Raygras	Kerria	Schmuckkörbchen	Cosmos
Rebe	Brassica	-lilie	Agapanthus
- (Dolden-)	Catananche	Schneckenklee	Medicago
- (Jungfern-)	Ruta	Schneeball	Viburnum
- (Wald-)	Lolium	-beere	Symporicarpos
Rebendolde	Ampelopsis	-glöckchenbaum	Halesia
Reis	Parthenocissus	-heide	Erica
Rettich	Clematis	-rose	Helleborus
- (Meer-)	Oenanthe	Schnittlauch	Allium
- (Oel-)	Oryza	Schnurrbaum	Sophora
Rhabarber	Raphanus	Schönfrucht	Callicarpa
Rhodes-gras	Armoracia	Schotenklee	Lotus
Riemenblatt	Raphanus	Schuppenheide	Cassiope
Ringelblume (Garten-)	Rheum	Schusterpalme	Aspidistra
Rispendedolde (Kanadische)	Chloris	Schwammgurke	Luffa
-gras	Civlia	- (Kork-)	Lentinus
-hirse	Calendula	Schwarznessel	Perilla
Rittersporn	Cryptotaenia	-wurzel	Scorzonera
-stern	Poa	Schwarzer Senf	Brassica
Roggen	Panicum	Schwendenklee	Trifolium
Rose	Delphinium	Schwertel (Gras-)	Sisyrinchium
Rosmarinheide	Hippeastrum	- (Kleb-)	Ixia
Rosskastanie	Secale	Schwertlilie	Iris
Rote Rübe	Rosa	Schwingel	Festuca
	Andromeda	Seerose	Nymphaea
	Aesculus	Seidelbast	Daphne
	Beta	Seidenpflanze	Asclepias

Senf (Weisser)	Sinapis	Tropenwurz	Alocasia
Serradella	Ornithopus	Trompetenbaum	Catalpa
Sicheltanne	Cryptomeria	-blume	Campsis, Tecoma
Silberkerze	Cimicifuga	-winde	Campsis, Tecoma
Singrün	Vinca	Tulpe	Tulipa
Skabiose	Scabiosa	Tulpenbaum	Liriodendron
Sojabohne	Glycine		
Sommeraster	Callistephus		
Sonnenauge	Heliopsis	Ulme	Ulmus
-blume	Helianthus	Usambaraveilchen	Saintpaulia
-hut	Rudbeckia		
-kraut	Helenium		
-röschchen	Helianthemum	Veilchen	Viola
Spaltblume	Schizanthus	- (Alpen-)	Cyclamen
-griffel	Schizostylis	- (Usambara-)	Saintpaulia
Spargel	Asparagus	Venusschuh	Paphiopedilum
-bohne	Vigna	Vergissmeinnicht	Myosotis
- (Feder-)	Asparagus	Veronika (Strauch-)	Hebe
Speik (Grosser)	Lavandula	Vexiernelke	Lychnis
Spelz	Triticum	Vogelmilch	Ornithogalum
Spierstrauch	Spiraea		
Spinat	Spinacia		
Spindelstrauch	Euonymus	Wacholder	Juniperus
Spinnenpflanze	Cleome	Wachskürbis	Benincasa
Spitzenblume	Ardisia	Waldrebe	Clematis
Springkraut	Impatiens	Walnuss	Juglans
Stachelbeere	Ribes	Wandelröschen	Lantana
Stangenbohne	Phaseolus	Wanzenkraut	Cimicifuga
Stechginster	Ulex	Wassermelone	Citrullus
-palme	Ilex	Weichweizen	Triticum
Steckenpalme	Rhapis	Weide	Salix
Steinbrech	Saxifraga	Weidelgras	Lolium
-linde	Phillyrea	Weiderich	Lythrum
-same	Lithospermum	Weigelie	Diervilla,
Steppenkirsche	Prunus	Weihnachtskaktus	Weigela
Stern von Bethlehem	Ornithogalum	-stern	Schlumbergera,
-winde	Quamoclit	Wein (Wilder)	Zygocactus
Stiefmütterchen	Viola	Weissdorn	Euphorbia
Stockmalve	Althaea	-klee	Parthenocissus
-rose	Althaea	Weisser Senf	Crataegus
Storaxbaum	Styrax	Weizen	Trifolium
Storchschnabel	Geranium	- (Buch-)	Sinapis
Strahlengriffel	Actinidia	- (Hart-)	Triticum
Strauchmargerite	Chrysanthemum	- (Weich-)	Triticum
-veronika	Hebe	Wicke (Pannonische)	Vicia
Straussgras	Agrostis	- (Saat)	Vicia
Strohblume	Helichrysum	- (Wohlriechende)	Lathyrus
Sumach	Rhus	- (Zaun-)	Vicia
Sumpfbblume	Limnanthes	- (Zottel-)	Vicia
Südseemyrte	Leptospermum	Wickelwurz	Bergenia
Süsskartoffel	Ipomoea	Wicklinse	Vicia
-kirsche	Prunus	Widerstoss	Limonium
-sack	Annona	Wiesenfuchsschwanz	Alopecurus
		-margerite	Chrysanthemum
		-raute	Thalictrum
Tabak	Nicotiana	Wilder Wein	Parthenocissus
Taglilie	Hemerocallis	Winde (Japanische Kaiser-)	Pharbitis
Tang (Purpur-)	Porphyra	- (Prunk-)	Ipomea
Tangelo	Citrus	- (Stern-)	Quamoclit
Tangor	Citrus	- (Trompeten-)	Campsis, Tecoma
Tanne	Abies	Windröschen	Anemone
- (Sichel-)	Cryptomeria	Winterblüte	Chimonanthus,
- der Insel Sachalin	Abies		Meratia
Taro	Colocasia	Wistarie	Wisteria
Tausendschön	Bellis	Wohlriechende Wicke	Lathyrus
Tee	Thea	Wolfsmilch	Euphorbia
Tomate	Lycopersicon,	Wunderbaum	Ricinus
- (Baum-)	Solanum	-blume	Mirabilis
Topinambur	Cyphomandra	-strauch	Codiaeum
Torfmyrte	Helianthus		
Tränendes Herz	Pernettya		
Traubenheide	Dicentra		
Trespe	Leucothoe		
Tritome	Bromus		
Trollblume	Kniphofia		
Tropensporn	Trollius		
	Angraecum		

Zaubernuss	Hamamelis	Zuckerrohr	Saccharum
Zaunwicke	Vicia	-rübe	Beta
Zeitlose	Colchicum	Zwergkirsche	Prunus
Zichorie	Cichorium	-pfeffer	Peperomia
Ziest	Stachys	Zwiebel	Allium
Zistrose	Cistus	Zylinderputzer	Callistemon
Zitrone	Citrus	Zypergras	Cyperus
Zitrus	Citrus	Zypresse (Arizona-)	Cupressus
Zottelwicke	Vicia	- (Duprez)	Cupressus
Zucchini	Cucurbita	- (Echte)	Cupressus
Zuckerapfel	Annona	- (Leyland)	X Cupressocyparis
-hirse	Sorghum	- (Schein-)	Chamaecyparis

[End of document/
Fin du document/
Ende des Dokuments]