



TG/102/4(proj.1)
ORIGINAL: English
DATE: 2004-01-20

INTERNATIONAL UNION FOR THE PROTECTION OF NEW VARIETIES OF PLANTS
 GENEVA

DRAFT

BUSY LIZZIE

(Impatiens walleriana Hook. f.)

*

GUIDELINES
FOR THE CONDUCT OF TESTS
FOR DISTINCTNESS, UNIFORMITY AND STABILITY

*to be considered by the Technical Committee at its fortieth session,
 to be held in Geneva, Switzerland, from March 29 to 31, 2004*

Alternative Names:^{*}

| <i>Latin</i> | <i>English</i> | <i>French</i> | <i>German</i> | <i>Spanish</i> |
|---|----------------|---------------|--------------------|----------------|
| <i>Impatiens walleriana</i> Hook. f. | Busy Lizzie | Impatience | Fleißiges Lieschen | Alegria |

ASSOCIATED DOCUMENTS

These guidelines should be read in conjunction with document TG/1/3, “General Introduction to the Examination of Distinctness, Uniformity and Stability and the Development of Harmonized Descriptions of New Varieties of Plants” (hereinafter referred to as the “General Introduction”) and its associated “TGP” documents.

* These names were correct at the time of the introduction of these Test Guidelines but may be revised or updated. [Readers are advised to consult the UPOV Code, which can be found on the UPOV Website (www.upov.int), for the latest information.]

| <u>TABLE OF CONTENTS</u> | <u>PAGE</u> |
|--|-------------|
| 1. SUBJECT OF THESE TEST GUIDELINES | 3 |
| 2. MATERIAL REQUIRED | 3 |
| 3. METHOD OF EXAMINATION..... | 3 |
| 3.1 Duration of Tests..... | 3 |
| 3.2 Testing Place..... | 3 |
| 3.3 Conditions for Conducting the Examination..... | 3 |
| 3.4 Test Design | 4 |
| 3.5 Number of Plants / Parts of Plants to be Examined..... | 4 |
| 3.6 Additional Tests | 4 |
| 4. ASSESSMENT OF DISTINCTNESS, UNIFORMITY AND STABILITY | 5 |
| 4.1 Distinctness | 5 |
| 4.2 Uniformity..... | 5 |
| 4.3 Stability | 5 |
| 5. GROUPING OF VARIETIES AND ORGANIZATION OF THE GROWING TRIAL | 6 |
| 6. INTRODUCTION TO THE TABLE OF CHARACTERISTICS | 6 |
| 6.1 Categories of Characteristics..... | 6 |
| 6.2 States of Expression and Corresponding Notes..... | 7 |
| 6.3 Types of Expression..... | 7 |
| 6.4 Example Varieties | 7 |
| 6.5 Legend..... | 7 |
| 7. TABLE OF CHARACTERISTICS/TABLEAU DES CARACTÈRES/MERKMALSTABELLE/TABLA DE CARACTERES..... | 8 |
| 8. EXPLANATIONS ON THE TABLE OF CHARACTERISTICS | 8 |
| 9. LITERATURE | 16 |
| 10. TECHNICAL QUESTIONNAIRE..... | 17 |

1. Subject of these Test Guidelines

These Test Guidelines apply to all varieties of *Impatiens walleriana* Hook. f. of the family Balsaminaceae.

2. Material Required

2.1 The competent authorities decide on the quantity and quality of the plant material required for testing the variety and when and where it is to be delivered. Applicants submitting material from a State other than that in which the testing takes place must ensure that all customs formalities and phytosanitary requirements are complied with.

2.2 The material is to be supplied in the form of rooted cuttings or seeds.

2.3 The minimum quantity of plant material, to be supplied by the applicant, should be:

- for vegetatively propagated varieties: 20 rooted cuttings;
- for seed propagated varieties: 1 g. seed, preferably supplied in 4 portions.

2.4 In the case of seed, the seed should meet the minimum requirements for germination, species and analytical purity, health and moisture content, specified by the competent authority. In cases where the seed is to be stored, the germination capacity should be as high as possible and should, be stated by the applicant.

2.5 The plant material supplied should be visibly healthy, not lacking in vigor, nor affected by any important pest or disease.

2.6 The plant material should not have undergone any treatment which would affect the expression of the characteristics of the variety, unless the competent authorities allow or request such treatment. If it has been treated, full details of the treatment must be given.

3. Method of Examination

3.1 *Duration of Tests*

The minimum duration of tests should normally be a single growing cycle.

3.2 *Testing Place*

The tests should normally be conducted at one place. If any characteristics of the variety, which are relevant for the examination of DUS, cannot be observed at that place, the variety may be tested at an additional place.

3.3 *Conditions for Conducting the Examination*

3.3.1 The tests should be carried out under conditions ensuring satisfactory growth for the expression of the relevant characteristics of the variety and for the conduct of the examination.

3.3.2 Stage of development for the assessment

The optimum stage of development for the assessment of the characteristics is the time of full flowering.

3.3.3 Type of observation – visual or measurement

The recommended method of observing the characteristic is indicated by the following key in the second column of the Table of Characteristics:

MS: measurement of a number of individual plants or parts of plants;

VG: visual assessment by a single observation of a group of plants or parts of plants.

3.3.4 Observation of color by eye

Because daylight varies, color determinations made against a color chart should be made either in a suitable cabinet providing artificial daylight or in the middle of the day in a room without direct sunlight. The spectral distribution of the illuminant for artificial daylight should conform with the CIE Standard of Preferred Daylight D 6500 and should fall within the tolerances set out in the British Standard 950, Part I. These determinations should be made with the plant part placed against a white background.

3.4 Test Design

3.4.1 In the case of vegetatively propagated varieties, each test should be designed to result in a total of at least 20 plants.

3.4.2 In the case of seed propagated varieties, each test should be designed to result in a total of at least 40 plants.

3.4.3 The design of the tests should be such that plants or parts of plants may be removed for measurement or counting without prejudice to the observations which must be made up to the end of the growing cycle.

3.5 Number of Plants / Parts of Plants to be Examined

3.5.1 Unless otherwise indicated, all observations on single plants of vegetatively propagated varieties should be made on 10 plants or parts taken from each of 10 plants and any other observations made on all plants in the test.

3.5.2 Unless otherwise indicated, all observations on single plants of seed propagated varieties should be made on 20 plants or parts taken from each of 20 plants and any other observations made on all plants in the test.

3.6 Additional Tests

Additional tests, for examining relevant characteristics, may be established.

4. Assessment of Distinctness, Uniformity and Stability

4.1 *Distinctness*

4.1.1 General Recommendations

It is of particular importance for users of these Test Guidelines to consult the General Introduction prior to making decisions regarding distinctness. However, the following points are provided for elaboration or emphasis in these Test Guidelines.

4.1.2 Consistent Differences

The minimum duration of tests recommended in section 3.1 reflects, in general, the need to ensure that any differences in a characteristic are sufficiently consistent:

4.1.3 Clear Differences

Determining whether a difference between two varieties is clear depends on many factors, and should consider, in particular, the type of expression of the characteristic being examined, i.e. whether it is expressed in a qualitative, quantitative, or pseudo-qualitative manner. Therefore, it is important that users of these Test Guidelines are familiar with the recommendations contained in the General Introduction prior to making decisions regarding distinctness.

4.2 *Uniformity*

4.2.1 It is of particular importance for users of these Test Guidelines to consult the General Introduction prior to making decisions regarding uniformity. However, the following points are provided for elaboration or emphasis in these Test Guidelines:

4.2.2 For the assessment of uniformity of vegetatively propagated varieties and seed-propagated varieties which are self-pollinated, a population standard of 1% and an acceptance probability of at least 95% should be applied. In the case of a sample size of 20 plants, 1 off-type is allowed. In the case of a sample size of 40 plants, 2 off-types are allowed.

4.2.3 For the assessment of uniformity of seed-propagated varieties which are cross-pollinated or are hybrids, the recommendations in the General Introduction for cross-pollinated or hybrid varieties should be followed, as appropriate.

4.3 *Stability*

4.3.1 In practice, it is not usual to perform tests of stability that produce results as certain as those of the testing of distinctness and uniformity. However, experience has demonstrated that, for many types of variety, when a variety has been shown to be uniform, it can also be considered to be stable.

4.3.2 Where appropriate, or in cases of doubt, stability may be tested, either by growing a further generation, or by testing a new seed or plant stock to ensure that it exhibits the same characteristics as those shown by the previous material supplied.

5. Grouping of Varieties and Organization of the Growing Trial

5.1 The selection of varieties of common knowledge to be grown in the trial with the candidate varieties and the way in which these varieties are divided into groups to facilitate the assessment of distinctness is aided by the use of grouping characteristics.

5.2 Grouping characteristics are those in which the documented states of expression, even where produced at different locations, can be used, either individually or in combination with other such characteristics: (a) to select varieties of common knowledge that can be excluded from the growing trial used for examination of distinctness; and (b) to organize the growing trial so that similar varieties are grouped together.

5.3 The following have been agreed as useful grouping characteristics:

- (a) Leaf: variegation (characteristic 7);
- (b) Flower: type (characteristic 15);
- (c) Flower: number of colors (eye zone excluded) (characteristic 17);
- (d) Flower: main color (characteristic 18) with the following groups:
 - Gr. 1: white
 - Gr. 2: yellow
 - Gr. 3: pink
 - Gr. 4: blue pink
 - Gr. 5: orange
 - Gr. 6: red
 - Gr. 7: purple
 - Gr. 8: violet
 - Gr. 9: other color.

5.4 Guidance for the use of grouping characteristics, in the process of examining distinctness, is provided through the General Introduction.

6. Introduction to the Table of Characteristics

6.1 *Categories of Characteristics*

6.1.1 Standard Test Guidelines Characteristics

Standard Test Guidelines characteristics are those which are approved by UPOV for examination of DUS and from which members of the Union can select those suitable for their particular circumstances.

6.1.2 Asterisked Characteristics

Asterisked characteristics (denoted by *) are those included in the Test Guidelines which are important for the international harmonization of variety descriptions and should always be examined for DUS and included in the variety description by all members of the Union, except when the state of expression of a preceding characteristic or regional environmental conditions render this inappropriate.

6.2 States of Expression and Corresponding Notes

States of expression are given for each characteristic to define the characteristic and to harmonize descriptions. Each state of expression is allocated a corresponding numerical note for ease of recording of data and for the production and exchange of the description.

6.3 Types of Expression

An explanation of the types of expression of characteristics (qualitative, quantitative and pseudo-qualitative) is provided in the General Introduction.

6.4 Example Varieties

Where appropriate, example varieties are provided to clarify the states of expression of each characteristic.

6.5 Legend

- (*) Asterisked characteristic – see Section 6.1.2
- QL Qualitative characteristic – see Section 6.3
- QN Quantitative characteristic – see Section 6.3
- PQ Pseudo-qualitative characteristic – see Section 6.3
- MS Measurement of a number of individual plants or parts of plants – see Section 3.3.1
- VG Visual assessment by a single observation of a group of plants or parts of plants – see Section 3.3.1
- (+) See Explanations on the Table of Characteristics in Chapter 8

7. Table of Characteristics/Tableau des caractères/Merkmalstabelle/Tabla de caracteresticas

| | | English | français | deutsch | español | Example Varieties | |
|-----------|-----------------------|--|--|--|--|-------------------|---------------|
| | | (*) | | | | Exemples | Note/ Nota |
| 1. | MS/ (*) VG | Plant: height of foliage | Plante: hauteur du feuillage | Pflanze: Höhe des Laubes | Planta: altura del follaje | | |
| QN | | short | basse | niedrig | bajo | Camela | 3 |
| | | medium | moyenne | mittel | medio | Didi Orare | 5 |
| | | tall | haute | hoch | alto | Tilav | 7 |
| 2. | MS/ (*) VG | Plant: width | Plante: largeur | Pflanze: Breite | Planta: anchura | | |
| QN | | narrow | étroite | schmal | estrecha | | 3 |
| | | medium | moyenne | mittel | media | Camela | 5 |
| | | broad | large | breit | ancha | Didi Orare | 7 |
| 3. | VG | Shoot: anthocyanin coloration (at upper third of shoot) | Pousse: pigmentation anthocyane (sur le tiers supérieur d'une pousse) | Trieb: Anthocyanfärbung (im oberen Drittel des Triebes) | Tallo: pigmentación antociánica (en el tercio superior del tallo) | | |
| QN | | absent or very weak | absente ou très faible | fehlend oder sehr gering | ausente o muy débil | Camela | 1 |
| | | weak | faible | gering | débil | Balfiesala | 3 |
| | | medium | moyenne | mittel | media | Didi Carmine | 5 |
| | | strong | forte | stark | fuerte | | 7 |
| 4. | MS/ (*) VG | Leaf: length (including petiole) | Feuille: longueur (pétiolle compris) | Blatt: Länge (einschließlich Blattstiel) | Hoja: longitud (incluyendo el pecíolo) | | |
| QN | | short | courte | kurz | corta | Balfiesala | 3 |
| | | medium | moyenne | mittel | media | Balfiesaci | 5 |
| | | long | longue | lang | larga | Didi Orare | 7 |
| 5. | MS/ (*) VG | Leaf: width | Feuille: largeur | Blatt: Breite | Hoja: anchura | | |
| QN | | narrow | étroite | schmal | estrecha | Tiwhite | 3 |
| | | medium | moyenne | mittel | media | Camela | 5 |
| | | broad | large | breit | ancha | Didi Orare | 7 |

| | | English | français | deutsch | español | Example Varieties | |
|-----------|-----------|---|---|---|--|-------------------|---------------|
| | | | | | | Exemples | Note/ Nota |
| | | | | | | Beispielssorten | |
| 6. | MS | Leaf: ratio length/width | Feuille: rapport longueur/largeur | Blatt: Verhältnis Länge/Breite | Hoja: relación entre la longitud y la anchura | | |
| QN | | small | petit | klein | pequeña | | 3 |
| | | medium | moyen | mittel | media | | 5 |
| | | large | grand | groß | grande | | 7 |
| 7. | VG | Leaf: variegation | Feuille: panachure | Blatt: Panaschierung | Hoja: variegación | | |
| (*) | | | | | | | |
| QL | | absent | absente | fehlend | ausente | Camela | 1 |
| | | present | présente | vorhanden | presente | Snow and Ice | 9 |
| 8. | VG | Varieties with variegation only: Leaf: main color of upper side | Variétés avec panachure seulement: Feuille: couleur principale de la partie supérieure | Nur Sorten mit Panaschierung: Blatt: Hauptfarbe der Oberseite | Sólo variedades con variegación: Hoja: color principal del haz | | |
| PQ | | light green | vert clair | hellgrün | verde claro | | 1 |
| | | medium green | vert moyen | mittelgrün | verde medio | | 2 |
| | | dark green | vert foncé | dunkelgrün | verde oscuro | | 3 |
| | | blue green | vert bleu | blaugrün | verde azulado | | 4 |
| 9. | VG | Varieties with variegation only: Leaf: secondary color of upper side | Variétés avec panachure seulement: Feuille: couleur secondaire de la partie supérieure | Nur Sorten mit Panaschierung: Blatt: Sekundärfarbe der Oberseite | Sólo variedades con variegación: Hoja: color secundario del haz | | |
| PQ | | white | blanc | weiß | blanco | | 1 |
| | | yellowish white | blanc jaunâtre | gelblichweiß | blanco amarillento | | 2 |
| | | yellow | jaune | gelb | amarillo | | 3 |
| | | light green | vert clair | hellgrün | verde claro | | 4 |

| | English | français | deutsch | español | Example Varieties Exemples Beispielssorten Variedades ejemplo | Note/ Nota |
|---------------|--|---|--|---|--|---------------|
| 10. VG | Varieties without variegation only: Leaf: color of upper side | Variétés sans panachure seulement: Feuille: couleur de la partie supérieure | Nur Sorten ohne Panaschierung: Blatt: Farbe der Oberseite | Sólo variedades sin variegación: Hoja: color del haz | | |
| PQ | light green | vert clair | hellgrün | verde claro | | 1 |
| | medium green | vert moyen | mittelgrün | verde medio | Camela | 2 |
| | dark green | vert foncé | dunkelgrün | verde oscuro | Didi Carmine | 3 |
| | red | rouge | rot | rojo | | 4 |
| 11. VG | Varieties without variegation only: Leaf: color of lower side between veins | Variétés sans panachure seulement: Feuille: couleur de la face inférieure entre les nervures | Nur Sorten ohne Panaschierung: Blatt: Farbe der Unterseite zwischen den Adern | Sólo variedades sin variegación: Hoja: color del envés entre los nervios | | |
| PQ | only green | seulement verte | nur grün | sólo verde | | 1 |
| | green and red | verte et rouge | grün und rot | verde y rojo | | 2 |
| | only red | seulement rouge | nur rot | sólo rojo | | 3 |
| 12. VG | Varieties without variegation only: Leaf: color of veins on lower side | Variétés sans panachure seulement: Feuille: couleur des nervures sur la face inférieure | Nur Sorten ohne Panaschierung: Blatt: Farbe der Adern auf der Unterseite | Sólo variedades sin variegación: Hoja: color de los nervios del envés | | |
| QL | green | verte | grün | verde | | 1 |
| | red | rouge | rot | rojo | | 2 |
| 13. VG | Petiole: anthocyanin coloration of upper side | Pétiole: pigmentation anthocyane sur la face supérieure | Blattstiell: Anthocyanfärbung der Oberseite | Pecíolo: pigmentación antociánica de la cara superior | | |
| QN | absent or very weak | absente ou très faible | fehlend oder sehr gering | ausente o muy débil | Camela | 1 |
| | weak | faible | gering | débil | Didi Carmine | 3 |
| | medium | moyenne | mittel | media | Didi Orare | 5 |
| | strong | forte | stark | fuerte | | 7 |

| | | English | français | deutsch | español | Example Varieties | |
|------------|-------------------------------|---|---|---|--|-------------------|---------------|
| | | | | | | Exemples | Note/ Nota |
| | | | | | | Beispielssorten | |
| 14. | VG | Peduncle: anthocyanin coloration of upper side | Pédoncule: pigmentation anthocyanique sur la face supérieure | Blütenstiel: Anthocyanfärbung der Oberseite | Pedúnculo: pigmentación antociánica de la cara superior | | |
| QN | | absent or very weak | absent ou très faible | fehlend oder sehr gering | ausente o muy débil | Camela | 1 |
| | | weak | faible | gering | débil | Tilav | 3 |
| | | medium | moyenne | mittel | media | | 5 |
| | | strong | forte | stark | fuerte | | 7 |
| 15. | VG (*) | Flower: type | Fleur: type | Blüte: Typ | Flor: tipo | | |
| QL | | single | simple | einfach | simple | Gumbo | 1 |
| | | double | double | gefüllt | doble | Camela | 2 |
| 16. | MS/ (*) VG (+) | Flower: width | Fleur: largeur | Blüte: Breite | Flor: anchura | | |
| QN | | narrow | étroite | schmal | estrecha | Balfiesala | 3 |
| | | medium | moyenne | mittel | media | Tilav | 5 |
| | | broad | large | breit | ancha | | 7 |
| 17. | VG (*) (+) | Flower: number of colors (eye zone excluded) | Fleur: nombre de couleurs (zone autour de l'œil exclue) | Blüte: Anzahl von Farben (Augenzone ausgenommen) | Flor: número de colores (excluida la zona del ojo) | | |
| QL | | one | une | eine | uno | | 1 |
| | | two | deux | zwei | dos | | 2 |
| | | more than two | plus de deux | mehr als zwei | más de dos | | 3 |
| 18. | VG (*) | Flower: main color | Fleur: couleur principale | Blüte: Hauptfarbe | Flor: color principal | | |
| PQ | | RHS Colour Chart (indicate reference number) | Code RHS des couleurs (indiquer le numéro de référence) | RHS-Farbkarte (Nummer angeben) | Carta de colores RHS (indíquese el número de referencia) | | |

| | | | | Example Varieties Exemples Beispielssorten Variedades ejemplo | Note/ Nota |
|-----------------------------|---|---|---|---|---------------|
| | English | français | deutsch | español | |
| 19. VG (*) | Varieties with bi- or multicolored flowers only: Flower: secondary color | Variétés à fleurs bicolores ou multicolores seulement: Fleur: couleur secondaire | Nur Sorten mit zwei- oder mehrfarbigen Blüten: Blüte: Sekundärfarbe | Sólo variedades con flores bicolores o multicolores: Flor: color secundario | |
| PQ | RHS Colour Chart (indicate reference number) | Code RHS des couleurs (indiquer le numéro de référence) | RHS-Farbkarte (Nummer angeben) | Carta de colores RHS (indíquese el número de referencia) | |
| 20. VG (*) (+) | Varieties with bi- or multicolored flowers only: Flower: distribution of secondary color | Variétés à fleurs bicolores ou multicolores seulement: Fleur: répartition de la couleur secondaire | Nur Sorten mit zwei- oder mehrfarbigen Blüten: Blüte: Verteilung der Sekundärfarbe | Sólo variedades con flores bicolores o multicolores: Flor: distribución del color secundario | |
| QL | on whole surface of upper petal only | sur toute la surface du pétale supérieur seulement | ganzflächig nur auf dem oberen Blütenblatt | únicamente en toda la superficie del pétalo superior | 1 |
| | at base of all petals | à la base de chaque pétale | an der Basis aller Blütenblätter | en la base de todos los pétalos | 2 |
| | along mid-rib of all petals | le long de la nervure médiane de chaque pétale | entlang der Mittelrippe aller Blütenblätter | a lo largo de la nervadura principal de todos los pétalos | 3 |
| | along edge of all petals | en bordure de chaque pétale | am Rand aller Blütenblätter | en el borde de todos los pétalos | 4 |
| | irregularly distributed on all petals | irrégulièrement diffus sur chaque pétale | unregelmäßig verteilt auf allen Blütenblättern | distribuido irregularmente en todos los pétalos | 5 |
| 21. VG (*) (+) | Varieties with single flowers only: Flower: presence of eye zone | Variétés à fleurs simples seulement: Fleur: présence d'une zone de l'œil | Nur einfach blühende Sorten: Blüte: Vorhandensein einer Augenzone | Sólo variedades con flores simples: Flor: presencia de zona del ojo | |
| QL | absent | absente | fehlend | ausente | 1 |
| | present | présente | vorhanden | presente | 9 |
| 22. VG | Flower: size of eye zone | Fleur: taille de la zone autour de l'œil | Blüte: Größe der Augenzone | Flor: tamaño de la zona del ojo | |
| QN | small | petite | klein | pequeña | 3 |
| | medium | moyenne | mittel | media | 5 |
| | large | grande | groß | grande | 7 |

| | | English | français | deutsch | español | Example Varieties Exemples Beispielssorten Variedades ejemplo | Note/ Nota |
|------------|-------------------|---|--|--|--|--|---------------|
| 23. | VG | Flower: color of eye zone | Fleur: couleur de la zone autour de l'œil | Blüte: Farbe der Augenzone | Flor: color de la zona del ojo | | |
| PQ | | white | blanc | weiß | blanco | | 1 |
| | | yellow | jaune | gelb | amarillo | | 2 |
| | | pink | rose | rosa | rosa | | 3 |
| | | red | rouge | rot | rojo | | 4 |
| | | purple | pourpre | purpurn | púrpura | | 5 |
| | | violet | violet | violett | violeta | | 6 |
| | | white and pink | blanc et rose | weiß und rosa | blanco y rosa | | 7 |
| | | white and red | blanc et rouge | weiß und rot | blanco y rojo | | 8 |
| 24. | MS/ VG | Varieties with single flowers only: Upper petal: width | Variétés à fleurs simples seulement: Pétales supérieurs: largeur | Nur einfach blühende Sorten: Oberes Blütenblatt: Breite | Sólo variedades con flores simples: Pétalo superior: anchura | | |
| (+) | | | | | | | |
| QN | | narrow | étroit | schmal | estrecho | | 3 |
| | | medium | moyen | mittel | medio | | 5 |
| | | broad | large | breit | ancho | | 7 |
| 25. | MS/ VG | Varieties with single flowers only: Lateral petal: width | Variétés à fleurs simples seulement: Pétales latéraux: largeur | Nur einfach blühende Sorten: Seitliches Blütenblatt: Breite | Sólo variedades con flores simples: Pétalo lateral: anchura | | |
| (+) | | | | | | | |
| QN | | narrow | étroit | schmal | estrecho | | 3 |
| | | medium | moyen | mittel | medio | | 5 |
| | | broad | large | breit | ancho | | 7 |
| 26. | VG | Seed-propagated varieties only: Time of beginning of flowering | Variétés à multiplication sexuée seulement: Époque de début de la floraison | Nur samenvermehrte Sorten: Zeitpunkt des Blühbeginns | Sólo variedades de reproducción sexuada: Época del inicio de la floración | | |
| QN | | early | précoce | früh | temprana | | 3 |
| | | medium | moyenne | mittel | media | | 5 |
| | | late | tardive | spät | tardía | | 7 |

8. Explanations on the Table of Characteristics


Ad. 16: Flower: width

Ad. 24: Varieties with single flowers only: Upper petal: width

Ad. 25: Varieties with single flowers only: Lateral petal: width

Upper petal: width


Lateral petal:
width




Flower: width

Ad. 17: Flower: number of colors (eye zone excluded)

Ad. 21: Varieties with single flowers only: Flower: presence of eye zone




1
absent




9
present


Ad. 20: Varieties with bi- or multicolored flowers only: Flower: distribution of secondary color




1
on whole surface
of upper petal
only




2
at base of all
petals



3
along mid-rib of
all petals



4
along edge of all petals



5
irregularly
distributed on
all petals

9. Literature

No specific literature.

10. Technical Questionnaire

| | | |
|--|-------------------------------------|---|
| TECHNICAL QUESTIONNAIRE | Page {x} of {y} | Reference Number: |
| | | Application date: (not to be filled in by the applicant) |
| <p style="text-align: center;">TECHNICAL QUESTIONNAIRE to be completed in connection with an application for plant breeders' rights</p> | | |
| 1. Subject of the Technical Questionnaire | | |
| 1.1 Latin Name | <i>Impatiens walleriana</i> Hook F. | |
| 1.2 Common Name | Busy Lizzie | |
| 2. Applicant | | |
| Name | | |
| Address | | |
| Telephone No. | | |
| Fax No. | | |
| E-mail address | | |
| Breeder (if different from applicant) | | |
| 3. Proposed denomination and breeder's reference | | |
| Proposed denomination (if available) | | |
| Breeder's reference | | |

| | | |
|--|-----------------|-------------------|
| TECHNICAL QUESTIONNAIRE | Page {x} of {y} | Reference Number: |
| <p>4. Information on the breeding scheme and propagation of the variety</p> <p>4.1 Breeding scheme</p> <p>Variety resulting from:</p> <p>4.1.1 Crossing</p> <p>(a) controlled cross [] (please state parent varieties)</p> <p>(b) partially known cross [] (please state known parent variety(ies))</p> <p>(c) unknown cross []</p> <p>4.1.2 Mutation [] (please state parent variety)</p> <p>4.1.3 Discovery [] (please state where, when and how developed)</p> <p>4.1.4 Other [] (please provide details)</p> <p>4.2 Method of propagating the variety</p> <p>4.2.1 Vegetative propagation</p> <p>(a) cuttings []</p> <p>(b) <i>in vitro</i> propagation []</p> <p>(c) other (state method) []</p> <p>4.2.2 Seed []</p> <p>4.2.3 Other [] (please provide details)</p> | | |

| TECHNICAL QUESTIONNAIRE | Page {x} of {y} | Reference Number: |
|--|-------------------|-------------------|
| 5. Characteristics of the variety to be indicated (the number in brackets refers to the corresponding characteristic in Test Guidelines; please mark the note which best corresponds). | | |
| Characteristics | Example Varieties | Note |
| 5.1 Leaf: variegation (7) | | |
| absent | Camela | 1[] |
| present | Snow and Ice | 9[] |
| 5.2 Flower: type (15) | | |
| single | Gumbo | 1[] |
| double | Camela | 2[] |
| 5.3 Flower: width (16) | | |
| narrow | Balfiesala | 3[] |
| medium | Tilav | 5[] |
| broad | | 7[] |
| 5.4 Flower: number of colors (eye zone excluded) (17) | | |
| one | | 1[] |
| two | | 2[] |
| more than two | | 3[] |

| TECHNICAL QUESTIONNAIRE | Page {x} of {y} | Reference Number: |
|--|-------------------|-------------------|
| Characteristics | Example Varieties | Note |
| 5.5i Flower: main color (18) RHS Colour Chart (indicate reference number) white yellow pink blue pink orange red purple violet other color (indicate) | | |
| 5.6i <u>Varieties with bi- or multicolored flowers only:</u> (19) Flower: secondary color RHS Colour Chart (indicate reference number) | | |
| 5.6ii <u>Varieties with bi- or multicolored flowers only:</u> (19) Flower: secondary color white pink red violet other color (indicate) | | |

| TECHNICAL QUESTIONNAIRE | Page {x} of {y} | Reference Number: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|---|--|--|----------------|---------------------|---|-------------|--|--------------------------------------|------|--|-----------------------|------|--|-----------------------------|------|--|--------------------------|------|--|---------------------------------------|------|--|-------------------------------|------|--|-------|--|--|--|
| <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 60%;">Characteristics</th> <th style="width: 20%;">Example Varieties</th> <th style="width: 20%;">Note</th> </tr> </thead> <tbody> <tr> <td>5.7 Varieties with bi-or multicolored flowers only:</td> <td></td> <td></td> </tr> <tr> <td>(20) Flower: distribution of secondary color</td> <td></td> <td></td> </tr> <tr> <td>on whole surface of upper petal only</td> <td style="text-align: right;">1[]</td> <td></td> </tr> <tr> <td>at base of all petals</td> <td style="text-align: right;">2[]</td> <td></td> </tr> <tr> <td>along mid-rib of all petals</td> <td style="text-align: right;">3[]</td> <td></td> </tr> <tr> <td>along edge of all petals</td> <td style="text-align: right;">4[]</td> <td></td> </tr> <tr> <td>irregularly distributed on all petals</td> <td style="text-align: right;">5[]</td> <td></td> </tr> <tr> <td>other distribution (indicate)</td> <td style="text-align: right;">6[]</td> <td></td> </tr> <tr> <td colspan="3" style="text-align: center; padding-top: 10px;">.....</td> </tr> </tbody> </table> | | Characteristics | Example Varieties | Note | 5.7 Varieties with bi-or multicolored flowers only: | | | (20) Flower: distribution of secondary color | | | on whole surface of upper petal only | 1[] | | at base of all petals | 2[] | | along mid-rib of all petals | 3[] | | along edge of all petals | 4[] | | irregularly distributed on all petals | 5[] | | other distribution (indicate) | 6[] | | | | | |
| Characteristics | Example Varieties | Note | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5.7 Varieties with bi-or multicolored flowers only: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| (20) Flower: distribution of secondary color | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| on whole surface of upper petal only | 1[] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| at base of all petals | 2[] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| along mid-rib of all petals | 3[] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| along edge of all petals | 4[] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| irregularly distributed on all petals | 5[] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| other distribution (indicate) | 6[] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>6. Similar varieties and differences from these varieties</p> <p><i>Please use the table, and space provided for comments, below to provide information on how your candidate variety differs from the variety (or varieties) which, to the best of your knowledge, is (or are) most similar. This information may help the examination authority to conduct its examination of distinctness in a more efficient way.</i></p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 50%;">Denomination(s) of variety(ies) similar to your candidate variety</th> <th style="width: 50%;">Characteristic(s) in which your candidate variety differs from the similar variety(ies)</th> <th style="width: 50%;">Describe the expression of the characteristic(s) for the similar variety(ies)</th> <th style="width: 50%;">Describe the expression of the characteristic(s) for your candidate variety</th> </tr> </thead> <tbody> <tr> <td><i>Example</i></td> <td><i>Flower color</i></td> <td><i>white</i></td> <td><i>pink</i></td> </tr> <tr> <td colspan="4" style="height: 40px;"></td> </tr> </tbody> </table> | | Denomination(s) of variety(ies) similar to your candidate variety | Characteristic(s) in which your candidate variety differs from the similar variety(ies) | Describe the expression of the characteristic(s) for the similar variety(ies) | Describe the expression of the characteristic(s) for your candidate variety | <i>Example</i> | <i>Flower color</i> | <i>white</i> | <i>pink</i> | | | | | | | | | | | | | | | | | | | | | | | |
| Denomination(s) of variety(ies) similar to your candidate variety | Characteristic(s) in which your candidate variety differs from the similar variety(ies) | Describe the expression of the characteristic(s) for the similar variety(ies) | Describe the expression of the characteristic(s) for your candidate variety | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <i>Example</i> | <i>Flower color</i> | <i>white</i> | <i>pink</i> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>Comments:</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | | |
|---|-----------------|-------------------|
| TECHNICAL QUESTIONNAIRE | Page {x} of {y} | Reference Number: |
| <p>7. Additional information which may help in the examination of the variety</p> <p>7.1 In addition to the information provided in sections 5 and 6, are there any additional characteristics which may help to distinguish the variety?</p> <p>Yes [] No []</p> <p>(If yes, please provide details)</p> <p>7.2 Special conditions for the examination of the variety</p> <p>7.2.1 Are there any special conditions for growing the variety or conducting the examination?</p> <p>Yes [] No []</p> <p>7.2.2 If yes, please give details:</p> <p>7.3 Other information</p> <p>A representative color photograph of the variety should accompany the Technical Questionnaire.</p> <p>8. Authorization for release</p> <p>(a) Does the variety require prior authorization for release under legislation concerning the protection of the environment, human and animal health?</p> <p>Yes [] No []</p> <p>(b) Has such authorization been obtained?</p> <p>Yes [] No []</p> <p>If the answer to (b) is yes, please attach a copy of the authorization.</p> | | |

| | | |
|-------------------------|-----------------|-------------------|
| TECHNICAL QUESTIONNAIRE | Page {x} of {y} | Reference Number: |
|-------------------------|-----------------|-------------------|

9. Information on plant material to be examined.

9.1 The expression of a characteristic or several characteristics of a variety may be affected by factors, such as pests and disease, chemical treatment (e.g. growth retardants or pesticides), effects of tissue culture, different rootstocks, scions taken from different growth phases of a tree, etc.

9.2 The plant material should not have undergone any treatment which would affect the expression of the characteristics of the variety, unless the competent authorities allow or request such treatment. If the plant material has undergone such treatment, full details of the treatment must be given. In this respect, please indicate below, to the best of your knowledge, if the plant material to be examined has been subjected to:

- | | | |
|---|---------|--------|
| (a) Microorganisms (e.g. virus, bacteria, phytoplasma) | Yes [] | No [] |
| (b) Chemical treatment (e.g. growth retardant or pesticide) | Yes [] | No [] |
| (c) Tissue culture | Yes [] | No [] |
| (d) Other factors | Yes [] | No [] |

Please provide details of where you have indicated “yes”.

.....

10. I hereby declare that, to the best of my knowledge, the information provided in this form is correct:

Applicant's name

Signature

Date

[End of document]