International Union for the Protection of New Varieties of Plants

Technical Working Party on Automation and Computer Programs TWC/35/11

Thirty-Fifth Session Original: English Buenos Aires, Argentina, November 14 to 17, 2017 **Date:** October 20, 2017

CONSIDERATION OF POSSIBLE REORGANIZATION OF TGP/8: A PROPOSAL FROM CHINA

Document prepared by an expert from China

Disclaimer: this document does not represent UPOV policies or guidance

- 1. Document TGP/8 "Trial Design and Techniques Used in the Examination of Distinctness, Uniformity and Stability" is a very important document for practical guidance on DUS testing. Currently, document TGP/8 has plenty of useful guidance including two parts in 17 chapters. However, there are two small problems that affect its pratical value. First, the chapters are not at the same level and are not in an ideal order, for example, distinctness has a chapter on selection of methods but uniformity does not. Second, many examples do not provide raw data and relationship with previous chapters. This document is intended to initiate a discussion on reorganizing document TGP/8.
- 2. Annex I to this document contains a copy of a proposal for consideration of a possible reorganization of TGP/8 at its thirty-fifth session of the Technical Working Party on Automation and Computer Programs (TWC). Annex II to this document contains a copy of the current table of contents of TGP/8.

Yang Kun, Deputy Director, Beijing Station of Plant Variety Tests, Ministry of Agriculture, China

[Annexes follow]

TWC/35/11

ANNEX I

NEW TABLE OF CONTENTS

Note: Underlined chapters are new chapters proposed by China

INTRODUCTION

INTRODUCTION

PART 1: DUS TRIAL DESIGN

1. DUS TRIAL DESIGN

1.1 Introduction

1.1 Introduction

1.2 Growing cycles

- 1.2 Growing cycles
- 1.2.1 Introduction
- 1.2.2 Independent growing cycles

1.3 Testing locations

- 1.3 Testing Place
- 1.3.1 Conditions for conducting the examination
- 1.4 Conditions for conducting the examination
- 1.3.2Purpose
- 1.3.1 Purpose
- (a) Minimizing the overall testing period
- (b) Reserve Trial
- (c) Different agro-climatic conditions
- 1.3.3 Use of information from multiple locations
- 1.3.2 Use of information from multiple locations
- (a) Additional tests
- (b) DUS examined on the basis of data for the same characteristics examined at different locations

1.4 Replicates and plots

- 1.5 Test Design
- 1.5.1 Introduction
- 1.5.3 Trial layout
- 1.5.3.1 Introduction
- 1.5.3.2 Single plots
- 1.5.3.3 Replicate plots (statistical analysis)
- 1.5.3.3.1Introduction
- 1.5.3.3.2 Replicate plots for statistical analysis of individual plant data
- 1.5.3.3.3 Randomization
- 1.5.3.3.4 Randomized incomplete block designs
- 1.5.3.3.5 Design for pair-wise comparisons between particular varieties
- 1.5.3.3.7 Trial elements when statistical analysis is used
- 1.5.3.3.7.1Introduction
- 1.5.3.3.7.2Plots and blocks
- 1.5.3.3.7.3 Allocation of varieties to plots
- 1.5.3.3.7.4 Plot size, shape and configuration
- 1.5.3.3.7.5 Independence of plots
- 1.5.3.3.7.6 The arrangement of the plants within the plot/ Type of plot for observation
- 1.5.3.4 Blind Randomized Trials

1.5 Optimal sample size for DUS examination

- 1.5.2 Number of Plants in the trial
- 1.5.3.3.6 Further statistical aspects of trial design
- 1.5.3.3.6.1 Introduction
- 1.5.3.3.6.2 The hypotheses under test
- 1.5.3.3.6.3 Determining optimal sample size

1.6 Changing Methods

1.6 Changing Methods

PART 2: DATA RECORDING AND PROBABILITY DISTRIBUTION

2.1Different levels to look at a characteristic

2.4 Different levels to look at a characteristic

2.2DATA TO BE RECORDED

2.DATA TO BE RECORDED

- 2.1 Introduction
- 2.2 Types of expression of characteristics
- 2.3 Types of scales of data
- 2.3.1 Data from qualitative characteristics
- 2.3.2 Data from quantitative characteristics
- (a) Ratio scale
- (b) Interval scale
- (c) Ordinal scale
- 2.3.3 Data from pseudo-qualitative characteristics
- 2.3.4 Summary of the different types of scales
- 2.3.5 Scale levels for variety description
- 2.3.6 Relation between types of expression of characteristics and scale levels of data
- 2.3.7 Relation between method of observation of characteristics, scale levels of data and recommended statistical procedures

2.3 Probability Distribution

Binomial distribution, Poisson distribution, Normal distribution, t distribution \(\chi^2 \) distribution, F distribution

PART 3: VALIDATION OF DATA AND ASSUMPTIONS

3. VALIDATION OF DATA AND ASSUMPTIONS

- 3.1 Introduction
- 3.1 Introduction
- 3.2 Validation of data
- 3.2 Validation of data
- (3.2.5 Box graph should include original data)

3.3 Assumptions for statistical analysis and the validation of these assumptions

- 3.3 Assumptions for statistical analysis and the validation of these assumptions
- 3.3.1 Introduction
- 3.3.1 Assumptions for statistical analysis involving analysis of variance
- 3.3.1.1 Introduction
- 3.3.2 Independent observations
- 3.3.1.2 Independent observations(the example should include original data)
- 3.3.3 Variance homogeneity
- 3.3.1.3 Variance homogeneity

3.3.4 Normal distributed observations

- 3.3.1.4 Normal distributed observations
- 3.3.1.5 Additivity of block and variety effects (move to new 3.3.2)
- 3.3.2 Validation of assumptions for statistical analysis
- 3.3.2.1 Introduction (move to new 3.3.1 Introduction)
- 3.3.2.2 Looking through the data (move to new 3.3.1 Introduction)
- 3.3.2.3 Using figures (3.3.2.3.2 move to new 3.3.2, 3.3.2.3.4 move to new 3.3.3, 3.3.2.3.5 move to new
- 3.3.2, 3.3.2.3.7 move to new 3.3.4)

PART 4: CHOICE OF STATISTICAL METHODS FOR EXAMINING DISTINCTNESS

4. CHOICE OF STATISTICAL METHODS FOR EXAMINING DISTINCTNESS

- 4.1 Introduction
- 4.2 Statistical methods for use with two or more independent growing cycles
- 4.2.1 Introduction
- 4.3 Summary of selected statistical methods for examining distinctness
- 4.4 Requirements for statistical methods for distinctness assessment

4.1 THE COMBINED OVER-YEARS CRITERIA FOR DISTINCTNESS (COYD)

- 3. THE COMBINED OVER-YEARS CRITERIA FOR DISTINCTNESS (COYD)
- 3.1 Summary of requirements for application of method
- 3.2 Summary
- 3.3 Introduction
- 3.4 The COYD method
- 3.5 Use of COYD
- 3.6 Adapting COYD to special circumstances
- 3.6.1 Differences between years in the range of expression of a characteristic
- 3.6.2 Small numbers of varieties in trials: Long-Term COYD
- 3.6.3 Crops with grouping characteristics
- 3.7 Implementing COYD
- 3.8 References
- 3.9 COYD statistical methods
- 3.9.1 Analysis of variance
- 3.9.2 Modified joint regression analysis (MJRA)
- 3.9.3 Comparison of COYD with other criteria
- 3.10 COYD software
- 3.11 Schemes used for the application of COYD

4.2 t test by 2X1%

- 4.2 X1% METHOD
- 4.1 Requirements for application of method
- 4.2 The 2x1% Criterion (Method)

4.3 PEARSON'S CHI-SQUARE TEST APPLIED TO CONTINGENCY TABLES

5. PEARSON'S CHI-SQUARE TEST APPLIED TO CONTINGENCY TABLES

4.4 FISHER'S EXACT TEST

- 6. FISHER'S EXACT TEST
- 6.1 Assessment of Distinctness

4.5MATCH APPROACH

- 7. MATCH APPROACH
- 7.1 Requirements for application of method
- 7.2 Match Method

<u>PART5: CHOICE OF STATISTICAL METHODS FOR EXAMINING UNIFORMITY</u> 5.1 THE METHOD OF UNIFORMITY ASSESSMENT ON THE BASIS OF OFF-TYPES

8. THE METHOD OF UNIFORMITY ASSESSMENT ON THE BASIS OF OFF-TYPES

- 8.1 Fixed Population Standard
- 8.1.1 Introduction
- 8.1.2 Using the approach to assess uniformity in a crop
- 8.1.3 Issues to be considered when deciding on the use of the method
- 8.1.4 Examples
- 8.1.5 Introduction to the tables and figures
- 8.1.6 Method for one single test
- 8.1.7 Method for more than one single test (year)
- 8.1.7.1 Introduction
- 8.1.7.2 Combined test
- 8.1.7.3 Two-stage test
- 8.1.7.4 Sequential tests
- 8.1.8 Note on balancing the Type I and Type II errors

- 8.1.9 Definition of statistical terms and symbols
- 8.1.10 Tables and figures

5.2 THE COMBINED-OVER-YEARS UNIFORMITY CRITERION (COYU)

- 9. THE COMBINED-OVER-YEARS UNIFORMITY CRITERION (COYU)
- 9.1 Summary of requirements for application of method
- 9.2 Summary
- 9.3 Introduction
- 9.4 The COYU Criterion
- 9.5 Use of COYU
- 9.6 Mathematical details
- 9.7 Early decisions for a three-year test
- 9.8 Example of COYU calculations
- 9.9 Implementing COYU
- 9.10 COYU software
- 9.10.1 DUST computer program
- 9.11 Schemes used for the application of COYU

5.3 UNIFORMITY ASSESSMENT ON THE BASIS OF THE RELATIVE VARIANCE METHOD

- 10. UNIFORMITY ASSESSMENT ON THE BASIS OF THE RELATIVE VARIANCE METHOD
- 10.1 Use of the relative variance method
- 10.2 Thresholds for different sample sizes
- 10.3 The relative variance test in practice
- 10.4 Example of relative variance method
- 10.5 Relationship between relative variance and relative standard deviation

PART6: CYCLIC PLANTING OF VARIETIES FROM THE VARIETY COLLECTION TO REDUCE TRIAL SIZE

5. CYCLIC PLANTING OF VARIETIES FROM THE VARIETY COLLECTION TO REDUCE TRIAL SIZE

- 5.1 Summary of requirements for application of method
- 5.2 Summary
- 5.3 Cyclic Planting of Established Varieties in Trial
- 5.3.1 The assessment of distinctness by data compensation
- 5.3.2 Method of analysis for distinctness assessment
- 5.3.3 The assessment of uniformity
- 5.4 Comparison of the cyclic planting system with the existing system
- 5.5 Cyclic planting system software
- 5.6 Additional technical detail and example of analysis for distinctness assessment
- 5.6.1 Example of distinctness assessment
- 5.7 References

PART7: PARENT FORMULA OF HYBRID VARIETIES

2. PARENT FORMULA OF HYBRID VARIETIES

- 2.1 Introduction
- 2.2 Requirements of the method
- 2.3 Assessing the originality of a new parent line
- 2.4 Verification of the formula
- 2.5 Uniformity and stability of parent lines
- 2.6 Description of the hybrid

PART8: METHODS of TRANSFORMING DATA TO NOTE AND SELECTING SIMILAR VARIETIES

8.1 METHODS OF TRANSFORMING DATA TO NOTE

8.2 THE GAIA METHODOLOGY

- 1. THE GAIA METHODOLOGY
- 1.1 Some reasons to sum and weight observed differences
- 1.2 Computing GAIA phenotypic distance
- 1.3 Detailed information on the GAIA methodology
- 1.3.1 Weighting of characteristics
- 1.3.2 Examples of use

- 1.3.2.1 Determining "Distinctness Plus"
- 1.3.2.2 Other examples of use
- 1.3.3 Computing GAIA phenotypic distance
- 1.3.4 GAIA software
- 1.3.5 Example with Zea mays data
- 1.3.5.1 Introduction
- 1.3.5.2 Analysis of notes
- 1.3.5.3 Electrophoresis analysis
- 1.3.5.4 Analysis of measurements
- 1.3.5.5 Measurements and 1 to 9 scale on the same characteristic
- 1.3.6 Example of GAIA screen copy

[Annex II follows]

TWC/35/11

ANNEX II

TABLE	F CONTENTS	PAGE
INTROD	CTION	5
PART I:	US TRIAL DESIGN AND DATA ANALYSIS	6
1.	DUS TRIAL DESIGN	6
••	1 Introduction	
	2 Growing cycles	6
	1.2.1 Introduction	
	1.2.2 Independent growing cycles	
	3 Testing Place	
	1.3.1 Purpose	7
	(b) Reserve Trial	
	(c) Different agro-climatic conditions	8
	1.3.2 Use of information from multiple locations	
	(a) Additional tests	8
	(b) DUS examined on the basis of data for the same characteristics examined at	0
	different locations	
	5 Test Design	
	1.5.1 Introduction	8
	1.5.2 Number of Plants in the trial	
	1.5.3 Trial layout	
	1.5.3.1 Introduction	
	1.5.3.2 Single plots	11
	1.5.3.3.1 Introduction	
	1.5.3.3.2 Replicate plots for statistical analysis of individual plant data	
	1.5.3.3.3 Randomization	11
	1.5.3.3.4 Randomized incomplete block designs	
	1.5.3.3.5 Design for pair-wise comparisons between particular varieties	
	1.5.3.3.6 Further statistical aspects of trial design	
	1.5.3.3.6.2 The hypotheses under test	
	1.5.3.3.6.3 Determining optimal sample size	
	1.5.3.3.7 Trial elements when statistical analysis is used	
	1.5.3.3.7.1 Introduction	
	1.5.3.3.7.2 Plots and blocks	_
	1.5.3.3.7.3 Allocation of varieties to plots	
	1.5.3.3.7.5 Independence of plots	
	1.5.3.3.7.6 The arrangement of the plants within the plot/ Type of plot for observation	n 19
	1.5.3.4 Blind Randomized Trials	19
	6 Changing Methods	20
2.	DATA TO BE RECORDED	
	1 Introduction	
	3 Types of scales of data	
	2.3.1 Data from qualitative characteristics	
	2.3.2 Data from quantitative characteristics	22
	(a) Ratio scale	
	(b) Interval scale	
	(c) Ordinal scale	
	2.3.4 Summary of the different types of scales	
	2.3.5 Scale levels for variety description	
	2.3.6 Relation between types of expression of characteristics and scale levels of data	
	2.3.7 Relation between method of observation of characteristics, scale levels of data and	=
	recommended statistical procedures	
3.	4 Different levels to look at a characteristic	
٥.	1 Introduction	
	2 Training and importance of clear explanations of characteristics and method of observation	
	3 Testing the calibration	32
	4 Testing the calibration for QN/MG or QN/MS characteristics	32

	3.5	Testing the calibration for QN/VS or QN/VG characteristics	
	3.6	Trial design	33
	3.7	Example of Cohen's Kappa	34
	3.8	References	
4.	VALID	ATION OF DATA AND ASSUMPTIONS	36
т.		Introduction	
	4.2	Validation of data	
		Assumptions for statistical analysis and the validation of these assumptions	30 27
	4.3		38
		4.3.1.1 Introduction	38
		4.3.1.2 Independent observations	
		4.3.1.3 Variance homogeneity	38
		4.3.1.4 Normal distributed observations	39
		4.3.1.5 Additivity of block and variety effects	
	4.3	2 Validation of assumptions for statistical analysis	40
	7.0	4.3.2.1 Introduction	
		4.3.2.2 Looking through the data	۱ ۰۰۰۰۰۰۰ ،
_	011010	4.3.2.3 Using figures	41
5.		E OF STATISTICAL METHODS FOR EXAMINING DISTINCTNESS	
	5.1	Introduction	<i>4</i> 5
	5.2	Statistical methods for use with two or more independent growing cycles	<i>4</i> 5
	5.2	1 Introduction	45
	5.3	Summary of selected statistical methods for examining distinctness	
	5.4	Requirements for statistical methods for distinctness assessment	
6.		C PLANTING OF VARIETIES FROM THE VARIETY COLLECTION TO REDUCE TRIAL SIZE	۰۰۰۵ مر
0.			
	6.1	Summary of requirements for application of method	
	6.2	Summary	
	6.3	Cyclic Planting of Established Varieties in Trial	
	6.3		
	6.3	2 Method of analysis for distinctness assessment	51
	6.3	3 The assessment of uniformity	51
	6.4	Comparison of the cyclic planting system with the existing system	51
	-	Cyclic planting system software	
	6.6	Additional technical detail and example of analysis for distinctness assessment	51 51
	6.6		
	6.7		
	0.7	References	33
PART	II: SELEC	FED TECHNIQUES USED IN DUS EXAMINATION	54
	TUE 0	NA METUOPOLOGY	- 4
1.		AIA METHODOLOGY	54
	1.1	Some reasons to sum and weight observed differences	
	1.2	Computing GAIA phenotypic distance	
	1.3	Detailed information on the GAIA methodology	55
	1.3	1 Weighting of characteristics	55
	1.3	• •	
		1.3.2.1 Determining "Distinctness Plus"	
		1.3.2.2 Other examples of use	
	1 2		
	1.3		
	1.3		
	1.3	- P	
		1.3.5.1 Introduction	
		1.3.5.2 Analysis of notes	
		1.3.5.3 Electrophoresis analysis	60
		1.3.5.4 Analysis of measurements	
		1.3.5.5 Measurements and 1 to 9 scale on the same characteristic	
	1.3		
2.		IT FORMULA OF HYBRID VARIETIES	
۷.			
	2.1	Introduction	
		Requirements of the method	
		Assessing the originality of a new parent line	
	2.4	Verification of the formula	
	2.5	Uniformity and stability of parent lines	68
	2.6	Description of the hybrid	
3.		DMBINED OVER-YEARS CRITERIA FOR DISTINCTNESS (COYD)	
	3.1	Summary of requirements for application of method	
	3.2	SummarySummary	
	J.Z		😈
	2.2	·	60
	3.3	Introduction	
	3.4	Introduction The COYD method	70
	3. <i>4</i> 3. <i>5</i>	Introduction	70 70
	3. <i>4</i> 3. <i>5</i>	Introduction The COYD method	70 70

72 72 73 73 76 76 76 77 77 77 77 84 87 87 87 89 92 92 94 94 95 95 96 97 100 101 102 102 103
73 73 76 76 76 76 77 77 77 77 84 87 87 87 89 92 92 92 94 94 95 95 96 97 100 101 102 102 102 103
73 76 76 76 77 77 77 77 84 87 87 87 87 89 92 92 94 94 95 95 95 96 97 100 101 102 102 103 103
76 76 76 76 77 77 77 84 87 87 87 89 92 92 94 94 94 95 95 95 95 96 100 101 102 102 103
76 76 76 77 77 77 84 87 87 87 87 89 92 92 94 94 94 95 95 95 95 96 100 101 102 102 103
76 77 77 84 87 87 87 87 89 92 92 94 94 95 95 95 96 97 100 101 102 102 103
77 77 77 84 87 87 87 89 92 92 94 94 95 95 95 96 97 100 101 102 102 103
77 84 87 87 87 89 92 92 94 94 95 95 95 96 97 100 101 102 102 103 103
84 87 87 87 88 89 92 92 94 94 95 95 95 96 97 100 101 102 102 103 103
87 87 87 88 89 92 92 94 94 95 95 95 96 97 100 101 102 102 103
87 87 87 88 89 92 92 94 94 95 95 95 96 97 100 101 102 102 103
92 94 94 94 95 95 96 96 97 100 101 102 102 103 103
92 94 94 94 95 95 96 96 97 100 101 102 102 103 103
92 94 94 95 95 95 96 97 100 101 102 102 103 103
94 94 94 95 95 95 96 97 100 101 102 102 103 103
94 95 95 95 96 97 100 101 102 102 103 103
94 95 95 96 96 97 100 101 102 102 103 103
95 96 97 97 97 97 97 97 97 97 97 97 97 97 97
95 95 96 97 97 100 101 102 102 102 103 103
95 96 97 97 100 101 102 102 102 103 103 103
95 96 97 100 101 102 102 102 103 103
96 97 100 101 102 102 102 103 103 103
97 100 101 102 102 102 103 108 109 109 109 109 109 109 109 109
103 103 104
103 104
104
105
112
112
112
113
114
114 116
114 116 117
116 116 117 118
114 116 117 118 118 118 125 125 125 125 126
114 116 117 118 118 118 122 125 125 126 126
114 116 117 118 118 118 125 125 125 126 126
114 116 117 118 118 118 125 125 125 126 127 127
114 116 117 118 118 118 125 125 125 126 127 127 127
114 116 117 118 118 118 125 125 125 126 127 127