

TG/ARGAN(proj.1) ORIGINAL: English DATE: 2016-09-30

INTERNATIONAL UNION FOR THE PROTECTION OF NEW VARIETIES OF PLANTS

Geneva

DRAFT

ARGANIA

UPOV Code(s): ARGAN_SPI

Argania spinosa (L.) Skeels

GUIDELINES

FOR THE CONDUCT OF TESTS

FOR DISTINCTNESS, UNIFORMITY AND STABILITY

prepared by experts from Morocco to be considered by the Technical Working Party for Fruit Crops at its forty-seventh session, to be held in Angers, France, from 2016-11-14 to 2016-11-18

Disclaimer: this document does not represent UPOV policies or guidance

Alternative names:*

Botanical name	English	French	German	Spanish
Argania spinosa (L.) Skeels				

The purpose of these guidelines ("Test Guidelines") is to elaborate the principles contained in the General Introduction (document TG/1/3), and its associated TGP documents, into detailed practical guidance for the harmonized examination of distinctness, uniformity and stability (DUS) and, in particular, to identify appropriate characteristics for the examination of DUS and production of harmonized variety descriptions.

ASSOCIATED DOCUMENTS

These Test Guidelines should be read in conjunction with the General Introduction and its associated TGP documents.

Other associated UPOV documents: TG1/1/3 TGP

|--|

<u>PAGE</u>

1.		<u>1</u>
2.	/ATERIAL REQUIRED	Ł
3.	/IETHOD OF EXAMINATION	<u>;</u>
	8.1 Number of Growing Cycles. 5 8.2 Testing Place. 5 8.3 Conditions for Conducting the Examination. 5 8.4 Test Design. 5 8.5 Additional Tests. 5	5
4.	ASSESSMENT OF DISTINCTNESS, UNIFORMITY AND STABILITY	<u>;</u>
	4.1 Distinctness	2
5.	GROUPING OF VARIETIES AND ORGANIZATION OF THE GROWING TRIAL	3
6.	NTRODUCTION TO THE TABLE OF CHARACTERISTICS)
	6.1 Categories of Characteristics	<u>)</u>) ()
7.	TABLE OF CHARACTERISTICS/TABLEAU DES CARACTÈRES/MERKMALSTABELLE/TABLA DE CARACTERES	2
8.	EXPLANATIONS ON THE TABLE OF CHARACTERISTICS	<u>23</u>
	B.1 Explanations for individual characteristics	<u>23</u>
9.	ITERATURE2	<u>23</u>
10.	ECHNICAL QUESTIONNAIRE2	<u>25</u>

1. <u>Subject of these Test Guidelines</u>

These Test Guidelines apply to all varieties of Argania spinosa (L.) Skeels.

2. <u>Material Required</u>

- 2.1 The competent authorities decide on the quantity and quality of the plant material required for testing the variety and when and where it is to be delivered. Applicants submitting material from a State other than that in which the testing takes place must ensure that all customs formalities and phytosanitary requirements are complied with.
- 2.2 The material is to be supplied in the form of The material is to be supplied in the form of bud sticks .
- 2.3 The minimum quantity of plant material, to be supplied by the applicant, should be:

8 one-year-old grafted trees or 10 bud sticks sufficient to establish 8 plants (to send when cutting)

- 2.4 The plant material supplied should be visibly healthy, not lacking in vigor, nor affected by any important pest or disease.
- 2.5 The plant material should not have undergone any treatment which would affect the expression of the characteristics of the variety, unless the competent authorities allow or request such treatment. If it has been treated, full details of the treatment must be given.

3. <u>Method of Examination</u>

- 3.1 Number of Growing Cycles
- 3.1.1 The minimum duration of tests should normally be two independent growing cycles.
- 3.1.2 The two independent growing cycles may be observed from a single planting, examined in two separate growing cycles.
- 3.1.3 a growing cycle refers to the fruiting cycle
- 3.1.4 In particular, it is essential that the trees produce a satisfactory crop of fruit in each of the two growing cycles.
- 3.2 Testing Place

Tests are normally conducted at one place. In the case of tests conducted at more than one place, guidance is provided in TGP/9 "Examining Distinctness".

- 3.3 Conditions for Conducting the Examination
- 3.3.1 The tests should be carried out under conditions ensuring satisfactory growth for the expression of the relevant characteristics of the variety and for the conduct of the examination.
- 3.3.2 Because daylight varies, color determinations made against a color chart should be made either in a suitable cabinet providing artificial daylight or in the middle of the day in a room without direct sunlight. The spectral distribution of the illuminant for artificial daylight should conform with the CIE Standard of Preferred Daylight D 6500 and should fall within the tolerances set out in the British Standard 950, Part I. These determinations should be made with the plant part placed against a white background. The color chart and version used should be specified in the variety description.
- 3.4 Test Design
- 3.4.1 Each test should be designed to result in a total of at least 8 trees.
- 3.4.2 The design of the tests should be such that plants or parts of plants may be removed for measurement or counting without prejudice to the observations which must be made up to the end of the growing cycle.
- 3.5 Additional Tests

Additional tests, for examining relevant characteristics, may be established.

4. Assessment of Distinctness, Uniformity and Stability

4.1 Distinctness

4.1.1 General Recommendations

It is of particular importance for users of these Test Guidelines to consult the General Introduction prior to making decisions regarding distinctness. However, the following points are provided for elaboration or emphasis in these Test Guidelines.

4.1.2 Consistent Differences

The differences observed between varieties may be so clear that more than one growing cycle is not necessary. In addition, in some circumstances, the influence of the environment is not such that more than a single growing cycle is required to provide assurance that the differences observed between varieties are sufficiently consistent. One means of ensuring that a difference in a characteristic, observed in a growing trial, is sufficiently consistent is to examine the characteristic in at least two independent growing cycles.

4.1.3 Clear Differences

Determining whether a difference between two varieties is clear depends on many factors, and should consider, in particular, the type of expression of the characteristic being examined, i.e. whether it is expressed in a qualitative, quantitative, or pseudo-qualitative manner. Therefore, it is important that users of these Test Guidelines are familiar with the recommendations contained in the General Introduction prior to making decisions regarding distinctness.

4.1.4 Number of plants or parts of plants to be Examined

Unless otherwise indicated, for the purposes of distinctness, all observations on single plants should be made on 8 plants or parts of plants taken from each of 8 plants and any other observations made on all plants in the test, disregarding any off-type plants.

4.1.5 Method of Observation

The recommended method of observing the characteristic for the purposes of distinctness is indicated by the following key in the second column of the Table of Characteristics (see document TGP/9 "Examining Distinctness", Section 4 "Observation of characteristics"):

MG: single measurement of a group of plants or parts of plants

MS: measurement of a number of individual plants or parts of plants

VG: visual assessment by a single observation of a group of plants or parts of plants

VS: visual assessment by observation of individual plants or parts of plants

Type of observation: visual (V) or measurement (M)

"Visual" observation (V) is an observation made on the basis of the expert's judgment. For the purposes of this document, "visual" observation refers to the sensory observations of the experts and, therefore, also includes smell, taste and touch. Visual observation includes observations where the expert uses reference points (e.g. diagrams, example varieties, side-by-side comparison) or non-linear charts (e.g. color charts). Measurement (M) is an objective observation against a calibrated, linear scale e.g. using a ruler, weighing scales, colorimeter, dates, counts, etc.

Type of record: for a group of plants (G) or for single, individual plants (S)

For the purposes of distinctness, observations may be recorded as a single record for a group of plants or parts of plants (G), or may be recorded as records for a number of single, individual plants or parts of plants (S). In most cases, "G" provides a single record per variety and it is not possible or necessary to apply statistical methods in a plant-by-plant analysis for the assessment of distinctness.

In cases where more than one method of observing the characteristic is indicated in the Table of Characteristics (e.g. VG/MG), guidance on selecting an appropriate method is provided in document TGP/9, Section 4.2.

- 4.2 Uniformity
- 4.2.1 It is of particular importance for users of these Test Guidelines to consult the General Introduction prior to making decisions regarding uniformity. However, the following points are provided for elaboration or emphasis in these Test Guidelines:
- 4.3 Stability
- 4.3.1 In practice, it is not usual to perform tests of stability that produce results as certain as those of the testing of distinctness and uniformity. However, experience has demonstrated that, for many types of variety, when a variety has been shown to be uniform, it can also be considered to be stable.
- 4.3.2 Where appropriate, or in cases of doubt, stability may be further examined by testing a new seed or plant stock to ensure that it exhibits the same characteristics as those shown by the initial material supplied.

5. <u>Grouping of Varieties and Organization of the Growing Trial</u>

- 5.1 The selection of varieties of common knowledge to be grown in the trial with the candidate varieties and the way in which these varieties are divided into groups to facilitate the assessment of distinctness are aided by the use of grouping characteristics.
- 5.2 Grouping characteristics are those in which the documented states of expression, even where produced at different locations, can be used, either individually or in combination with other such characteristics: (a) to select varieties of common knowledge that can be excluded from the growing trial used for examination of distinctness; and (b) to organize the growing trial so that similar varieties are grouped together.
- 5.3 The following have been agreed as useful grouping characteristics:
- 5.4 Guidance for the use of grouping characteristics, in the process of examining distinctness, is provided through the General Introduction and document TGP/9 "Examining Distinctness".

6. Introduction to the Table of Characteristics

- 6.1 Categories of Characteristics
- 6.1.1 Standard Test Guidelines Characteristics

Standard Test Guidelines characteristics are those which are approved by UPOV for examination of DUS and from which members of the Union can select those suitable for their particular circumstances.

6.1.2 Asterisked Characteristics

Asterisked characteristics (denoted by *) are those included in the Test Guidelines which are important for the international harmonization of variety descriptions and should always be examined for DUS and included in the variety description by all members of the Union, except when the state of expression of a preceding characteristic or regional environmental conditions render this inappropriate.

- 6.2 States of Expression and Corresponding Notes
- 6.2.1 States of expression are given for each characteristic to define the characteristic and to harmonize descriptions. Each state of expression is allocated a corresponding numerical note for ease of recording of data and for the production and exchange of the description.
- 6.2.2 In the case of qualitative and pseudo-qualitative characteristics (see Chapter 6.3), all relevant states of expression are presented in the characteristic. However, in the case of quantitative characteristics with 5 or more states, an abbreviated scale may be used to minimize the size of the Table of Characteristics. For example, in the case of a quantitative characteristic with 9 states, the presentation of states of expression in the Test Guidelines may be abbreviated as follows:

State	Note
small	3
medium	5
large	7

However, it should be noted that all of the following 9 states of expression exist to describe varieties and should be used as appropriate:

State	Note
very small	1
very small to small	2
small	3
small to medium	4
medium	5
medium to large	6
large	7
large to very large	8
very large	9

- 6.2.3 Further explanation of the presentation of states of expression and notes is provided in document TGP/7 "Development of Test Guidelines".
- 6.3 Types of Expression

An explanation of the types of expression of characteristics (qualitative, quantitative and pseudoqualitative) is provided in the General Introduction.

6.4 Example Varieties

Where appropriate, example varieties are provided to clarify the states of expression of each characteristic.

6.5 Legend

	English		frança	s	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
1 2	3	4	5	6	7			
	Name of characteristics in English		Nom carac frança	tère en	Name des Merkmals auf Deutsch	Nombre del carácter en español		
	states expre		types	d'expression	Ausprägungsstufen	tipos de expresión		

1 Characteristic number

2	(*)	Asterisked characteristic	- see Chapter 6.1.2
3	Type of expression QL QN PQ	Qualitative characteristic Quantitative characteristic Pseudo-qualitative characteristic	– see Chapter 6.3 – see Chapter 6.3 : – see Chapter 6.3
4	Method of observation (and type MG, MS, VG, VS	e of plot, if applicable)	- see Chapter 4.1.5
5	(+)	See Explanations on the Table of	of Characteristics in Chapter 8.1

- 6 Not applicable
- 7 Not applicable

7. <u>Table of Characteristics/Tableau des caractères/Merkmalstabelle/Tabla de caracteres</u>

		English	français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
1.	PQ	VG					
	tree:	shape					
	spheri	cal					1
	erecte						2
	other						3
2.	PQ	VG					
	vigor	1					
	vigor						
	weak						3
	mediu	IM					5
	strong	1					7
3.	PQ	VG			T		
	tree: growth habit						
	upright						1
	spreading						2
	drooping						3
4.	PQ	vs					
	tree: t	runk area					
	fluted						1
	strongly fluted						2
5.	QN	VG					
	shoot domii	:: apical nance					
	absen	t					2
	prese	nt					4
6.	QN	VS				1	1
	shoot spine	<u>:: density of</u> <u>s</u>					
	small						1
	mediu	ım					2
	large						3

		English	français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
7.	PQ	vs					
	shoot: develo	type of ppment					
	N						1
	right						3
8.	QN	VG					
	shoot: brancl	typeof ning					
	droopii	ng					1
	erecte	d					2
9.	QN	VG					
	shoot	internode					
	short						3
	medium						5
	long						7
10.	QN	MG					
	shoot	insertion angle					
	#30°						3
	#60°						5
	>60°						7
11.	QN	VG			1		
	leaf: d						
	weak						1
	mediu	n					2
	strong			•			3
12.	QN	MS			·	·	
	leaf bl	ade: size					
	small						3
	mediu	n					5
	large						7

		English	français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
13.	QN	VS					
	leaf b upper	lade: color of side					
	light g	reen					3
	green						5
	dark g	reen					7
	other						9
14.	QN	VS				-	
	leaf: s	shape					
	oblon	9					3
	lanceolate						5
	spatul	а					7
15.	PQ	VG					
	leaf blade: shape of apex						
	acute						1
	rounded						2
	other						3
16.	PQ	VG				·	
	leaf blade: shape of base						
	cuneiform						1
	other						2
17.	QN	MS/VS			I	<u> </u>	1
	leaf b	lade: length					
	short			 	 		3
	mediu	ım					5
	long						7

		English	français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
18.	QN	MS/VS					
	leaf b	lade: width					
	narrov	N					3
	mediu	ım					5
	broad						7
19.	QN	MS			•		
		lade: ratio h/width					
	small						3
	mediu	ım			•		5
	large						7
20.	QN	VG					
	leaf b densi under	lade: stomatal ty on the rside					
	weak						1
	medium						2
	broad						3
21.	QN	MS/VS					-
	petiol	e: length					
	short						3
	long						7
22.	QN	VG			1	1	
	flowe	r: insertion					
	in the	axils of leaves					1
	on the nodes of branches						2
	on bot	th					3
23.	QN	VG					
	flowe flowe	r: time of ring					
	early						3
	late						5
	phase	ed					7

		English	français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
24.	PQ	MG					
	flowe incom	r: self- npatibility					
	total						1
	partial						2
	absen	t					3
25.	PQ	VG					L
	flowe	r: petal: color					
	white						1
	light y	ellow					2
	yellow	1					3
26.	PQ	VS					L
	fruit: couleur at maturity						
	brown						1
	dark brown						2
	very d	ark brown					3
	black						4
	dark black						5
27.	PQ	VG					
	fruit:	shape					
	elonga	aged					1
	fusifor	m					2
	oval a	piculate					3
	round	ed					4
	globul	ar					5
28.	QN	MS/VS					
	fruit:	length					
	short						3
	mediu	m					5
	long						7

		English	français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
29.	QN	MS/VS					
	fruit:	width					
	small						3
	mediu	m					5
	large						7
30.	QN	MS			I		
	fruit:	ratio length/width	· · · ·				
	small						3
	mediu	m					5
	large				 		7
31.	QN	MS/VG			<u> </u>		
:	stone	: weight	:				
	low	_					3
	mediu	m					5
	high						7
32.	PQ	VG					1.
		: shape					
	rounde						1
	fusifor						2
							3
22	sharp QN						4
33.		MS/VS					
	stone	: length					
	short						3
	mediu	m					5
	long						7
34.	QN	MS/VS				1	
	stone	: width					
	small				 		3
	mediu	m					5
	large						7

		English	français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
35.	QN	MS			•		•
	stone lengt	e: ratio h/width					
	small						3
	mediu	ım					5
	large						7
36.	QN	MS			I		
	stone	e: number of nd lodge					
	one						1
	two						2
	three						3
37.	QN	VG					
	stone crack	e: resistance to ing					
	weak						1
	mediu						2
	thick						3
38.	QN	VG					
	stone	e: shell: thickness					
	thin						1
	mediu	ım					2
	thick						3
39.	QN	MS/VG					
	kerne	el: weight					
	low						3
	mediu	ım					5
	high						7

	English	français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
40.	QN MS/VS					
	kernel: length					
	short					3
	medium					5
	long					6
41.	QN MS/VS			·		
	kernel: width					
	large					
	medium					
	small					
42.	QN MS					
	kernel: ratio					
	length/width					
	small					3
	medium					5
10	large					7
43.	PQ VG			1		
	kernel: shape					
	elliptic					1
	flattened					2
	others					3
44.	QN MG/MS			1	-	
	kernel: number					
	one					1
	two					2
	three					3
	>3					4
45.	PQ VG			1		-
	kernel: color					
	white					1
	light yellow					2
	yellow					3
	others			[4

		English	français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
46.	QN	MG/MS					
	kerne	I: oil content					
	low (<	:39%)					3
	mediu and 44						5
	high (:	>44%)					7
47.	QN	MG/MS					•
		l: ratio kernel ht / stone weight					
	low						3
	mediu						5
	high						7

8. Explanations on the Table of Characteristics

8.1 Explanations for individual characteristics

9. <u>Literature</u>

10. <u>Technical Questionnaire</u>

TECH		UESTIONNAIRE		Page {x} of {y}		Reference Number:	
						Application date: (not to be filled in by the applicant)	
				CHNICAL QUESTION		IRE for plant breeders' rights	
1.	Subjec	t of the Technical Question	nnai	re			
	1.1	Botanical name	Ar	gania spinosa (L.) Sk	keels	3	
	1.2	Common name					
2.	Applica	ant					
	Name						
	Addres	S					
	Teleph	one No.					
	Fax No).					
	E-mail	address					
	Breede applica	er (if different from Int)					
3.	Propos	ed denomination and bree	eder	's reference			
	Propos (if avai	ed denomination lable)					
	Breede	er's reference					

TECHNICAL QUESTIONNAIRE	Page {x} of {y}	Reference Number:
#4. Information on the breeding scheme4.1 Breeding scheme	and propagation of the var	iety

TECHNICAL (QUESTIONNAIRE	Page {x} of {y}	Reference Number:	
4.2 4.2.1	Method of propagating t Other (Please provide details)	-	[]	

TECH	TECHNICAL QUESTIONNAIRE Page {x} of {y} Reference Number:								
 Characteristics of the variety to be indicated (the number in brackets refers to the corresponding characteristic in Test Guidelines; please mark the note which best corresponds). 									
	Characteristics	E	kample Varieties	Note					
5.1	vigor								
(2)									
	weak			3[]					
	medium			5[]					
	strong			7[]					

TECHNICAL QUESTIONNAIRE	Page {x} of {y}	Reference Number:						
6. Similar varieties and differences from these varieties Please use the following table and box for comments to provide information on how your candidate variety differs from the variety (or varieties) which, to the best of your knowledge, is (or are) most similar. This information may help the examination authority to conduct its examination of distinctness in a more efficient way.								
Denomination(s) of Characteristic variety(ies) similar to your candidate variety from the simila	variety differs the characte	e expression of ristic(s) for the variety(ies) Describe the expression of the characteristic(s) for your candidate variety						
Example								
Comments:								

TECH	NICAL QUESTIONNAIRE	Page {x} of {y}	Reference Number:				
#7.	Additional information which m	ay help in the examination	of the variety				
7.1	In addition to the information provided in sections 5 and 6, are there any additional characteristics which may help to distinguish the variety?						
	Yes []	No	[]				
	(If yes, please provide details)						
7.2	Are there any special condition	ns for growing the variety o	r conducting the examination?				
	Yes []	No	[]				
	(If yes, please provide details)						
7.3	Other information						

			1						
TECH	HNICA	L QUESTIONNAIRE	Page {x} of {y	Re	eference Number:				
8.	Authorization for release								
	(a)	Does the variety require prior authorization for release under legislation concerning the protection of the environment, human and animal health?							
		Yes []	No []					
	(b)	Has such authorization be	en obtained?						
		Yes []	No []					
	If the	answer to (b) is yes, please	attach a copy of the a	authorization.					
9. Inf	formatio	on on plant material to be e	xamined or submitted	for examination	on				
	s and o	e expression of a character disease, chemical treatmen scions taken from different	nt (e.g. growth retard	ants or pesti					
chara has i	acterist undergo	ant material should not h ics of the variety, unless th one such treatment, full det your knowledge, if the plant	e competent authoritie ails of the treatment r	es allow or re nust be given	quest such treatment. In this respect, please	If the plant material			
	(a)	Microorganisms (e.g.	virus, bacteria, phytop	olasma)	Yes []	No []			
	(b)	Chemical treatment (e.g. growth retardant,	pesticide)	Yes []	No []			
	(c)	Tissue culture			Yes []	No []			
	(d)	Other factors			Yes []	No []			
	Plea	ase provide details for when	e you have indicated	"yes".					
10.									
10.									
	Арр	olicant's name							
					1				
	Sig	Inature			Date				

[End of document]