

TG/AGLAO(proj.7)
ORIGINAL: English
DATE: 2016-05-09

INTERNATIONAL UNION FOR THE PROTECTION OF NEW VARIETIES OF PLANTS

Geneva

DRAFT

AGLAONEMA

UPOV Code(s): AGLAO

Aglaonema Schott

GUIDELINES

FOR THE CONDUCT OF TESTS

FOR DISTINCTNESS, UNIFORMITY AND STABILITY

prepared by experts from Japan

to be considered by the

Technical Working Party for Ornamental Plants and Forest Trees at its forty-ninth session, to be held in Gimcheon City, Republic of Korea, from 2016-06-13 to 2016-06-17

Disclaimer: this document does not represent UPOV policies or guidance

Alternative names:*

Botanical name	English	French	German	Spanish
Aglaonema Schott	Chinese Evergreen			

The purpose of these guidelines ("Test Guidelines") is to elaborate the principles contained in the General Introduction (document TG/1/3), and its associated TGP documents, into detailed practical guidance for the harmonized examination of distinctness, uniformity and stability (DUS) and, in particular, to identify appropriate characteristics for the examination of DUS and production of harmonized variety descriptions.

ASSOCIATED DOCUMENTS

These Test Guidelines should be read in conjunction with the General Introduction and its associated TGP documents.

These names were correct at the time of the introduction of these Test Guidelines but may be revised or updated. [Readers are advised to consult the UPOV Code, which can be found on the UPOV Website (www.upov.int), for the latest information.]

<u>TA</u>	BLE O	F CONTENTS	<u>PAGE</u>
1.	SUBJE	CT OF THESE TEST GUIDELINES	<u>3</u>
2.	MATER	RIAL REQUIRED	. <u>3</u>
3.	METH	DD OF EXAMINATION	. <u>4</u>
	3.1 3.2 3.3 3.4 3.5	Number of Growing Cycles	. <u>4</u> . <u>4</u>
4.	ASSES	SSMENT OF DISTINCTNESS, UNIFORMITY AND STABILITY	<u>5</u>
	4.1 4.2 4.3	Distinctness Uniformity Stability	<u>5</u>
5.	GROU	PING OF VARIETIES AND ORGANIZATION OF THE GROWING TRIAL	. <u>6</u>
6.	INTRO	DUCTION TO THE TABLE OF CHARACTERISTICS	. <u>7</u>
	6.1 6.2 6.3 6.4 6.5	Categories of Characteristics	. <u>7</u> . 7
7.		OF CHARACTERISTICS/TABLEAU DES CARACTÈRES/MERKMALSTABELLE/TABLA DE CTERES	. <u>8</u>
8.	EXPLA	NATIONS ON THE TABLE OF CHARACTERISTICS	<u>9</u>
	8.1 8.2	Explanations covering several characteristics	
9.	LITERA	ATURE	. <u>9</u>
10.	TECHN	NICAL QUESTIONNAIRE	. <u>11</u>

1. <u>Subject of these Test Guidelines</u>

These Test Guidelines apply to all varieties of Aglaonema Schott.

2. Material Required

- 2.1 The competent authorities decide on the quantity and quality of the plant material required for testing the variety and when and where it is to be delivered. Applicants submitting material from a State other than that in which the testing takes place must ensure that all customs formalities and phytosanitary requirements are complied with.
- 2.2 The material is to be supplied in the form of plants capable of expressing all relevant characteristics over the one growing cycle.
- 2.3 The minimum quantity of plant material, to be supplied by the applicant, should be:

10 young plants

- 2.4 The plant material supplied should be visibly healthy, not lacking in vigor, nor affected by any important pest or disease.
- 2.5 The plant material should not have undergone any treatment which would affect the expression of the characteristics of the variety, unless the competent authorities allow or request such treatment. If it has been treated, full details of the treatment must be given.

3. Method of Examination

3.1 Number of Growing Cycles

The minimum duration of tests should normally be a single growing cycle.

3.2 Testing Place

Tests are normally conducted at one place. In the case of tests conducted at more than one place, guidance is provided in TGP/9 "Examining Distinctness".

- 3.3 Conditions for Conducting the Examination
- 3.3.1 The tests should be carried out under conditions ensuring satisfactory growth for the expression of the relevant characteristics of the variety and for the conduct of the examination.
- 3.3.2 Because daylight varies, color determinations made against a color chart should be made either in a suitable cabinet providing artificial daylight or in the middle of the day in a room without direct sunlight. The spectral distribution of the illuminant for artificial daylight should conform with the CIE Standard of Preferred Daylight D 6500 and should fall within the tolerances set out in the British Standard 950, Part I. These determinations should be made with the plant part placed against a white background. The color chart and version used should be specified in the variety description.
- 3.4 Test Design
- 3.4.1 Each test should be designed to result in a total of at least 10 Plants.
- 3.4.2 The design of the tests should be such that plants or parts of plants may be removed for measurement or counting without prejudice to the observations which must be made up to the end of the growing cycle.

3.5 Additional Tests

Additional tests, for examining relevant characteristics, may be established.

4. Assessment of Distinctness, Uniformity and Stability

4.1 Distinctness

4.1.1 General Recommendations

It is of particular importance for users of these Test Guidelines to consult the General Introduction prior to making decisions regarding distinctness. However, the following points are provided for elaboration or emphasis in these Test Guidelines.

4.1.2 Consistent Differences

The differences observed between varieties may be so clear that more than one growing cycle is not necessary. In addition, in some circumstances, the influence of the environment is not such that more than a single growing cycle is required to provide assurance that the differences observed between varieties are sufficiently consistent. One means of ensuring that a difference in a characteristic, observed in a growing trial, is sufficiently consistent is to examine the characteristic in at least two independent growing cycles.

4.1.3 Clear Differences

Determining whether a difference between two varieties is clear depends on many factors, and should consider, in particular, the type of expression of the characteristic being examined, i.e. whether it is expressed in a qualitative, quantitative, or pseudo-qualitative manner. Therefore, it is important that users of these Test Guidelines are familiar with the recommendations contained in the General Introduction prior to making decisions regarding distinctness.

4.1.4 Number of plants or parts of plants to be Examined

Unless otherwise indicated, for the purposes of distinctness, all observations on single plants should be made on 9 plants or parts of plants taken from each of 9 plants and any other observations made on all plants in the test, disregarding any off-type plants.

In the case of observations of parts taken from single plants, the number of parts to be taken from each of the plants should be 1.

4.1.5 Method of Observation

The recommended method of observing the characteristic for the purposes of distinctness is indicated by the following key in the second column of the Table of Characteristics (see document TGP/9 "Examining Distinctness", Section 4 "Observation of characteristics"):

MG: single measurement of a group of plants or parts of plants

MS: measurement of a number of individual plants or parts of plants

VG: visual assessment by a single observation of a group of plants or parts of plants

VS: visual assessment by observation of individual plants or parts of plants

Type of observation: visual (V) or measurement (M)

"Visual" observation (V) is an observation made on the basis of the expert's judgment. For the purposes of this document, "visual" observation refers to the sensory observations of the experts and, therefore, also includes smell, taste and touch. Visual observation includes observations where the expert uses reference points (e.g. diagrams, example varieties, side-by-side comparison) or nonlinear charts (e.g. color charts). Measurement (M) is an objective observation against a calibrated, linear scale e.g. using a ruler, weighing scales, colorimeter, dates, counts, etc.

Type of record: for a group of plants (G) or for single, individual plants (S)

For the purposes of distinctness, observations may be recorded as a single record for a group of plants or parts of plants (G), or may be recorded as records for a number of single, individual plants or parts of plants (S). In most cases, "G" provides a single record per variety and it is not possible or necessary to apply statistical methods in a plant-by-plant analysis for the assessment of distinctness.

In cases where more than one method of observing the characteristic is indicated in the Table of Characteristics (e.g. VG/MG), guidance on selecting an appropriate method is provided in document TGP/9, Section 4.2.

4.2 Uniformity

- 4.2.1 It is of particular importance for users of these Test Guidelines to consult the General Introduction prior to making decisions regarding uniformity. However, the following points are provided for elaboration or emphasis in these Test Guidelines:
- 4.2.2 For the assessment of uniformity of vegetatively propagated varieties, a population standard of 1% and an acceptance probability of at least 95% should be applied. In the case of a sample size of 10 plants, 1 off-types are allowed.

4.3 Stability

- 4.3.1 In practice, it is not usual to perform tests of stability that produce results as certain as those of the testing of distinctness and uniformity. However, experience has demonstrated that, for many types of variety, when a variety has been shown to be uniform, it can also be considered to be stable.
- 4.3.2 Where appropriate, or in cases of doubt, stability may be further examined by testing a new plant stock to ensure that it exhibits the same characteristics as those shown by the initial material supplied.

- 5. Grouping of Varieties and Organization of the Growing Trial
- 5.1 The selection of varieties of common knowledge to be grown in the trial with the candidate varieties and the way in which these varieties are divided into groups to facilitate the assessment of distinctness are aided by the use of grouping characteristics.
- 5.2 Grouping characteristics are those in which the documented states of expression, even where produced at different locations, can be used, either individually or in combination with other such characteristics: (a) to select varieties of common knowledge that can be excluded from the growing trial used for examination of distinctness; and (b) to organize the growing trial so that similar varieties are grouped together.
- 5.3 The following have been agreed as useful grouping characteristics:
 - (a) Leaf blade: length (characteristic 9)
 - (b) Leaf blade: width (characteristic 10)
 - (c) Leaf blade: color covering the largest surface area on upper side, with the following color groups:

Gr. 1: white

Gr. 2: green

Gr. 3: grey green

Gr. 4: yellow

Gr. 5: red

Gr. 6: red purple

(d) Leaf blade: color covering the second largest surface area on upper side, with the following color groups:

Gr. 1: white

Gr. 2: green

Gr. 3: grey green

Gr. 4: yellow

Gr. 5: red

Gr. 6: red purple

5.4 Guidance for the use of grouping characteristics, in the process of examining distinctness, is provided through the General Introduction and document TGP/9 "Examining Distinctness".

6. Introduction to the Table of Characteristics

6.1 Categories of Characteristics

6.1.1 Standard Test Guidelines Characteristics

Standard Test Guidelines characteristics are those which are approved by UPOV for examination of DUS and from which members of the Union can select those suitable for their particular circumstances.

6.1.2 Asterisked Characteristics

Asterisked characteristics (denoted by *) are those included in the Test Guidelines which are important for the international harmonization of variety descriptions and should always be examined for DUS and included in the variety description by all members of the Union, except when the state of expression of a preceding characteristic or regional environmental conditions render this inappropriate.

- 6.2 States of Expression and Corresponding Notes
- 6.2.1 States of expression are given for each characteristic to define the characteristic and to harmonize descriptions. Each state of expression is allocated a corresponding numerical note for ease of recording of data and for the production and exchange of the description.
- 6.2.2 In the case of qualitative and pseudo-qualitative characteristics (see Chapter 6.3), all relevant states of expression are presented in the characteristic. However, in the case of quantitative characteristics with 5 or more states, an abbreviated scale may be used to minimize the size of the Table of Characteristics. For example, in the case of a quantitative characteristic with 9 states, the presentation of states of expression in the Test Guidelines may be abbreviated as follows:

State	Note
small	3
medium	5
large	7

However, it should be noted that all of the following 9 states of expression exist to describe varieties and should be used as appropriate:

State	Note
very small	1
very small to small	2
small	3
small to medium	4
medium	5
medium to large	6
large	7
large to very large	8
very large	9

6.2.3 Further explanation of the presentation of states of expression and notes is provided in document TGP/7 "Development of Test Guidelines".

6.3 Types of Expression

An explanation of the types of expression of characteristics (qualitative, quantitative and pseudo-qualitative) is provided in the General Introduction.

6.4 Example Varieties

Where appropriate, example varieties are provided to clarify the states of expression of each characteristic.

6.5 Legend

		English		françai	s	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
1	2	3	4	5	6	7			
		Name of characteristics in English		Nom o caract frança	tère en	Name des Merkmals auf Deutsch	Nombre del carácter en español		
		states expres		types	d'expression	Ausprägungsstufen	tipos de expresión		

1 Characteristic number

2 (*) Asterisked characteristic – see Chapter 6.1.2

3 Type of expression

QL Qualitative characteristic – see Chapter 6.3
QN Quantitative characteristic – see Chapter 6.3
PQ Pseudo-qualitative characteristic – see Chapter 6.3

4 Method of observation (and type of plot, if applicable)
MG, MS, VG, VS – see Chapter 4.1.5

5 (+) See Explanations on the Table of Characteristics in Chapter 8.2

6 (a)-(j) See Explanations on the Table of Characteristics in Chapter 8.1

7 Not applicable

7. <u>Table of Characteristics/Tableau des caractères/Merkmalstabelle/Tabla de caracteres</u>

		English		français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
1.	QN	MG/VG						
	Plant	height	Plant	e: hauteur	Pflanze: Höhe	Planta: altura		
	short		basse		niedrig	baja	Subrungrueng	3
	mediu	ım	moye	nne	mittel	media	Chalit's Pride	5
	tall		haute		hoch	alta	Thep Ranjuan	7
2.	QN	MS/VG	(+)					•
	Plant:	number of basal						
	absen	t or few					Cassic	1
	mediu		†				Katharngen	2
	many		<u> </u>				Chaowang	3
3. (*)	QN	MS/VG		(a), (b)			•	
·	Leaf	sheath: length	Gaine	e de la feuille: leur	Blattscheide: Länge	Vaina de la hoja: longitud		
	absen	t or very short					World Heritage	1
	short						Bebadary	3
	medium						Pritty	5
	long						Katharngen	7
4.	QN	VG	(+)	(a)				
		sheath: der shape						
	strong	ly sloping					Katharngen	1
	straigl	nt					Supmongkon	3
	strong	ly elevated					Saisamorn	5
5. (*)	PQ	VG		(a), (c)		1		
·	Leaf s	sheath: main of outer side		·				
		Colour Chart ate reference er)						
6.	QN	MS/VG		(a), (b)				
	Petiol	e: length						
	short		court		kurz	corta		3
	mediu	ım	moye	n	mittel	media	Chalit's Pride	5
	long		long		lang	larga	Katharngen	7

			English		français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
7.		PQ	VG		(a), (c)				
·		Petiol	e: main color	Pétiol princi	e : couleur pale	Blattstiel: Hauptfarbe	Pecíolo: color principal		
			Colour Chart ate reference er)		RHS des couleurs ler le numéro de nce)	RHS-Farbkarte (Nummer angeben)	Carta de colores RHS (indicar el número de referencia)		
8. ((*)	PQ	VG		(a), (c)				
			e: secondary (if present)						
		_	Colour Chart ate reference er)						
9. ((*)	QN	MS/VG		(a), (d)				
	İ	Leaf b	olade: length	Limbe	: longueur	Blattspreite: Länge	Limbo: longitud		
	•	short		court		kurz	corto	Black Beauty	3
		medium						Tiara	5
		long						Thep Ranjuan	7
10. ((*)	QN	MS/VG		(a), (d)				
		Leaf b	olade: width	Limbe	: largeur	Blattspreite: Breite	Limbo: anchura		
		narrov	V	étroit		schmal	estrecho	Thep Ranjuan	3
		mediu	ım					Katharngen	5
		broad						World Heritage	7
11.		QN	MS/VG	(+)	(a)				
			olade: ratio n/width		e : rapport eur/largeur	Blattspreite: Verhältnis Länge/Breite	Limbo: relación longitud/anchura		
		low						Parumruay	3
		mediu	ım					Katharngen	5
		high							7
12. (*)	QN	VG	(+)	(a)			_	
			plade: position of lest part						
		toward	d base	vers la	base	zur Basis hin	hacia la base	Ribbon Evergreen	1
		at mid	ldle	au mili	eu	in der Mitte	en el medio	Pride of Sumatra	2
		toward	d apex	vers le	sommet	zur Spitze hin	hacia el ápice	Ik Q san	3

		English		français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
13.	PQ	VG	(+)	(a)				•
	Leaf apex	blade: shape of						
	stron	gly acute						1
	mode	rately acute						2
	obtus	е						3
14. (*)	PQ	VG	(+)	(a)				
	Leaf blade: shape of base							
	attenı	uate					Thep Ranjuan	1
	acute							2
	obtuse						Chalit's Pride	3
	trunca							4
	corda	te					World Heritage	5
15. (*)	PQ	VG		(a), (e), (f)				
	Leaf	blade: color 1						
	RHS Colour Chart (indicate reference number)							

		English	français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
16. (*)	PQ	VG	(a), (e), (f), (g)				-1
		blade: bution of color 1					
	along	midrib					1
	at ma	rgin					2
	betwe margi	en midrib and n					3
	along	veins					4
	betwe	en veins					5
	throug	ghout					6
	along margi	midrib and at n					7
	along veins	midrib and along					8
	along throug	midrib and ghout					9
		veins and en veins					10
	at margin and throughout						11
	along midrib, along veins and throughout						12
		midrib, along and between					13
		midrib, at margin long veins					14
17. (*)	PQ	VG	(a), (e), (f), (h)				
	Leaf I	blade: pattern of					
	blotch	ies					1
	centra	al bar					2
	stripe	s					3
	margi	nal zone					4
		or nearly solid					5
		nes and central bar					6
	blotch	nes and stripes					7
		nes and marginal					8
	centra	al bar and stripes					9
	central bar and marginal zone						10

		English	français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
18. (*)	QN	VG	(a), (e), (i)				
	Leaf blade: pattern of color 1: size of blotches						
	small						1
	mediu	ım					2
	large						3
19. (*)	QN	VG	(a), (e), (f)				_
	Leaf I	olade: total area lor 1					
	small						3
	mediu	ım					5
	large						7
20. (*)	PQ	VG	(a), (e), (f)				
	Leaf I	blade: color 2					
	RHS Colour Chart (indicate reference number)						

		English	français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
21. (*)	PQ	VG	(a), (e), (f), (j)		Į.	Į.	
		blade: bution of color 2					
	none						1
	along	midrib					2
	at ma	rgin					3
	betwe margi	een midrib and n					4
	along	veins					5
		en veins					6
	throug	ghtout					7
	along margi	midrib and at n					8
	along veins	midrib and along					9
	along throug	midrib and ghout					10
	betwe	veins and een veins					11
		rgin and					12
	along veins	midrib, along and throught					13
	along midrib, along veins and between veins						14
	along and a	midrib, at margin long veins					15

		English	français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
22. (*)	PQ	VG	(a), (e), (f), (h)			•	
	Leaf I	blade: pattern of					
	blotch						1
	centra						2
	stripe	s					3
	margi	nal zone					4
		or nearly solid					5
		nes and central bar					6
	blotch	nes and stripes					7
	zone	nes and marginal					8
	centra	al bar and stripes					9
	central bar and marginal zone						10
23. (*)	QN	VG	(a), (e), (i)				
	Leaf I color blotc	blade: pattern of 2: size of hes					
	small						1
	mediu	ım					2
	large						3
24. (*)	QN	VG	(a), (e), (f)			·	
	Leaf I	blade: total area lor 2					
	small						3
	mediu	ım					5
	large						7
25. (*)	PQ	VG	(a), (e), (f)				
	Leaf I	blade: color 3					
	RHS Colour Chart(indicate reference number)						

		English	français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
26. (*)	PQ	VG	(a), (e), (f), (j)				
	Leaf I	plade: bution of color 3					
	none						1
	along	midrib					2
	at ma	rgin					3
	betwe margi	en midrib and n					4
	along	veins					5
		en veins					6
	throug	ghout					7
	along margi	midrib and at n					8
	along veins	midrib and along					9
	along throug	midrib and hout					10
	betwe	veins and en veins					11
		rgin and					12
	along veins	midrib, along and throughout					13
	along midrib, along veins and between veins						14
	along and a	midrib, at margin long veins					15

		English	français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
27. (*)	PQ	VG	(a), (e), (f), (h)			•	
Ē	Leaf color	blade: pattern of					
	blotch						1
	centra						2
	stripe	s					3
	margi	inal zone					4
		or nearly solid					5
		nes and central bar					6
	blotch	nes and stripes					7
	zone	nes and marginal					8
	centra	al bar and stripes					9
	central bar and marginal zone						10
28. (*)	QN	VG	(a), (e), (i)				
	Leaf l color blotc	blade: pattern of 3: size of hes					
	small						1
	mediu	ım					2
	large						3
29. (*)	QN	VG	(a), (e), (f)			·	
	Leaf of co	blade: total area lor 3					
	small						3
	mediu	ım					5
	large						7
30. (*)	PQ	VG	(a), (e), (f)				
:	Leaf	blade:color 4					
	RHS Colour Chart(indicate reference number)						

		English	français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
31. (*)	PQ	VG	(a), (e), (f), (j)				
	Leaf blade: distribution of color 4						
	none						1
	along	midrib					2
	at ma	rgin					3
	betwe margi	en midrib and n					4
	along	veins					5
		en veins					6
	throug	ghout					7
	along margi	midrib and at n					8
	along veins	midrib and along					9
	along throug	midrib and shout					10
	betwe	veins and en veins					11
		rgin and					12
	along veins	midrib, along and throughout					13
	along midrib, along veins and between veins						14
	along and a	midrib, at margin long veins					15

		English	français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
32. (*)	PQ	VG	(a), (e), (f), (h)				•
	Leaf I	plade: pattern of 4					
	blotch	es					1
	centra	al bar					2
	stripe	S					3
	margi	nal zone					4
	solid (or nearly solid					5
	blotch	es and central bar					6
	blotch	es and stripes					7
	zone	es and marginal					8
	centra	al bar and stripes					9
	central bar and marginal zone						10
33. (*)	QN	VG	(a), (e), (i)				
	Leaf I color blotcl	olade: pattern of 4: size of nes					
	small						1
	mediu	ım					2
	large						3
34. (*)	QN	VG	(a), (e), (f)				
·	Leaf I	olade: total area or 4	,				
	small						3
	mediu	ım					5
	large						7
35. (*)	PQ	VG	(a), (e), (f)		,		1
·	Leaf I	plade: color 1 of side	·				
		Colour Chart ate referebce er)					

		English	français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
36. (*)	PQ	VG	(a), (e), (f), (g)				·
		plade: pution of color 1 er side					
	along	midrib					1
	at mar	gin					2
	betwee margir	en midrib and					3
	along	veins					4
	betwee	en veins					5
	throug	hout					6
	along margir	midrib and at า					7
	along	midrib and along					8
	along throug	midrib and hout					9
	betwee	veins and en veins					10
		gin and					11
	along veins a	midrib, along and throughout					12
	along veins a veins	midrib, along and between					13
	along and al	midrib, at margin ong veins					14

	English		français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
37. (*)	PQ	VG	(a), (e), (f), (h)			'	!
	Leafb color	lade: pattern of 1 of lower side					
	blotch	es					1
	centra	al bar					2
	stripe	S					3
	margi	nal zone					4
	solid o	or nearly solid					5
	blotch	es and central bar					6
	blotch	es and stripes					7
	blotch zone	es and marginal					8
		al bar and stripes					9
	central bar and marginal zone						10
38. (*)	QN	VG	(a), (e), (i)			<u>'</u>	•
	color	olade: pattern of 1 of lower side: of blotches					
	small						1
	mediu	ım					2
	large						3
39. (*)	QN	VG	(a), (e), (f)				
:		olade: total area or 1 of lower side					
	small						3
	mediu	ım					5
	large						7
40. (*)		VG	(a), (e), (f)				
1	<u> </u>	lade: color 2 of side					
	RHS Colour Chart (indicate reference number)						

		English	français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
41. (*)	PQ	VG	(a), (e), (f), (j)				•
	distri	blade: bution of color 2 wer side					
	none						1
	along	midrib					2
	at ma	ırgin					3
	betwe margi	een midrib and in					4
	along	veins					5
	betwe	een veins					6
	throu	ghout					7
	along margi	midrib and at in					8
	along veins	midrib and along					9
	along throu	midrib and					10
	betwe	veins and een veins					11
		rgin and					12
	along veins	midrib, along and throughout					13
		midrib, along and between					14
	along and a	midrib, at margin llong veins					15

		English	français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
42. (*)	PQ	VG	(a), (e), (f), (h)			·	
-	Leaf I	blade: pattern of 2 of lower side					
	blotch	nes					1
	centra	al bar					2
	stripe	s					3
	margi	nal zone					4
	solid	or nearly solid					5
	blotch	nes and central bar					6
	blotch	nes and stripes					7
	blotch zone	nes and marginal					8
		al bar and stripes					9
	central bar and marginal zone						10
43. (*)	QN	VG	(a), (e), (i)		•	·	
	color	blade: pattern of 2 of lower side: of blotches					
	small						1
	mediu	ım					2
	large						3
44. (*)	QN	VG	(a), (e), (f)			'	
		blade: total area lor 2 of lower side					
	small						3
	mediu	ım					5
	large						7
45. (*)	PQ	VG	(a), (e), (f)		1	-	
	Leaf I	blade: color 3 of					
	RHS Color Chart (indicate reference number)						

	English		français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
46. (*)	PQ	VG	(a), (e), (f), (j)				
	Leaf blade: distribution of color 3 of lower side						
	none						1
	along	midrib					2
	at ma	argin					3
	between marg	een midrib and in					4
	along	veins					5
	betwe	een veins					6
	throu	ghout					7
	along marg	midrib and at in					8
	along veins	midrib and along					9
	along throu	midrib and ghoutng					10
	betwe	veins and een veins					11
	at ma	argin and ghout					12
	along veins	midrib, along and throughout					13
		midrib, along and between					14
	along and a	midrib,at margin alomg veins					15

		English		français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
47. (*)	PQ	VG		(a), (e), (f), (h)				
	Leaf b	plade: pattern of 3 of lower side						
	blotch							1
	centra	l bar						2
	stripes							3
	margir	nal zone						4
		solid or nearly solid						5
	blotch	es and central bar						6
		es and stripes						7
	blotch zone	es and marginal						8
	centra	l bar and stripes						9
	centra zone	l bar and marginal	•					10
48. (*)	QN	VG		(a), (e), (i)			•	
	Leaf be color size o	plade:pattern of 3 of lower side: f blotches						
	small							1
	mediu	m						2
	large							3
49. (*)	QN	VG		(a), (e), (f)				
	Leaf b	olade: total area or 3 of lower side						
	small							3
	mediu	m						5
	large							7
50. (*)	QN	VG		(a), (e)				
	Leaf b	olade: glossiness						
		t or weak					Katharngen	1
	mediu							2
	strong						Black Beauty	3
51. (*)	QN	VG	(+)	(a)				
	Leaf b	olade: blistering						
	absent or weak						Katharngen	1
	mediu	m					Tiara	2
	strong							3


		English		français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
52. (*)	QN	VG		(a)		'	,	
·	Leaf I	blade: undulation orgin		•				
	abser	nt or very weak					Chalit's Pride	1
	weak						Katharngen	2
	mediu	ım					Saisamorn	3
	strong]						4
	very s	strong					Black Beauty	5
53. (*)	QN	VG	(+)	(a)		1	1	
·		olade: profile in section		,				
	flat						Katharngen	1
	slightl	y concave						2
	mode	rately concave					Tiara	3
54. (*)	QN	MS/VG	(+)	(a)			•	
		blade: number of on lower side						
	few						Black Beauty	1
	mediu	ım						2
	many						Kwakngen	3
55. (*)	QN	VG	(+)	(a)				
	Leaf I	blade: midrib: e						
	raisec	i	†				Legacy	1
	flat						Katharngen	2
	sunke	en	<u> </u>				Russamithong	3

8. Explanations on the Table of Characteristics


8.1 Explanations covering several characteristics

Characteristics containing the following key in the second column of the Table of Characteristics should be examined as indicated below:

- (a) Leaf should be observed on the full grown leaves on middle third of foliage.
- (b) Petiole: length and Leaf sheath: length should be observed as a following.



- (c) The main color is the color with the largest surface area. In case where the areas of the main and secondary color are too similar to reliably decide which color has the largest area, the darker color is considered to be the main color.
- (d) Leaf blade: length and width should be observed as follows:



- (e) Unless otherwise indicated, to be observed on the upper side of leaves.
- (f) Where the characteristics refers to colors as "color 1", "color 2" etc.,they are to be recorded in the order that they appear on the RHS chart, i.e. color 1 is the one with the lowest number, color 2 with the second lowest and so on. For example, if the leaves are Green 137A patched with the

White 155A, Green 137A will be a color 1 and White 155A color 2. If two colors are on the same page of the chart, for example Green 137A and Green 137D, 137A is regarded as the lower numbered color. It should be noted that under this system, ranking is independent of surface area, so the color covering the greatest surface area may be classified as color 3 or 4. The Guideline makes provision for four colors, if there are more, the color(s) with the smallest surface area(s) should be disregarded.

In Aglaonema leaf color is very significant to the overall appearance of the variety. Leaves often have several colors in different patterns. This guideline allows the description of up to four colors using the RHS Colour Charts as well as the distributions, the patterns formed and the areas covered. Although the colors are referred to as "color 1", "color 2", "color 3" and "color 4" in the headings, this does not indicate a ranking according to prominence or area covered. The order in which the colors should be observed is dictated by the order the colors appear in the RHS Colour Charts, as described in the paragraph above. Example varieties have not been provided for the leaf color characteristics. This is because the number of combinations of observations that this guideline allows for, is larger than number of combinations seen. Providing example varieties for all states of expression in this cases would be misleading. In order to provide an illustration of the recording method, different worked examples are provided as follows:

<u>Example One – Pride of Sumatra (variety with three leaf colors)</u>



15 Leaf blade: color 1	Red 50A
16 Leaf blade: distribution of color 1	7 along midrib and at margin
17 Leaf blade: pattern of color 1	10 central bar and marginal zone
18 Leaf blade: pattern of color 1: size of	not applicable
blotches	
19 Leaf blade: total area of color 1	1 very small
20 Leaf blade: color 2	Green 138A
21 Leaf blade: distribution of color 2	6 throughout
22 Leaf blade: pattern of color 2	4 solid or nearly solid
23 Leaf blade: pattern of color 2: size of	not applicable
blotches	
24 Leaf blade: total area of color 2	7 large
25 Leaf blade: color 3	Yellow Green 145C
26 Leaf blade: distribution of color 3	4 along veins
27 Leaf blade: pattern of color 3	3 stripes
28 Leaf blade: pattern of color 3: size of	not applicable
blotches	
29 Leaf blade: total area of color 3	1 very small
30 Leaf blade: color 4	not applicable
31 Leaf blade: distribution of color 4	none
32 Leaf blade: pattern of color 4	not applicable
33 Leaf blade: pattern of color 4: size of	not applicable
blotches	
34 Leaf blade: total area of color 4	not applicable

Example Two – Spotted Evergreen (variety with three leaf colors)




15 Leaf blade: color 1	Green N137A
16 Leaf blade: distribution of color 1	6 throughout
17 Leaf blade: pattern of color 1:	5 solid or nearly solid
18 Leaf blade: pattern of color 1: size of blotches	not applicable
19 Leaf blade: total area of color 1	7 large
20 Leaf blade: color 2	Yellow Green 151B
21 Leaf blade: distribution of color 2	7 throughout
22 Leaf blade: pattern of color 2:	1 blotches
23 Leaf blade: pattern of color 2: size of blotches	1 small
24 Leaf blade: total area of color 2	1 very small
25 Leaf blade: color 3	White NN155B
26 Leaf blade: distribution of color 3	2 along midrib
27 Leaf blade: pattern of color 3	2 central bar
28 Leaf blade: pattern of color 3: size of blotches	not applicable
29 Leaf blade: total area of color 3	1 very small
42 Leaf blade: color 4	not applicable
43 Leaf blade: distribution of color 4	none
44 Leaf blade: pattern of color 4	not applicable
45 Leaf blade: pattern of color 4: size of blotches	not applicable
50 Leaf blade: total area of color 4	not applicable

<u>Example Three – Pride of Sumatra (variety with two leaf colors on lower side)</u>




35 Leaf blade: color 1 on lower side	Red Purple 64C
36 Leaf blade: distribution of color 1 of lower	13 along midrib, along veins and between veins
side	
37 Leaf blade: pattern of color 1 of lower side	9 central bar and stripes
38 Leaf blade: pattern of color 1 of lower side:	not applicable
size of blotches	
39 Leaf blade: total area of color 1 of lower side	4 small to medium
40 Leaf blade: color 2 of lower side	Greyed Purple N186B
41 Leaf blade: distribution of color 2 of lower	7 throughout
side	
42 Leaf blade: pattern of color 2 of lower side	4 solid or nearly solid
43 Leaf blade: pattern of color 2 of lower side:	not applicable
size of blotched	
44 Leaf blade: total area of color 2 of lower side	5 medium
45 Leaf blade: color 3 of lower side	not applicable
46 Leaf blade: distribution of color 3 of lower	none
side	
47 Leaf blade: pattern of color 3 of lower side	not applicable
48 Leaf blade: pattern of color 3 of lower side:	not applicable
size of blotches	
49 Leaf blade: total area of color 3 of lower side	not applicable


(g) Leaf blade: distribution of color should be observed as illustrated below. State "along midrib" may include state "on mid rib". The term "veins" means primary lateral veins. States of expression including "along veins" may not include all primary veins.




(h) Leaf blade: pattern of colors should be observed as follows:



(i) Leaf blade: pattern of colors: size of blotches should be observed as follows:




(j) Leaf blade: distribution of color should be observed as illustrated below. State "along midrib" may include state "on mid rib". The term "veins" means primary lateral veins. States of expression including "along veins" may not include all primary veins.




8.2 Explanations for individual characteristics


Ad. 2: Plant: number of basal shoots




Ad. 4: Leaf sheath: shoulder shape




Ad. 11: Leaf blade: ratio length/width




Ad. 12: Leaf blade: position of broadest part




Ad. 13: Leaf blade: shape of apex



Ad. 14: Leaf blade: shape of base




Ad. 51: Leaf blade: blistering



Ad. 53: Leaf blade: profile in cross section



Ad. 54: Leaf blade: number of veins on lower side



Ad. 55: Leaf blade: midrib: profile



9. <u>Literature</u>

Nicolson, D.H., 1969: A revision of genus *Aglaonema*(Araceae). Smithsonian Institution Press. Washington, USA.63 pp.

Sinchaisri, N., 2006: Catalog of Aglaonema in Thailand. Mitkaset Marketting and Advertisement company, Bangkok, Thailand TH,180 pp.

Thanabud, P., 2000: Aglaonema, Amarin Printing and Publishing Public Co., Ltd. Thailand, 239 pp.

10. <u>Technical Questionnaire</u>

TECHNICAL QUESTIONNAIRE			Page {x} of {y}	Reference Number:
				Application date: (not to be filled in by the applicant)
			TECHNICAL QUESTIONNAIN nnection with an application f	
1.	Subject	of the Technical Questionna	aire	
	1.1	Botanical name	glaonema Schott	
	1.2	Common name	hinese Evergreen	
	1.3	Species(please specify)		
2.	Applicar	nt		
	Name			
	Address			
	Telepho	ine No.		
	Fax No.			
	E-mail a	address		
	Breeder applicar	(if different from		
3.	Propose	ed denomination and breede	er's reference	
	Proposed denomination (if available)			
	Breeder	's reference		

			Reference Number:	
Inforn	mation on the breeding scheme and	d propagation of the	/arietv	
		z propaganom or and		
4.1	Breeding scheme			
Varie	ty resulting from:			
4.1.1	Crossing			
(a)	controlled cross		[]	
	(please state parent varieties)			
()	x ()	
femal	le parent	ma	e parent	
(b)	partially known cross		[]	
	(please state known parent varie	ety(ies))		
())	x ()	
femal	le parent	ma	e parent	
(c)	unknown cross		[]	
4.1.2	Mutation		[]	
(pleas	se state parent variety)			
4.1.3 (pleas	Discovery and development se state where and when discovere	ed and how develope	[]	
4.1.4 (pleas	Other se provide details)		[]	

#

4.2 4.2.1	Method of propagating the variety Vegetative propagation		
(a) (b) (c)	Cuttings In vitro propagation Other (state method)	[] [] []	
4.2.2	Other (Please provide details)	[]	

TECHNICAL QUESTIONNAIRE Page {x} of {y} Reference Number:

5. Characteristics of the variety to be indicated (the number in brackets refers to the corresponding characteristic in Test Guidelines; please mark the note which best corresponds).

	Characteristics	Example Varieties	Note
5.1	Leaf blade: length	Example validates	110.0
(9)			
	very short		1[]
	very short to short		2[]
	short	Black Beauty	3[]
	short to medium		4[]
	medium	Tiara	5[]
	medium to long		6[]
	long	Thep Ranjuan	7[]
	long to very long		8[]
	very long		9[]
5.2	Leaf blade: width		
(10)			
, ,	very narrow		1[]
	very narrow to narrow		2[]
	narrow	Thep Ranjuan	3[]
	narrow to medium	, ,	4[]
	medium	Katharngen	5[]
	medium to broad		6[]
	broad	World Heritage	7[]
	broad to very broad	vvona i idilage	
			8[]
	very broad		9[]

TECHNICAL QUESTIONN	IAIRE	Page {x} of {y	' }	Reference Nu	mber:					
6. Similar varieties and differences from these varieties										
Please use the following table and box for comments to provide information on how your candidate variety differs from the variety (or varieties) which, to the best of your knowledge, is (or are) most similar. This information may help the examination authority to conduct its examination of distinctness in a more efficient way.										
Denomination(s) of Characteristic(s) in which variety(ies) similar to your candidate variety from the similar variety(ies) candidate variety (ies) Characteristic(s) in which variety differs the characteristic(s) for the characteristic(s) for the characteristic(s) candidate variety candidate variety										
Example Leaf blade: rat		io length/width	I	'ow	medium					
Comments:										

TE	ECHNICAL QUESTIONNAIRE	Page {x} of {y}	Reference Number:
#	 Additional information which ma 	ay help in the examination of the	variety
7	7.1 In addition to the information protection the variety?	there any additional characteristics which may help to distinguish	
	Yes []	No	[]
	(If yes, please provide details)		
7	7.2 Are there any special condition	s for growing the variety or cond	ducting the examination?
	Yes []	No	[]
	(If yes, please provide details)		
7	7.3 Other information		
9 F	Questionnaire. The photograph will pro he Technical Questionnaire. The key points to consider when taking Indication of the date and geog Correct labeling (breeder's refe Good quality printed photograp 260 x 1280 pixels)" Further guidance on providing photograp Guidelines", Guidance Note 35 (http://w	vide a visual illustration of the cardidate graphic location erence) oh (minimum 10 cm x 15 cm) an aphs with the Technical Question ww.upov.int/tgp/en/).	ad/or sufficient resolution electronic format version (minimum nnaire is available in document TGP/7 "Development of Test eloping authorities' own test guidelines.]
	Gr.1: white Gr.2: green Gr.3: grey green Gr.4: yellow Gr.5: red Gr.6: red purple	t surface area on upper side, wi	til the following color groups.
	d) Leaf blade: color covering the secon Gr.1: white Gr.2: green Gr.3: grey green Gr.4: yellow Gr.5: red Gr.6: red purple	d largest surface area on upper	side, with the following color groups:

8.	Autho	uthorization for release								
	(a)	Does the variety require prior authorization for release under legislation concerning the protection of the environment, human and animal health?								
		Yes	[]	No	[]					
	(b)	Has such	authorization bee	en obtained?						
	Yes [] No []									
	If the	answer to	(b) is yes, please	attach a copy of	the authorization	on.				
9. Inf	ormatio	on on plant	material to be exa	amined or subm	itted for examin	ation				
	and	disease, c	on of a characterischemical treatmenten from different g	t (e.g. growth	retardants or p					
chara has u	acterist Indergo	ics of the o	ial should not havariety, unless the eatment, full detaile, if the plant mate	e competent au Is of the treatm	thorities allow o	or request su en. In this res	ch treatm	nent. If t	the plar	nt material
	(a)	Micro	oorganisms (e.g. v	irus, bacteria, p	hytoplasma)		Yes []	No []
	(b)	(b) Chemical treatment (e.g. growth retardant, pesticide)					Yes []	No []
	(c)	Tissu	ue culture				Yes []	No []
	(d)	Othe	r factors				Yes []	No []
	Ple	ase provide	e details for where	you have indic	ated "yes".					
10										
10.		I hereby declare that, to the best of my knowledge, the information provided in this form is correct:								
	App	olicant's na	me							
	Sig	ınature				Date				

[End of document]